



This is to certify that

Wellington Laboratories Inc.

345 Southgate Drive, Guelph, Ontario N1G 3M5 Canada

operates a

Quality Management System

which complies with the requirements of

ISO 9001:2015

for the following scope of certification

The Registration covers the Quality Management System as it applies to the design and provision of reference standards and chemicals for use in environmental analysis and toxicological research.


Certificate No.: CERT-0106807

File No.: 1039334

Issue Date: November 3, 2020

Original Certification Date: December 30, 2004 Certification Effective Date: November 4, 2020

Certificate Expiry Date: November 3, 2023



Heather Mahon Global Head of Technical Services SAI Global Assurance







.

QMi-SAI Canada Limited (SAI Global) 20 Carson Court Suise 200 Toronto Creams MAV IN6 Canada. This registration is subject to the SAI Global Terms and Canadam Info Cartification White all due care and said, was exercised or carying of this assessment. SAI Global accepts response below only the property of SAI Global and must be insured to insure upon request. To verify that this certificate is current, present either to the SAI Global On-turne Certification Register.



Wellington Laboratories Inc. (Wellington) celebrated its 40th anniversary in 2020. Without your continued support, we couldn't have achieved this milestone and we want to thank you for your loyalty. We hope that you will continue to trust us to provide you with high quality products, outstanding service, and efficient technical support for years to come.

As you look through this catalogue, you will notice substantial overlap with our previous printing. We have retained products that have demonstrated consistent sales, remained relevant for scientific research, and/or have been mandated by regulations in various jurisdictions. If you are unable to find items that you ordered in the past, please contact us or your local distributor (see page 10). Inventory of these withdrawn products might still be available and we will do our best to accommodate your request.

Some of the new products in this catalogue include:

- Additional Alkyl-, Aryl- and Alkyl/Aryl Phosphates
- More Per- and Polyfluoroalkyl Substances (PFAS)
- Native and Mass-Labelled Organochlorine Pesticides (OCPs)
- New Native and Mass-Labelled Chlorinated Naphthalenes (PCNs)

We announce new products between catalogue printings so please visit our website (www.well-labs.com) to subscribe to our newsletter, *The Wellington Reporter*, to receive new product announcements by e-mail.

Our Quality Management System (QMS) continues to be registered to ISO 9001 providing us with the structure and procedures required to prepare accurate and precise products. Wellington is also accredited to ISO 17034 for reference material production and to ISO/IEC 17025 for our testing activities. Current certificates for all registrations and accreditations are available upon request.

Wellington employs a dynamic group of people who are all highly qualified and come from diverse, yet complimentary backgrounds. Each one of them remain passionate about the science behind our products.

We trust that our products, service, and overall dedication will give you...an Added Measure of Confidence

President	Analytical Support	R	Reference Standards Division	
Brock Chittim	Dave Potter	Robert McCrinsle	Nicole Riddell	Alan McAlees
	Fiona Utley	Alex Konstantinov	7om Stefanac	Katrin Pait
Office Staff	Christine Frid	Allison Brazeau	Yigang Zhou	Lauren Irwin
Darlene Seifried	Vaishnavi Raja	Jeff Klein	Scott Synnott	Connor McInroy
Heather Nell	Rita Sarkany	Curtis Kiteley	Christine Espina	Etta Gunsolus
Inge Kemsley			Research & Development	
Emma Larente		Jordan Stubleski	Bonnie Sharratt	Jennifer Robinson

As Wellington marked our 40th anniversary, we reflected on the path that we've taken and looked forward to the opportunities, risks, and road ahead. As part of our journey, we are training a new generation of chemists who are dedicated to learning from those that have been with us from the beginning. The cover artwork recognises the intersection of past knowledge with new ideas and skill at Wellington.

Wellington is proud to distribute our products globally, but loves to call the city of Guelph home. Pictures featured in this catalogue showcase local scenery from Guelph, Ontario and the surrounding area.

Introduction "Trusted for Quality Since 1980"		1
Table of Contents		2
"Support Solutions"		5
General Information		6
Ordering, Terms, Warranty & Use		8
Distributors		10
	01.00.00.00.00	
PCDD/PCDF ANALYTICAL METHOD SOLUTIONS		
EPA Method 1613 Standard Solutions		14
Alternative Method 16130 Standard Solutions	••• ••• ••• •••	16
CS3WT	••• ••• •••	17
EPA Method 8280 Standard Solutions	*** *** *** ***	18
EPA Method 8290 Standard Solutions	••• ••• ••• •••	20
EPA Method 23 Standard Solutions	••• ••• ••• •••	22
European Method EN-1948 Standard Solutions	••• ••• ••• •••	24
HRGC/HRMS TCDD/TCDF Analysis Solutions	••• ••• ••• •••	26
Capillary Column Performance Test Mixtures	••• ••• ••• •••	27
Mass-Labelled Capillary Column Performance Test Mixtures		30
INDIVIDUAL PCDD & PCDF CONGENERS: NATIVE ANI	D MASS-LABELL	
Native Polychlorinated Dibenzo-p-dioxins (PCDDs)		32
Native Polychlorinated Dibenzofurans (PCDFs)	*** *** *** *** ***	33
Mass-Labelled Polychlorinated Dibenzo-p-dioxins	10.10 10.10 10	35
Mass-Labelled Polychlorinated Dibenzofurans	- Ornemental	38
PCDDs and PCDFs: JIS METHODS & SPECIALTY SOLU	TION/MIXTURES	
DF-CVS-A10		44
DF-CVS-B10		46
DF-CVS-C10		48
DFP-CVS-B10		50
NK-CVS-J DF-LCS-A	in in activity	52 53
DF-LCS-A DF-LCS-B		54
DF-LCS-C		55
Mass-Labelled PCDDs & PCDFs: Solution/Mixtures	*** *** *** ***	56
Mass-Labelled PCDDs/PCDFs/PCBs: Solution/Mixtures		61
Mass-Labelled PCDDs & PCBs: Solution/Mixtures	*** *** *** ***	63
Native PCDDs & PCDFs: Solution/Mixtures		64
PCDDs & PCDFs: Solution/Mixtures		66
PCBs: ANALYTICAL METHOD SOLUTIONS		
WP-CVS Standard Solutions		70
EPA Method 1668C Standard Solutions	*** *** *** *** ***	72
EPA Method 1668 Standard Solutions		74
Environment Canada Method 1/RM/31 Standard Solutions	101 AND 101 111 111	76
P48-W-CVS		78 7 8
P48-M-CVS	an an air air an	79
WM48-CVS P48-W-PAR	00.00.00.00.00	80 81
P48-W-PAR P48-M-PAR		81
Support Solutions for EN 1948-4:2010		82
	01 10 10 00 01	- G <u>2</u>
PCBs: MASS-LABELLED CONGENERS		
Mass-Labelled Polychlorinated Biphenyls		84

P	CBs: SPECIALTY SOLUTION/MIXTURES			
	PCB-CVS-H		90	
	PCB-CVS-A10		92	
	PCB-CVS-B10		94	
	Mass-Labelled PCBs: Solution/Mixtures		96	
	Native PCBs: Solution/Mixtures		98	
	BP-CP81		98	
	BP-WD		99	
	BP-MO	destination of	99	
	BP-MS		100	
	PCBs: Solution/Mixtures		101	
	Mass-Labelled PCDDs/PCDFs/PCBs: Solution/Mixtures		102	
P	OLYBROMINATED DIPHENYL ETHERS & POLYBROMINAT	ED BIPHEN	IYLS	
	BFR-CVS		104	Ī
	BDE-CVS-F	*** *** *** ***	106	
	BDE-CVS-G		108	
	Native Polybrominated Diphenyl Ethers (PBDEs)		110	
	PBDE Window Defining Solution/Mixture		112	
	Native PBDEs: Solution/Mixtures		112	
	Mass-Labelled Polybrominated Diphenyl Ethers (PBDEs)		114	
	Mass-Labelled PBDEs: Solution/Mixtures		116	
	Polybrominated Diphenyl Ether Technical Mixtures		117	
	Native Methoxy-Bromodiphenyl Ethers (MeO-BDEs)		118	
	Methoxy-Bromodiphenyl Ethers: Solution/Mixture		119	
	Mass-Labelled Methoxy-Bromodiphenyl Ethers		119	
	Mass-Labelled Hydroxy-Bromodiphenyl Ethers		119	
	Native Polybrominated Biphenyls (PBBs)		120	
	Native PBBs: Solution/Mixture & Technical Mixtures		121	
	Mass-Labelled Polybrominated Biphenyls		121	
	Mass-Labelled PBBs: Solution/Mixture		122	
H	ALOGENATED FLAME RETARDANTS & RELATED COMPO	UNDS		
	Native Hexabromocyclododecanes (HBCDDs)		126	Т
	Native HBCDD Enantiomers		126	
	Mass-Labelled Hexabromocyclododecanes		127	
	Native Pentabromocyclododecene (PBCD)		127	
	Tetrabromobisphenol-A (TBBPA): Native and Mass-Labelled		127	
	Decabromodiphenylethane (DBDPE): Native and Mass-Labelled		128	
	1,2-Bis(2,4,6-tribromophenoxy)ethane (BTBPE): Native and Mass-Labelled		128	
	Hexabromobenzene (HBBZ): Native and Mass-Labelled		128	
	Pentabromobenzene (PBBZ): Native and Mass-Labelled		129	
	Native Pentabromoethylbenzene (PBEB)		129	
	Native Pentabromotoluene (PBT)		129	
	Native Tetrabromo-p-xylene (pTBX)		129	
	Native 1,2,5,6-Tetrabromocyclooctane (TBCO)	distribution in the	129	
	Native Tetrabromoethylcyclohexane (TBECH)		130	
	Native Octabromotrimethylphenylindane (OBIND)		130	
	Bis(2-ethylhexyl) tetrabromophthalate (BEHTBP): Native and Mass-Labelled	300.00.00.00	131	
	2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB): Native and Mass-Labelled		131	
	Native Hexachlorocyclopentenyl-dibromocyclooctane (HCDBCO)		131	
	Native Tetrabromo-o-chlorotoluene (TBCT)		131	
	Native Pentabromobenzyl acrylate (PBBA)		132	
	Native 2,4,6-Tribromophenyl ethers (ATE, DPTE, & BATE)	in materia	132	
	Dechlorane Plus* (DP): Native and Mass-Labelled		132	
	Dechlorinated Dechlorane Plus®		132	
	Native Dechlorane Plus® Mono Adducts		133	
	Native Experimental Flame Retardants		133	
	Native Tris(2,3-dibromopropyl)isocyanurate (T23BPIC)		134	
	2,3,4,5-Tetrabromobenzoic acid: Native and Mass-Labelled (TBBA)		134	
	Native Mathyl 2 2 4 5 Tatrahramahangasta (MaTRRA)		124	

Tetrabromophthalic anhydride: Native and Mass-Labelled (TBPAn)		134
Native Organophosphorus Compounds		135
Mass-Labelled Organophosphorus Compounds		139
Brominated Dibenzo-p-dioxins (PBDDs): Native and Mass-Labelled		140
Native Brominated Dibenzofurans (PBDFs)		141
Bromo/Chloro Dibenzo-p-dioxins: Native and Mass-Labelled		141
Bromo/Chloro Dibenzofurans: Native and Mass-Labelled		142
PER- & POLYFLUOROALKYL SUBSTANCES (PFAS)		
PFC-CVS-C		144
Native Linear Perfluoroalkanesulfonates: Individual Solutions & Mixture		146
Native Perfluoroethylcyclohexanesulfonate (PFECHS)	*** *** *** *** ***	146
Native Chloro-Perfluoroalkanesulfonate		147
Native Branched Perfluoroalkanesulfonates	A State of the State of the second	147
Mass-Labelled Perfluoroalkanesulfonates		147
Native Linear Perfluoroalkylcarboxylic Acids: Individual Solutions & Mixture		148
		148
Native Branched Perfluoroalkylcarboxylic Acids		149
Mass-Labelled Perfluoroalkylcarboxylic Acids Mixed Native PFAS: Solution/Mixtures		
		151
Mixed Mass-Labelled PFAS: Solution/Mixture		153
Mixed Native and Mass-Labelled PFAS: Solution/Mixture		154
EPA Method 537.1 Solutions/Mixtures		156
ISO 21675:2019 Solutions/Mixtures		158
EPA Method 533 Solutions/Mixtures		160
PFOS/PFOA Isomers		161
Perfluoroalkanesulfonamides (FASA): Native and Mass-Labelled		162
Native Perfluoroalkanesulfonamidoethanols (N-MeFASE and N-EtFASE)		162
Mass-Labelled Perfluoroalkanesulfonamidoethanols	··· ··· ··· ··· ··· ···	163
Perfluorooctanesulfonamidoacetic Acids (FOSAA): Native and Mass-Labelled		163
Native Fluorotelomer Alcohols (X:2FTOH)		163
Mass-Labelled Fluorotelomer Alcohols	and the state of	164
Native Fluorotelomer Carboxylic Acids (FTCA): Individual Solutions		164
Native Fluorotelomer Carboxylic Acids (FTCA): Solution/Mixture		164
Mass-Labelled Fluorotelomer Carboxylic Acids: Individual Solutions & Mixture		165
Native Fluorotelomer Unsaturated Carboxylic Acids (FTUCA)		166
Mass-Labelled Fluorotelomer Unsaturated Carboxylic Acids	or or so or or	166
Native Chloroperfluoroalkyl Ether Sulfonates (Cl-PFESA)	no monto m	166
Native Per- and Polyfluoroalkyl Ether Carboxylic Acids (PFECA)		166
Native Perfluoroalkyl Ether Sulfonates (PFESA)		167
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA): Native and Mass-Labelled	l	167
Native and Mass-Labelled Fluorotelomer Sulfonates (X:2FTS)		167
Native Perfluoroalkylphosphonic Acids (PFAPA)		168
Native Sodium Perfluoroalkyl Phosphinates (X:XPFPi)		168
Polyfluorinated Phosphate Esters (PAP & diPAP): Native and Mass-Labelled		168
Native Polyfluorinated Phosphate Esters (SAmPAP)		169
Native Telomer Acrylates (X:2FTAcr)		170
Native Telomer Acetates (X:2FTOAc)		170
Native Cationic/Zwitterionic PFAS		171
RGANOCHLORINE PESTICIDES (OCPs)		-
	7.5 (7.07)	102
Individual Native Organochlorine Pesticides		174
Native Organochlorine Pesticides Solutions/Mixtures		175
Individual Mass-Labelled Organochlorine Pesticides		176
Mass-Labelled Organochlorine Pesticides Solutions/Mixtures		177
NVIRONMENTAL REFERENCE MATERIALS (ERMs)		
WMF-02: Reference Fish Tissue for Organic Contaminant Analysis		180
WMF-03: Reference Fish Tissue for Organic Contaminant Analysis		182
WMF-EX: Reference Fish Tissue Extract for Organic Contaminant Analysis		184
WMS-01: Reference Lake Sediment for Organic Contaminant Analysis		186
CARP-2: Reference Fish Tissue for Organic Contaminant Analysis		187

A	DDITIONAL PRODUCTS			
T	PAH-CVS-B		190	Ī
	Method 429: HRGC/LRMS Calibration Solutions for PAHs		192	
	EPA & EU PAH Solution/Mixtures		194	
	Chlorinated Biphenylols (HO-PCBs): Native and Mass-Labelled		196	
	Mass-Labelled Chlorinated Biphenylols: Solution/Mixture		197	
	Native Methoxy-Chlorobiphenyls (MeO-PCBs)		198	
	Native Methoxy-Chlorobiphenyls: Solution/Mixtures		199	
	Mass-Labelled Methoxy-Chlorobiphenyls		200	
	Mass-Labelled Methoxy-Chlorobiphenyls: Solution/Mixture		201	
	Chlorinated Biphenylenes (PCBPs): Native and Mass-Labelled		201	
	Triclocarban (TCC): Native and Mass-Labelled		202	
	Triclosan and Methyl Triclosan: Native and Mass-Labelled		202	
	Chlorinated Derivatives of Triclosan and Methyl Triclosan		203	
	Native Chloroxanthene		203	
	Tris(4-chlorophenyl)methane: Native and Mass-Labelled		203	
	Tris(4-chlorophenyl)methanol: Native and Mass-Labelled		203	
	PCN-CVS-A		204	
	Native Polychlorinated Naphthalenes: Solution/Mixtures		206	
	Native Polychlorinated Naphthalenes (PCNs)		208	
	Mass-Labelled Polychlorinated Naphthalenes		210	
	Native Polychlorinated Diphenyl Ethers (PCDEs)		212	
	Mass-Labelled Polychlorinated Diphenyl Ethers		212	
	Native Chlorobenzenes: Solution/Mixture		213	
	Mass-Labelled Chlorobenzenes: Individual Solutions and Mixture	20.00	213	
	Native and Mass-Labelled Chlorophenols: Solution/Mixtures		214	
	Mass-Labelled Chlorophenols: Individual Solutions		215	
	Melamine & Cyanuric Acid: Native and Mass-Labelled		215	
	Bisphenol A: Native and Mass-Labelled		216	
	Native Bisphenol Analogues		216	
	Tetrachlorodibenzothiophenes: Native and Mass-Labelled		217	
	Native Chlorinated, Brominated, and Bromo/Chloro Carbazoles		217	
	Native Halogenated Carbazoles: Solution/Mixture		218	
	Mass-Labelled Chlorinated Carbazoles		218	
			210	i
41	PPENDIX			
	Guidelines for the Use and Handling of Wellington Products		222	
	General Structure and Numbering System of Selected Aromatic Hydrocarbons		224	
	Number of Possible Isomers for Selected Halogenated Aromatic Compounds		225	
	Molecular Weights for Selected Chlorinated and Brominated Aromatic Compound		225	
	Exact Mass & Relative Ion Abundance of Selected Chlorinated Aromatic		226	
	Hydrocarbons		500	
	Molecular Ion Clusters for Chlorinated Aromatic Hydrocarbons		228	
	Molecular Ion Clusters for Brominated Aromatic Hydrocarbons		229	
	Exact Mass & Relative Ion Abundance of Selected Brominated Aromatic		230	
	Hydrocarbons		200	
	Systematic Numbering of Chlorinated Dibenzo-p-dioxins		231	
	Systematic Numbering of Chlorinated Dibenzofurans		233	
	Systematic Numbering of Chlorinated Biphenyls		238	
	Systematic Numbering of Chlorinated Diphenyis Systematic Numbering of Chlorinated Naphthalenes		244	
	Reference Methods		247	
	SUF	PPORT SOLL	JIION:	5

Throughout this catalogue, among the products listed are sets of <u>Calibration</u> and <u>Verification Solutions</u> designed for use with a variety of GC/MS applications. These solution sets are denoted by the incorporation of the code <u>CVS</u> into their catalogue numbers, for example <u>EPA-1613CVS</u> or <u>DFP-CVS-B10</u>. These calibration solutions are designed to be used with their corresponding "support solutions". These are the solution/mixtures of native or mass-labelled compounds required for sample processing and method validation as determined by the appropriate method.

WELLINGTON LABORATORIES INC.

Wellington Laboratories Inc. (Wellington) has been a reliable and respected supplier of reference standards for over 40 years. Moreover, the company has developed a global reputation and a loyal clientele.

This has been achieved due to:

- The superior quality of our products, which includes the accompanying documentation.
- Our consistent and timely service to all our clients.
- The technical support, pre- and post-delivery, that we gladly provide.
- Our overall dedication to customer service and continual improvement.

Considering that the products we provide are necessary to ensure the accuracy of environmental, trace contaminant analyses, and for toxicological research, the qualifications and performance of our staff is critical.

Wellington has put together a highly qualified team of synthetic chemists, analytical chemists, product development chemists and administrative personnel. They are all dedicated to preparing high quality products, supporting them with science, and delivering them to our clients.

THIS CATALOGUE / NEW PRODUCTS

As in our original catalogue, Wellington continues to offer an extensive collection of native and masslabelled chlorinated dibenzo-p-dioxins (PCDDs), dibenzofurans (PCDFs) and biphenyls (PCBs). This includes ready-to-use calibration solutions and support solutions for:

- PCDD/PCDF methods, such as EPA Method 1613B, JIS Methods K 0311 and K 0312,
- and European Standard Method 1948-4.
- PCB methods, such as EPA Method 1668C and Environment Canada Method 1/RM/31.

As new products or groups of products were developed and offered, additional sections were added to our catalogue, including those presenting:

- Polybrominated Diphenyl Ethers (PBDEs) and Polybrominated Biphenyls (PBBs).
- Other Halogenated Flame Retardants (e.g. HBCDDs) and related compounds (e.g. organo phosphates).
- Per- and Polyfluoroalkyl substances (PFAS).
- Environmental Reference Materials (ERMs).
- Additional products including polyaromatic hydrocarbons (PAHs), polychlorinated naphthalenes (PCNs), and other reference standards.

In this new catalogue we have added many new native and mass-labelled PFAS, expanded our offerings of PCNs, and introduced a separate section for organochlorine pesticides (OCPs), including newly prepared native and mass-labelled OCPs.

Please refer to the Table of Contents to review our updated product line and continue to visit our website for new product announcements.

SYNTHESIS

The chemical standards offered by Wellington are prepared using unambiguous synthetic routes and purified using a battery of methods. All products are purified to a minimum of 98% chemical purity and the isotopic purity of ¹³C-labelled products is required to be >99%. The structure of all of our compounds is unequivocally confirmed using a variety of techniques including, as appropriate, NMR (400 or 600 MHz), HRGC with LRMS and/or HRMS, UPLC-MS/MS, and SFC/UV/MS/MS.

ACCURACY/TRACEABILITY

All of the solutions listed in this catalogue are prepared in our laboratories using:

- Microbalances calibrated regularly by an external, ISO/IEC 17025 accredited laboratory
- External weights traceable to an ISO/IEC 17025 accredited laboratory to verify microbalance calibration
- Volumetric glassware of Class A tolerance calibrated and traceable to an ISO/IEC 17025 accredited laboratory
- Distilled-in-glass or HPLC grade solvents
- Replicate solutions to ensure accuracy and confirm homogeneity

When possible, these solutions are compared to standard reference materials or certified standards from another source. The expanded maximum percent relative uncertainty of solution concentrations is \pm 5%, unless stated otherwise in this catalogue.

VALIDATION/CERTIFICATION

Wellington was the first supplier of PCDDs, PCDFs and WHO PCBs to validate their solution/mixtures using "truly blind" interlaboratory studies. Since 1991, solutions of our PCDD, PCDF and PCB standards have been submitted to more than 30 international round-robins, resulting in over 2000 independent sets of HRGC/HRMS data.

In addition, over the past several years, Wellington has also submitted standards for 18 interlaboratory studies on PBDEs and 23 studies involving PFAS.

Summaries of all of these interlaboratory studies are available on request. However, in all the studies, averages of the data received for all compounds were well within $\pm 10\%$ of the design values.

ANALYSIS/DOCUMENTATION

Each of our products comes with a detailed Certificate of Analysis (CofA) which includes data which the end user should be able to replicate using equivalent instrumentation and conditions. The CofA includes HRGC/LRMS and/or HRGC/HRMS data depending upon the intended use of the product. Those compounds that are not amenable to GC analysis come with LC/MS data.

Additionally, all of our mass-labelled products come with data that clearly shows their isotopic purity. All calibration sets include RRF summaries showing the required linearity. Safety Data Sheets and handling guidelines are available for all products.

OTHER PRODUCTS/CUSTOM REQUESTS

For products not listed in this catalogue, please visit our website for updates or contact us at info@well-labs.com. Custom solution preparation and synthetic services are also available.

ORDERING, TERMS, WARRANTY & USE

ORDERING INFORMATION

To place an order, please contact the distributor that serves your country. Distributors are listed on pages **10** and **11**, as well as on our website.

For Canada, and for other countries where we do not have a distributor, please contact:

Wellington Laboratories Inc. 345 Southgate Drive Guelph, Ontario CANADA N1G 3M5

Telephone: (519) 822-2436
Toll-free: (800) 578-6985
FAX: (519) 822-2849
E-mail: orders@well-labs.com
Website: www.well-labs.com

When ordering, please provide as much information as possible, including:

- Detailed shipping address and billing address
- Purchase order number, if known
- Catalogue number and description of product
- Quantity and unit size

TERMS & CONDITIONS OF SALE

Prices: A price list for the products listed in this catalogue is available from your local distributor. Prices are subject to change without notice.

Payment: Payment terms are net 30 days from date of invoice. Past due invoices will be subject to a 2% monthly finance charge.

Note: We may also accept credit card payments.

Shipping & Handling: All shipments will be arranged using a courier licensed to carry dangerous goods in excepted quantities.

Returns: Please contact Wellington Laboratories Inc. or your local distributor for a return authorization number. No credit or exchange will be approved after 30 days from shipment and without prior authorization.

LIMITED WARRANTY

At the time of shipment, all products are warranted to be free of defects in material and workmanship and to conform to the accompanying technical and purity specifications. Wellington Laboratories Inc. makes no other warranty, expressed or implied, pertaining to the suitability of the product for any specific application. In case of breach of this warranty, the entire liability of Wellington Laboratories Inc. will be limited to the invoice price of the goods. In no case will Wellington Laboratories Inc. be liable for any special, incidental or consequential damages resulting from the use of its products.

INTENDED USE

The products prepared by Wellington Laboratories Inc. are for laboratory use only. They are not for use in humans.

These chemicals should only be used by qualified personnel who are familiar with their potential hazards and are trained in their handling. With all of our products, due care should be exercised to prevent human contact and ingestion.

The absence of a toxicity warning on any of our products must not be interpreted as an indication that there is no possible health hazard.

Safety Data Sheets (SDSs) are supplied upon request.

PACKAGING

For the safety and convenience of our clients, the solutions provided by Wellington Laboratories Inc. are packaged in clear or amber glass flame-sealed ampoules. Crystalline materials are packaged in glass vials with teflon-lined screw caps.

The solution volumes stated in this catalogue are the minimum volumes which will be delivered and should be considered as approximate. To retain the accuracy of the solutions, dilutions should be made using volumetric glassware.

END USE ONLY/NOT FOR RESALE

The reference standards and materials supplied by Wellington Laboratories Inc. are for end use only by the original purchaser and are not to be resold without written authorization from Wellington Laboratories Inc.


DISTRIBUTORS

To determine which distributor serves your country, please visit our website at www.well-labs.com and follow the distributor link under order info.

DISTRIBUTOR	HEAD OFFICE	CONTACT INFORMATION		
WELLINGTON LABORATORIES	JAPAN	1-22-12 Fujimidai		
JAPAN INC.		Nerima-ku, Tokyo, Japan 177-0034		
		Phone: +(81) 3-5934-4184		
		Fax: +(81) 3-5241-4222		
		Website: www.well-labs.co.jp		
		Email: info@well-labs.co.jp		
KANTO CHEMICAL CO., INC.	JAPAN	East Muromachi Mitsui BLDG, 2-1,		
		Nihonbashi Muromachi 2-chome,		
		Chuo-ku, Tokyo, Japan 103-0022		
		Phone: +(81) 3-6214-1090		
		Fax: +(81) 3-3241-1047		
		Website: www.kanto.co.jp		
		Email: reag-info@gms.kanto.co.jp		
		Linaii. reag-miotognis.kaito.co.jp		
WELLINGTON	UNITED STATES	7208 West 80th Street, Suite 206		
LABORATORIES LLC.	OF AMERICA	Overland Park, KS, USA 66204		
		Phone: (913) 722-4919		
		Toll Free: (877) 809-7039		
		Fax: (913) 722-4669		
		Website: www.well-labs.com		
		Email: wellington@swbell.net		
REYHOUND CHROMATOGRAPHY	ENGLAND	6 Kelvin Park, Birkenhead,		
& ALLIED CHEMICALS	21,02,2,2	Merseyside, England CH41 1LT		
MINDER CHEMICANO		Phone: (+44)-0-151-649-4000		
		Fax: (+44)-0-151-649-4001		
		Website: www.greyhoundchrom.com		
		Email: info@greyhoundchrom.com		
BCP INSTRUMENTS	FRANCE	12 avenue des Saules		
ber markowien 13	HOUVEE	69600 Oullins, France		
		Phone: +33 (0)4 72 49 72 65		
		Website: www.bcp-instruments.com		
		Email: contact@bcp-instruments.com		
		Email: contact@ocp-mstruments.com		
CHEMICAL RESEARCH 2000 S.R.L.	ITALY	Via Santa Margherita di Belice, 16		
		00133, Rome, Italy		
		Phone: +(39) 06 20630997		
		Fax: +(39) 06 20685490		
		Website: www.cr2000.it		
		Email: info@cr2000.it		
CAMPRO SCIENTIFIC GMBH	GERMANY	Goerzallee 299		
CAME NO SCIENTIFIC GWIDIT	GENIMINI.	14167 Berlin Germany		
		Phone: +49.(0)30.629.01.89.0		
		Fax: +49.(0)30.629.01.89.89 Website: www.campro.eu		
		vvedsite: www.campro.eu		
		Email: info@campro.eu		

If your country is not served by an official distributor, please contact Wellington Laboratories directly via e-mail at: info@well-labs.com

DISTRIBUTOR	HEAD OFFICE	CONTACT INFORMATION		
TECHNO SPEC	SPAIN	Calle Pau Alsina, 112 08024 Barcelona, Spain Phone: +(34) 93-284-5676 Fax: +(34) 93-219-5626 Website: www.technospec.es		
		Email: info@technospec.es		
LABICOM, A DIVISION OF HPST S.R.O.	CZECH REPUBLIC	Na Jetelce 69/2, 19000 Praha 9, Czech Republic Phone: +(420) 604-931-771 Website: www.labicom.cz Email: info@hpst.cz E-shop: https://eshop.labicom.cz/		
SMART E INTERNATIONAL (BJ) LTD.	CHINA	3107 Building D, SOHO New Town 88 Jianguo Road, Chaoyang District, Beijing, P.R. China 100022 Phone: +86-10-8580-1267 Fax: +86-10-8580-1268 Website: www.wellington-china.com Email: info@wellington-china.com		
AURORA BOREALIS TECHNOLOGY CO., LTD.	TAIWAN	4F, No. 42, Huaining Street Zhongzheng District, Taipei City 10046, Taiwan R.O.C. Phone: +886-2-2375-7239 Fax: +886-2-2331-1829 Website: www.aubotech.com Email: edward.lee@aubotech.com		
BK SCIENTIFIC CO., LTD.	KOREA	Rm. No. 1108, Daebang the MCity Office B/D, 255 Kintex-ro, Ilsanseo-gu, Goyang-si, Gyeonggi-do, Korea, 10390 Tel: 82-31-902-7986 Fax: 82-31-908-7986 e-mail: bkscientific@nate.com		
BYMAZ PTY. LTD.	SOUTH AFRICA	61C 13th Avenue Boksburg North, Gauteng, South Africa Phone: +27(0) 11-894-4458 Cell: +27(0) 82-334-4007 Website: www.bymaz.co.za Email: byron@bymaz.co.za		
SCANTEC NORDIC AB	SWEDEN	Fabriksstråket 29 433 76 Jonsered, Sweden Phone: +(46) 31 336 90 00 Website: www.scantecnordic.se Email: info@scantecnordic.se		



PCDD/PCDF ANALYTICAL METHOD SOLUTIONS

Complete sets of calibration and support solutions are offered for the following methods:

U.S. EPA Method 1613B

U.S. EPA Method 8280

U.S. EPA Method 8290

U.S. EPA Method 23

European Standard Method EN 1948-4

HRGC/HRMS TCDD and TCDF Analysis Solutions

Also included in this section are the following solution/mixtures of PCDD and PCDF congeners. These are used to test and confirm the resolution of the HRGC column being used and to set retention time windows for the PCDD and PCDF congener groups:

CS3WT: EPA-1613CS3 calibration solution combined with PCDD/PCDF window

defining congeners and 2,3,7,8-TCDD resolution testing isomers.

5CWDS: PCDD/PCDF window defining congener mix.

5TCDD: 2,3,7,8-TCDD resolution test mixture. 225TCDF: 2,3,7,8-TCDF resolution test mixture.

TDTFWD: Combined PCDD/PCDF window defining and resolution testing mixture

for 3 HRGC columns of varying polarity.

In this edition, we have added solution/mixtures of ¹³C-labelled, window-defining PCDDs (MD5CWDS) and PCDFs (MF5CWDS). These can be added to samples prior to extraction, or to extracts prior to analysis to confirm that the congener group HRGC windows have not shifted significantly during the analysis. Moreover, these solutions can also be used as injection or sampling standards.



EPA METHOD 1613 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-1613CVS	EPA Method 1613	1 kit
	Calibration and Verification Solutions CS1-CS5	(5 ampoules)
EPA-1613CSL*	CSL Extended Calibration/Low Level	500 µL
EPA-1613CS0.5*	CS0.5	500 µL
EPA-1613CS1	CS1	500 µL
EPA-1613CS2	CS2	500 µL
EPA-1613CS3	CS3 Calibration Verification	1.0 mL
EPA-1613CS4	CS4	500 µL
EPA-1613CS5	CS5	500 µL

NOTE: 200 μ L AMPOULES OF THE CALIBRATION SOLUTIONS ARE ALSO AVAILABLE. PLEASE CONTACT WELLINGTON OR YOUR LOCAL DISTRIBUTOR FOR PRICING INFORMATION.

		1613CS0.5	1613CS1	1613CS2	1613CS3	1613CS4	1613CS5
	ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.100	0.250	0.500	2.00	10.0	40.0	200
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	0.500	1.25	2.50	10.0	50.0	200	1000
Octachlorodibenzo-p-dioxin	1.00	2.50	5.00	20.0	100	400	2000
2,3,7,8-Tetrachlorodibenzofuran	0.100	0.250	0.500	2.00	10.0	40.0	200
1,2,3,7,8-Pentachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
2,3,4,7,8-Pentachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,4,7,8-Hexachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,6,7,8-Hexachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,7,8,9-Hexachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
2,3,4,6,7,8-Hexachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,4,6,7,8-Heptachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
1,2,3,4,7,8,9-Heptachlorodibenzofuran	0.500	1.25	2.50	10.0	50.0	200	1000
Octachlorodibenzofuran	1.00	2.50	5.00	20.0	100	400	2000
MASS-LABELLED PCDDs & PCDFs							
2,3,7,8-Tetrachloro(¹³C,,)dibenzo-p-dioxin	100	100	100	100	100	100	100
1,2,3,7,8-Pentachloro(13C,,)dibenzo-p-dioxin	100	100	100	100	100	100	100
1,2,3,4,7,8-Hexachloro(13C,2)dibenzo-p-dioxin	100	100	100	100	100	100	100
1,2,3,6,7,8-Hexachloro(13C,_)dibenzo-p-dioxin	100	100	100	100	100	100	100
1,2,3,4,6,7,8-Heptachloro(13C,,)dibenzo-p-dioxin	100	100	100	100	100	100	100
Octachloro(13C ₁₂)dibenzo-p-dioxin	200	200	200	200	200	200	200
2,3,7,8-Tetrachloro(¹³C,,)dibenzofuran	100	100	100	100	100	100	100
1,2,3,7,8-Pentachloro(13C,)dibenzofuran	100	100	100	100	100	100	100
2,3,4,7,8-Pentachloro(13C,)dibenzofuran	100	100	100	100	100	100	100
1,2,3,4,7,8-Hexachloro(13C,)dibenzofuran	100	100	100	100	100	100	100
1,2,3,6,7,8-Hexachloro(13C _{1,2})dibenzofuran	100	100	100	100	100	100	100
1,2,3,7,8,9-Hexachloro(13C,2)dibenzofuran	100	100	100	100	100	100	100
2,3,4,6,7,8-Hexachloro(13C,)dibenzofuran	100	100	100	100	100	100	100
1,2,3,4,6,7,8-Heptachloro(13C,)dibenzofuran	100	100	100	100	100	100	100
1,2,3,4,7,8,9-Heptachloro(13C ₁₂)dibenzofuran	100	100	100	100	100	100	100
CLEANUP STANDARD							
2,3,7,8-(³²Cl _x)Tetrachlorodibenzo-p-dioxin	0.100	0.250	0.500	2.00	10.0	40.0	200
INTERNAL STANDARDS							
1,2,3,4-Tetrachloro(13C,,)dibenzo-p-dioxin	100	100	100	100	100	100	100
1,2,3,4- letrachioro("C, Jaibenzo-p-aloxin	100	100	100	100	100	100	100

^{*} EPA-1613CSL and EPA-1613CS0.5 are not included in the EPA-1613CVS kit and must be ordered separately.

EPA METHOD 1613 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-1613LCS*	Labelled Compound Stock Solution	1.2 mL
EPA-1613CSS*	Cleanup Standard Spiking Solution	1.2 mL
EPA-1613ISS	Internal Standard Spiking Solution	1.2 mL
EPA-1613PAR*	Precision and Recovery Stock Solution	1.2 mL
EPA-1613STOCK	EPA Method 1613 Native Stock Solution	1.2 mL

	1613LCS	1613CSS	1613155	1613PAR	1613STOCK
NATIVE PCDDs & PCDFs	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	_	_	_	40.0	400
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	_	-	_	200	2000
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	-	-	-	200	2000
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	_	_	_	200	2000
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	-	-	-	200	2000
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	_	-	_	200	2000
Octachlorodibenzo-p-dioxin	-	-	_	400	4000
2,3,7,8-Tetrachlorodibenzofuran	1.0	=	_	40.0	400
1,2,3,7,8-Pentachlorodibenzofuran	_	_	_	200	2000
2,3,4,7,8-Pentachlorodibenzofuran	_	_	-	200	2000
1,2,3,4,7,8-Hexachlorodibenzofuran	_	-	-	200	2000
1,2,3,6,7,8-Hexachlorodibenzofuran	_	_	_	200	2000
1,2,3,7,8,9-Hexachlorodibenzofuran	_	_	_	200	2000
2,3,4,6,7,8-Hexachlorodibenzofuran	-	_	_	200	2000
1,2,3,4,6,7,8-Heptachlorodibenzofuran	_	<u>-</u>	<u> </u>	200	2000
1,2,3,4,7,8,9-Heptachlorodibenzofuran	_	_	_	200	2000
Octachlorodibenzofuran	-	_	-	400	4000
MASS-LABELLED PCDDs & PCDFs					
2,3,7,8-Tetrachloro(¹³C,₃)dibenzo-p-dioxin	100	_	-	_	-
1,2,3,7,8-Pentachloro(13C,,)dibenzo-p-dioxin	100	_	_	_	_
1,2,3,4,7,8-Hexachloro(13C,2)dibenzo-p-dioxin	100	_	_	_	_
1,2,3,6,7,8-Hexachloro(13C,)dibenzo-p-dioxin	100	-	_	_	_
1,2,3,4,6,7,8-Heptachloro(¹³ C,)dibenzo-p-dioxin	100	_	_	_	_
Octachloro(¹³C ₁₂)dibenzo-p-dioxin	200	-	-	-	-
2,3,7,8-Tetrachloro(¹³C,,)dibenzofuran	100		_	_	_
1,2,3,7,8-Pentachloro(¹³C,,)dibenzofuran	100	_	_	_	_
2,3,4,7,8-Pentachloro(¹³C,,)dibenzofuran	100				_
1,2,3,4,7,8-Hexachloro(¹³C,)dibenzofuran	100	_	_	_	=
1,2,3,6,7,8-Hexachloro(¹³C,3)dibenzofuran	100	_	_	_	
1,2,3,7,8,9-Hexachloro(¹³C,,)dibenzofuran	100	_	_		
2,3,4,6,7,8-Hexachloro(¹³C _{1,2})dibenzofuran	100		_	_	
1,2,3,4,6,7,8-Heptachloro(¹³C,₃)dibenzofuran	100	_	_		-
1,2,3,4,7,8,9-Heptachloro(¹³C ₁₂)dibenzofuran	100	-	-	-	-
CLEANUP STANDARD					
2,3,7,8-(³²Cl ₂)Tetrachlorodibenzo- <i>p</i> -dioxin	-	40.0	_	_	=
INTERNAL STANDARDS					
INTERNAL STANDARDS			200		
1,2,3,4-Tetrachloro(¹³C,₂)dibenzo-p-dioxin	=	-	200	-	_
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibenzo-p-dioxin	_	_	200	-	-

^{*} Working solutions are prepared by diluting EPA-1613LCS (in acetone), EPA-1613CSS (in nonane) and EPA-1613PAR (in acetone) 1:50 (v/v)

ALTERNATIVE METHOD 16130 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc	
16130CVS	Alternative Method 16130	1 kit	
	Calibration and Verification Solutions CS1-CS5	(5 ampoules	
16130CSL*	CSL Extended Calibration/Low Level	500 µL	
16130CS05*	CS0.5	500 µL	
16130CS1	CS1	500 µL	
16130CS2	CS2	500 µL	
16130CS3	CS3 Calibration Verification	1.0 mL	
16130CS4	CS4	500 µL	
16130CS5	CS5	500 µL	

A STATE OF THE STA	16130CSL	16130CS05	16130CS1	16130CS2	16130CS3	16130CS4	16130CS
NATIVE PCDDs & PCDFs	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.0100	0.0250	0.0500	0.200	1.00	4.00	20.0
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	0.0500	0.125	0.250	1.00	5.00	20.0	100
Octachlorodibenzo-p-dioxin	0.100	0.250	0.500	2.00	10.0	40.0	200
2,3,7,8-Tetrachlorodibenzofuran	0.0100	0.0250	0.0500	0.200	1.00	4.00	20.0
1,2,3,7,8-Pentachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
2,3,4,7,8-Pentachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,4,7,8-Hexachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,6,7,8-Hexachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,7,8,9-Hexachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
2,3,4,6,7,8-Hexachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,4,6,7,8-Heptachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
1,2,3,4,7,8,9-Heptachlorodibenzofuran	0.0500	0.125	0.250	1.00	5.00	20.0	100
Octachlorodibenzofuran	0.100	0.250	0.500	2.00	10.0	40.0	200
MASS-LABELLED PCDDs & PCDFs							
2,3,7,8-Tetrachloro(13C,,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(13C,,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,4,7,8-Hexachloro(13C,2)dibenzo-p-dioxin	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(13C,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(13C,)dibenzo-p-dioxi	n 10.0	10.0	10.0	10.0	10.0	10.0	10.0
Octachloro(13C ₁₂)dibenzo-p-dioxin	20.0	20.0	20.0	20.0	20.0	20.0	20.0
2,3,7,8-Tetrachloro(¹³C,,)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(13C,2)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
2,3,4,7,8-Pentachloro(13C,)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,4,7,8-Hexachloro(13C,,)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(13C,)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,7,8,9-Hexachloro(13C,2)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
2,3,4,6,7,8-Hexachloro(13C,2)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(¹³ C _{,2})dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
1,2,3,4,7,8,9-Heptachloro(¹³C ₁₂)dibenzofuran	10.0	10.0	10.0	10.0	10.0	10.0	10.0
CLEANUP STANDARD							
2,3,7,8-(37Cl ₄)Tetrachlorodibenzo- <i>p</i> -dioxin	0.0100	0.0250	0.0500	0.200	1.00	4.00	20.0
INTERNAL STANDARDS							
1,2,3,4-Tetrachloro(13C,,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0	10.0	10.0	10.0
TIZINI TELIBUIDO C. JUIDUIZO D'UIDAIII	10.0	10.0	10.0	10.0	10.0	10.0	10.0

^{* 16130}CSL and 16130CS05 are not included in the 16130CVS kit and must be ordered separately.

Qty/Conc

This solution allows the HRGC/HRMS operator, with one injection, to:

Set, or confirm, PCDD and PCDF congener group windows

Product (nonane solution)

- Test, or confirm, 2,3,7,8-TCDD resolution
- Verify the calibration

Catalogue Number

	Solution (CS	3) combined v	otion and Verification 500 points Window Defining	iL
	and 2,3,7,6-	ICDD Resoluti	on Testing Congeners	
QUANTITATIVE ANALYTES NATIVE PCDDs & PCDFs		(ng/mL)	SEMI-QUANTITATIVE ANALYTES WINDOW DEFINERS*	(ng/mL
2,3,7,8-Tetrachlorodibenzo-p-dioxin		10.0	1,3,6,8-Tetrachlorodibenzo-p-dioxin	10.0
1,2,3,7,8-Pentachlorodibenzo-p-dioxin		50.0	1,2,8,9-Tetrachlorodibenzo-p-dioxin	10.0
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxir	1	50.0	1,2,4,7,9-Pentachlorodibenzo-p-dioxin	50.0
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxir		50.0	1,2,3,8,9-Pentachlorodibenzo-p-dioxin	50.0
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxir		50.0	1,2,4,6,7,9-Hexachlorodibenzo-p-dioxin	50.0
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dic	xin (WD)	50.0	1,2,3,4,6,7,9-Heptachlorodibenzo-p-dioxin	50.0
Octachlorodibenzo-p-dioxin		100		
			1,3,6,8-Tetrachlorodibenzofuran	10.0
2,3,7,8-Tetrachlorodibenzofuran		10.0	1,2,8,9-Tetrachlorodibenzofuran	10.0
1,2,3,7,8-Pentachlorodibenzofuran		50.0	1,3,4,6,8-Pentachlorodibenzofuran	50.0
2,3,4,7,8-Pentachlorodibenzofuran		50.0	1,2,3,8,9-Pentachlorodibenzofuran	50.0
1,2,3,4,7,8-Hexachlorodibenzofuran		50.0	1,2,3,4,6,8-Hexachlorodibenzofuran	50.0
1,2,3,6,7,8-Hexachlorodibenzofuran		50.0		
1,2,3,7,8,9-Hexachlorodibenzofuran		50.0	2,3,7,8-TCDD RESOLUTION TESTING ISOME	RS
2,3,4,6,7,8-Hexachlorodibenzofuran		50.0	1,2,3,4-Tetrachlorodibenzo-p-dioxin	5.00
1,2,3,4,6,7,8-Heptachlorodibenzofuran	(WD)	50.0	1,2,3,7/1,2,3,8-Tetrachlorodibenzo-p-dioxin mi	
1,2,3,4,7,8,9-Heptachlorodibenzofuran	(WD)	50.0	1,2,3,9-Tetrachlorodibenzo-p-dioxin	10.0
Octachlorodibenzofuran		100		
MASS-LABELLED PCDDs & PCDFs				
2,3,7,8-Tetrachloro(13C,,)dibenzo-p-diox	in	100		
1,2,3,7,8-Pentachloro(13C,,)dibenzo-p-di		100		
1,2,3,4,7,8-Hexachloro(13C,2)dibenzo-p-0		100		
1,2,3,6,7,8-Hexachloro(13C,2)dibenzo-p-0	dioxin	100		
1,2,3,4,6,7,8-Heptachloro(13C,2)dibenzo-	p-dioxin	100		
Octochlara/ISC \dibanza a diavia		200		

200

100

100

100

100

100

CLEANUP STANDARD

Octachloro(13C,,)dibenzo-p-dioxin

2,3,7,8-Tetrachloro(13C12)dibenzofuran

1,2,3,7,8-Pentachloro(13C₁₂)dibenzofuran 2,3,4,7,8-Pentachloro(13C₁₂)dibenzofuran 1,2,3,4,7,8-Hexachloro(13C₁₂)dibenzofuran 1,2,3,6,7,8-Hexachloro(13C₁₂)dibenzofuran

1,2,3,7,8,9-Hexachloro(13C,)dibenzofuran

2,3,4,6,7,8-Hexachloro(13C12)dibenzofuran

1,2,3,4,6,7,8-Heptachloro(13C,2)dibenzofuran

1,2,3,4,7,8,9-Heptachloro(13C,2)dibenzofuran

2,3,7,8-(37Cl₄)Tetrachlorodibenzo-p-dioxin 10.0

INTERNAL STANDARDS

100 1,2,3,4-Tetrachloro(13C12)dibenzo-p-dioxin 1,2,3,7,8,9-Hexachloro(13C12)dibenzo-p-dioxin 100

(WD) - Window Definer

^{* 1,2,3,4,6,7-}Hexachlorodibenzo-p-dioxin (last eluting HxCDD) was not included as it co-elutes with 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin. Use 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin and 1,2,3,4,6,7,9-Heptachlorodibenzo-p-dioxin to approximate the end of the HxCDD window.

^{* 1,2,3,4,8,9-}Hexachlorodibenzofuran (last eluting HxCDF) was not included as it can interfere with 1,2,3,7,8,9-Hexachlorodibenzofuran. Use 1,2,3,4,6,7,8-Heptachlorodibenzofuran to approximate the end of the HxCDF window.

EPA METHOD 8280 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-8280CVS	EPA Method 8280	1 kit
	Calibration and Verification Solutions CC1-CC5	(5 ampoules)
EPA-8280CC1	CC1	500 µL
EPA-8280CC2	CC2	500 µL
EPA-8280CC3	CC3 Calibration Verification	1.0 mL
EPA-8280CC4	CC4	500 μL
EPA-8280CC5	CC5	500 μL

NOTE: 200 µL AMPOULES OF THE CALIBRATION SOLUTIONS ARE ALSO AVAILABLE. PLEASE CONTACT WELLINGTON OR YOUR LOCAL DISTRIBUTOR FOR PRICING INFORMATION.

Autoropeop	8280CC1	8280CC2	8280CC3	8280CC4	8280CC5
NATIVE PCDDs & PCDFs	(ng/µL)	(ng/µL)	(ng/µL)	(ng/µL)	(ng/µL)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.100	0.250	0.500	1.00	2.00
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	0.100	0.250	0.500	1.00	2.00
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	- - -	- T	1.25		
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	0.250	0.625	1.25	2.50	5.00
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		- - -	1.25	_	_
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	0.250	0.625	1.25	2.50	5.00
Octachlorodibenzo-p-dioxin	0.500	1.25	2.50	5.00	10.0
2,3,7,8-Tetrachlorodibenzofuran	0.100	0.250	0.500	1.00	2.00
1,2,3,7,8-Pentachlorodibenzofuran	0.100	0.250	0.500	1.00	2.00
2,3,4,7,8-Pentachlorodibenzofuran	_	_	0.500	_	-
1,2,3,4,7,8-Hexachlorodibenzofuran	_	_	1.25	_	-
1,2,3,6,7,8-Hexachlorodibenzofuran	0.250	0.625	1.25	2.50	5.00
1,2,3,7,8,9-Hexachlorodibenzofuran	_	_	1.25	_	_
2,3,4,6,7,8-Hexachlorodibenzofuran	_	_	1.25	_	_
1,2,3,4,6,7,8-Heptachlorodibenzofuran	0.250	0.625	1.25	2.50	5.00
1,2,3,4,7,8,9-Heptachlorodibenzofuran	_	_	1.25	-	-
Octachlorodibenzofuran	0.500	1.25	2.50	5.00	10.0
INTERNAL STANDARDS					
2,3,7,8-Tetrachloro(¹³C,,)dibenzo-p-dioxin	0.500	0.500	0.500	0.500	0.500
1,2,3,6,7,8-Hexachloro(13C,)dibenzo-p-dioxin	0.500	0.500	0.500	0.500	0.500
Octachloro(13C ₁₂)dibenzo-p-dioxin	1.00	1.00	1.00	1.00	1.00
2,3,7,8-Tetrachloro(¹³C,,)dibenzofuran	0.500	0.500	0.500	0.500	0.500
1,2,3,4,6,7,8-Heptachloro(¹³C ₁₂)dibenzofuran	1.00	1.00	1.00	1.00	1.00
CLEANUP STANDARD					
2,3,7,8-(³⁷ Cl ₄)Tetrachlorodibenzo- <i>p</i> -dioxin	-	=	0.250	=	-
RECOVERY STANDARDS					
1,2,3,4-Tetrachloro(¹³C,,)dibenzo-p-dioxin	0.500	0.500	0.500	0.500	0.500
1,2,3,7,8,9-Hexachloro(13C,2)dibenzo-p-dioxin	0.500	0.500	0.500	0.500	0.500

EPA METHOD 8280 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-8280IS	Internal Standard Solution	1.2 mL
EPA-8280ISB*	Additional Internal Standard Solution	1.2 mL
EPA-8280CS	Cleanup Standard Solution	1.2 mL
EPA-8280RS	Recovery Standard Solution	1.2 mL
EPA-8280MSS	Matrix Spiking Solution	1.2 mL

NATIVE DCDD- 0 DCDE-	8280IS	8280ISB	8280CS	8280RS	8280MSS
NATIVE PCDDs & PCDFs	(ng/µL)	(ng/μL)	(ng/µL)	(ng/µL)	(ng/µL)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	-	_	_	_	2.50
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	-	_	_	_	6.25
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	-	-	-		-
I,2,3,6,7,8-Hexachlorodibenzo- <i>p</i> -dioxin	-	_	_	-	6.25
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	-	_	-	_	_
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	-	_	-	_	6.25
Octachlorodibenzo- <i>p</i> -dioxin	-	_	-	_	12.5
,3,7,8-Tetrachlorodibenzofuran	-	_	-	-	2.50
,2,3,7,8-Pentachlorodibenzofuran	_	_	_	_	6.25
,3,4,7,8-Pentachlorodibenzofuran	_	_	_	_	_
,2,3,4,7,8-Hexachlorodibenzofuran	_	_	_	_	_
,2,3,6,7,8-Hexachlorodibenzofuran	_	_	_	_	6.25
,2,3,7,8,9-Hexachlorodibenzofuran	-	_	-	_	_
2,3,4,6,7,8-Hexachlorodibenzofuran	-	_	_	_	_
,2,3,4,6,7,8-Heptachlorodibenzofuran	-	_	_	_	6.25
,2,3,4,7,8,9-Heptachlorodibenzofuran	_	=	_	_	_
Octachlorodibenzofuran	-	_	-	-	12.5
NTERNAL STANDARDS					
,3,7,8-Tetrachloro(¹³C _{,2})dibenzo- <i>p</i> -dioxin	5.00	_	_	_	=
,2,3,6,7,8-Hexachloro(¹³C,₂)dibenzo-p-dioxin	5.00	_	_	_	_
Octachloro(13C ₁₂)dibenzo-p-dioxin	10.0	-	_	-	-
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran	5.00	_	=	=	_
1,2,3,4,6,7,8-Heptachloro(¹³C ₁₂)dibenzofuran	10.0	-	-	-	-
CLEANUP STANDARD					
2,3,7,8-(³¹Cl₄)Tetrachlorodibenzo-p-dioxin	-	_	5.00	-	-
RECOVERY STANDARDS					
,2,3,4-Tetrachloro(¹³C ₁ ,)dibenzo-p-dioxin	_	-	_	5.00	_
,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin	-	-	-	5.00	_
ADDITIONAL INTERNAL STANDARDS					
,2,3,7,8-Pentachloro(¹³C,₂)dibenzo-p-dioxin	_	5.00	_	_	_
,2,3,4,6,7,8-Heptachloro(¹³ C ₁₂)dibenzo- <i>p</i> -dioxin	-	10.0	-	-	=
,2,3,7,8-Pentachloro(¹³C,₂)dibenzofuran	_	5.00	-	_	_
,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzofuran	_	5.00	_	_	_
Octachloro(¹³C ₁₂)dibenzofuran	-	10.0	_	_	_
N					

^{*} Not required by US EPA Method 8280

EPA METHOD 8290 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-8290HRCC1-5	EPA Method 8290 High Resolution	1 kit
	Calibration Solutions HRCC1-HRCC5	(5 ampoules)
EPA-8290HRCC0.25*	HRCC0.25 Supplemental Calibration Solution	500 µL
EPA-8290HRCC0.5*	HRCCO.5 Supplemental Calibration Solution	500 µL
EPA-8290HRCC1	HRCC1	500 µL
EPA-8290HRCC2	HRCC2	500 µL
EPA-8290HRCC3	HRCC3 Calibration Verification	1.0 mL
EPA-8290HRCC4	HRCC4	500 µL
EPA-8290HRCC5	HRCC5	500 µL

NOTE: 200 µL AMPOULES OF THE CALIBRATION SOLUTIONS ARE ALSO AVAILABLE. PLEASE CONTACT WELLINGTON OR YOUR LOCAL DISTRIBUTOR FOR PRICING INFORMATION.

NATIVE PCDDs & PCDFs	8290- HRCC0.25 (ng/mL)	8290- HRCC0.5 (ng/mL)	8290- HRCC1 (ng/mL)	8290- HRCC2 (ng/mL)	8290- HRCC3 (ng/mL)	8290- HRCC4 (ng/mL)	HRCC!
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.250	0.500	1.00	2.50	10.0	50.0	200
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	0.625	1.25	2.50	6.25	25.0	125	500
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	0.625	1.25	2.50	6.25	25.0	125	500
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	0.625	1.25	2.50	6.25	25.0	125	500
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	0.625	1.25	2.50	6.25	25.0	125	500
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	0.625	1.25	2.50	6.25	25.0	125	500
Octachlorodibenzo-p-dioxin	1.25	2.50	5.00	12.5	50.0	250	1000
2,3,7,8-Tetrachlorodibenzofuran	0.250	0.500	1.00	2.50	10.0	50.0	200
,2,3,7,8-Pentachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
2,3,4,7,8-Pentachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
,2,3,4,7,8-Hexachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
,2,3,6,7,8-Hexachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
,2,3,7,8,9-Hexachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
2,3,4,6,7,8-Hexachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
,2,3,4,6,7,8-Heptachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
1,2,3,4,7,8,9-Heptachlorodibenzofuran	0.625	1.25	2.50	6.25	25.0	125	500
Octachlorodibenzofuran	1.25	2.50	5.00	12.5	50.0	250	1000
NTERNAL STANDARDS							
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzo-p-dioxin	50.0	50.0	50.0	50.0	50.0	50.0	50.0
1,2,3,7,8-Pentachloro(¹³C ₁₂)dibenzo-p-dioxin	50.0	50.0	50.0	50.0	50.0	50.0	50.0
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibenzo-p-dioxin	125	125	125	125	125	125	125
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzo-p-dioxi	n 125	125	125	125	125	125	125
Octachloro(13C ₁₂)dibenzo-p-dioxin	250	250	250	250	250	250	250
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran	50.0	50.0	50.0	50.0	50.0	50.0	50.0
,2,3,7,8-Pentachloro(¹³C ₁₂)dibenzofuran	50.0	50.0	50.0	50.0	50.0	50.0	50.0
,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzofuran	125	125	125	125	125	125	125
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzofuran	125	125	125	125	125	125	125
RECOVERY STANDARDS							
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzo-p-dioxin	50.0	50.0	50.0	50.0	50.0	50.0	50.0
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibenzo-p-dioxin	125	125	125	125	125	125	125

^{*} EPA-8290HRCC0.25 and EPA-8290HRCC0.5 are not included in the EPA-8290HRCC1-5 kit and must be ordered separately.

EPA METHOD 8290 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-8290SFS	Sample Fortification Solution	1.2 mL
EPA-8290RSS	Recovery Standard Solution	1.2 mL
EPA-8290MSS	Matrix Spiking Solution	1.2 mL
EPA-8290STN	Native Stock PCDDs and PCDFs	1.2 mL

NATIVE PCDDs & PCDFs	8290SFS	8290RSS (ng/mL)	8290MSS	8290STN
2,3,7,8-Tetrachlorodibenzo-p-dioxin	(ng/mL)	(ng/mL)	(ng/mL) 100	(µg/mL) 1.00
	=			
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	=	_	250	2.50
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	-	_	250	2.50
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	_	_	250	2.50
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	_	_	250	2.50
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	_	_	250	2.50
Octachlorodibenzo-p-dioxin	-	=	500	5.00
2,3,7,8-Tetrachlorodibenzofuran	_	-	100	1.00
1,2,3,7,8-Pentachlorodibenzofuran	_	-	250	2.50
2,3,4,7,8-Pentachlorodibenzofuran	-	-	250	2.50
1,2,3,4,7,8-Hexachlorodibenzofuran	-	-	250	2.50
1,2,3,6,7,8-Hexachlorodibenzofuran	_	=	250	2.50
1,2,3,7,8,9-Hexachlorodibenzofuran	-	-	250	2.50
2,3,4,6,7,8-Hexachlorodibenzofuran	_	-	250	2.50
1,2,3,4,6,7,8-Heptachlorodibenzofuran	_	_	250	2.50
1,2,3,4,7,8,9-Heptachlorodibenzofuran	_	_	250	2.50
Octachlorodibenzofuran	_	_	500	5.00
INTERNAL STANDARDS				
2,3,7,8-Tetrachloro(¹³C,,)dibenzo-p-dioxin	100	=		_
1,2,3,7,8-Pentachloro(¹³C,,)dibenzo-p-dioxin	100	_	_	_
1,2,3,6,7,8-Hexachloro(¹³C,,)dibenzo-p-dioxin	250	-	1-1	-
1,2,3,4,6,7,8-Heptachloro(¹³C,,)dibenzo-p-dioxin	250	_	_	_
Octachloro(¹³C,₂)dibenzo-p-dioxin	500	=	-	-
2,3,7,8-Tetrachloro(¹³C,,)dibenzofuran	100	-	-	-
1,2,3,7,8-Pentachloro(¹³C,,)dibenzofuran	100	=	_	_
1,2,3,4,7,8-Hexachloro(13C,,)dibenzofuran	250	=	_	_
1,2,3,4,6,7,8-Heptachloro(¹³ C ₁₂)dibenzofuran	250	-	-	-
RECOVERY STANDARDS				
1,2,3,4-Tetrachloro(¹³C,,)dibenzo-p-dioxin		500		
1,2,3,7,8,9-Hexachloro(¹³C,,)dibenzo-p-dioxin	_	500		

EPA METHOD 23 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-23CS1-5	EPA Method 23	1 kit
	HRGC/HRMS Calibration Solutions CS1-CS5	(5 ampoules)
EPA-23CS1	CS1	500 μL
EPA-23CS2	CS2	500 μL
EPA-23CS3	CS3 Calibration Verification	1.0 mL
EPA-23CS4	CS4	500 μL
EPA-23CS5	CS5	500 μL

NOTE: 200 μ L AMPOULES OF THE CALIBRATION SOLUTIONS ARE ALSO AVAILABLE. PLEASE CONTACT WELLINGTON OR YOUR LOCAL DISTRIBUTOR FOR PRICING INFORMATION.

NATIVE PCDDs & PCDFs	23CS1 (ng/mL)	23CS2 (ng/mL)	23CS3 (ng/mL)	23CS4 (ng/mL)	23CS5 (ng/mL)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.500	1.00	5.00	50.0	100
1,2,3,7,8-Pentachlorodibenzo- <i>p</i> -dioxin	2.50	5.00	25.0	250	500
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	2.50	5.00	25.0	250	500
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	2.50	5.00	25.0	250	500
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	2.50	5.00	25.0	250	500
1,2,3,4,6,7,8-Heptachlorodibenzo- <i>p</i> -dioxin Octachlorodibenzo- <i>p</i> -dioxin	2.50 5.00	5.00 10.0	25.0 50.0	250 500	500 1000
Octachiorodibenzo-p-dioxin	5.00	10.0	50.0	500	1000
2,3,7,8-Tetrachlorodibenzofuran	0.500	1.00	5.00	50.0	100
1,2,3,7,8-Pentachlorodibenzofuran	2.50	5.00	25.0	250	500
2,3,4,7,8-Pentachlorodibenzofuran	2.50	5.00	25.0	250	500
1,2,3,4,7,8-Hexachlorodibenzofuran	2.50	5.00	25.0	250	500
1,2,3,6,7,8-Hexachlorodibenzofuran	2.50	5.00	25.0	250	500
1,2,3,7,8,9-Hexachlorodibenzofuran	2.50	5.00	25.0	250	500
2,3,4,6,7,8-Hexachlorodibenzofuran	2.50	5.00	25.0	250	500
1,2,3,4,6,7,8-Heptachlorodibenzofuran	2.50	5.00	25.0	250	500
1,2,3,4,7,8,9-Heptachlorodibenzofuran	2.50	5.00	25.0	250	500
Octachlorodibenzofuran	5.00	10.0	50.0	500	1000
INTERNAL STANDARDS					
2,3,7,8-Tetrachloro(13C ₁₂)dibenzo-p-dioxin	100	100	100	100	100
1,2,3,7,8-Pentachloro(¹³ C,,)dibenzo-p-dioxin	100	100	100	100	100
1,2,3,6,7,8-Hexachloro(13C,,)dibenzo-p-dioxin	100	100	100	100	100
1,2,3,4,6,7,8-Heptachloro(13C,,)dibenzo-p-dioxin	100	100	100	100	100
Octachloro(¹³C _{1,2})dibenzo-p-dioxin	200	200	200	200	200
2,3,7,8-Tetrachloro(¹³C,¸)dibenzofuran	100	100	100	100	100
1,2,3,7,8-Pentachloro(13C,,)dibenzofuran	100	100	100	100	100
1,2,3,6,7,8-Hexachloro(13C,,)dibenzofuran	100	100	100	100	100
1,2,3,4,6,7,8-Heptachloro(¹³ C ₁₂)dibenzofuran	100	100	100	100	100
SURROGATE STANDARDS					
2,3,7,8-(37Cl ₄)Tetrachlorodibenzo-p-dioxin	0.500	1.00	5.00	50.0	100
1,2,3,4,7,8-Hexachloro(¹¹C ₁₂)dibenzo- <i>p</i> -dioxin	2.50	5.00	25.0	250	500
2,3,4,7,8-Pentachloro(¹²C,,)dibenzofuran	2.50	5.00	25.0	250	500
1,2,3,4,7,8-Hexachloro(13C,,)dibenzofuran	2.50	5.00	25.0	250	500
1,2,3,4,7,8,9-Heptachloro(¹³ C ₁₂)dibenzofuran	2.50	5.00	25.0	250	500
ALTERNATIVE STANDARD					
1,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzofuran	2.50	5.00	25.0	250	500
RECOVERY STANDARDS					
1,2,3,4-Tetrachloro(¹³ C ₁₂)dibenzo-p-dioxin	100	100	100	100	100
1,2,3,7,8,9-Hexachloro(13C,2)dibenzo-p-dioxin	100	100	100	100	100

EPA METHOD 23 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EPA-23IS	Internal Standard Solution	1.2 mL
EPA-23ISS	Internal Standard Stock Solution	1.2 mL
EPA-23SS	Surrogate Standard Solution	1.2 mL
EPA-23SSS	Surrogate Standard Stock Solution	1.2 mL
EPA-23RS	Recovery Standard Solution	1.2 mL
EPA-23AS	Alternative Standard Solution	1.2 mL

INTERNAL STANDARDS	23IS (ng/mL)	23ISS (µg/mL)	23SS (ng/mL)	23SSS (µg/mL)	23RS (ng/mL)	23AS (ng/mL)
2,3,7,8-Tetrachloro(13C ₁₂)dibenzo-p-dioxin	100	1.00	-	_	_	_
1,2,3,7,8-Pentachloro(13C,,)dibenzo-p-dioxin	100	1.00	_	_	_	_
1,2,3,6,7,8-Hexachloro(13C,,)dibenzo-p-dioxin	100	1.00	-	_	_	_
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzo-p-dioxin	100	1.00	-	_	_	_
Octachloro(13C ₁₂)dibenzo-p-dioxin	200	2.00	-	-	_	_
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran	100	1.00	_	-	-	_
1,2,3,7,8-Pentachloro(13C _{1,2})dibenzofuran	100	1.00	_	_	_	-
1,2,3,6,7,8-Hexachloro(13C,2)dibenzofuran	100	1.00	-	_	-	_
1,2,3,4,6,7,8-Heptachloro(¹³C ₁₂)dibenzofuran	100	1.00	_	-	-	_
SURROGATE STANDARDS						
2,3,7,8-(3 ⁷ Cl ₄)Tetrachlorodibenzo-p-dioxin	-	_	100	1.00	_	_
1,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzo-p-dioxin	-	-	100	1.00	-	-
2,3,4,7,8-Pentachloro(¹³C ₁₂)dibenzofuran	-	-	100	1.00	_	_
1,2,3,4,7,8-Hexachloro(13C,2)dibenzofuran	_	_	100	1.00	_	-
1,2,3,4,7,8,9-Heptachloro(¹³C ₁₂)dibenzofuran	-	-	100	1.00	_	-
ALTERNATIVE STANDARD						
1,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzofuran	-	-	-	-	-	250
RECOVERY STANDARDS						
1,2,3,4-Tetrachloro(13C ₁₂)dibenzo-p-dioxin	-		-	_	500	_
1,2,3,7,8,9-Hexachloro(13C,,)dibenzo-p-dioxin	-	-	-	-	500	-

EUROPEAN METHOD EN-1948 STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
EN-1948CVS	European Method EN-1948	1 kit
	Calibration and Verification Solutions CS1-CS6	(6 ampoules)
EN-1948CSL*	CSL Extended Calibration/Low Level	500 µL
EN-1948CS1	CS1	500 µL
EN-1948CS2	CS2	500 µL
EN-1948CS3	CS3	500 μL
EN-1948CS4	CS4	500 µL
EN-1948CS5	CS5	500 µL
EN-1948CS6	CS6	500 µL

NOTE: 200 µL AMPOULES OF THE CALIBRATION SOLUTIONS ARE ALSO AVAILABLE. PLEASE CONTACT WELLINGTON OR YOUR LOCAL DISTRIBUTOR FOR PRICING INFORMATION.

NATIVE PCDDs & PCDFs	1948CSL	1948CS1	1948CS2	1948CS3	1948CS4	1948CS5	1948CS (pg/µL)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	(pg/μL) 0.0400	(pg/μL) 0.200	(pg/µL) 0.800	(pg/µL) 4.00	(pg/µL) 16.0	(pg/µL) 80.0	320
	0.0400	0.400	1.60	8.00	32.0	160	640
1,2,3,7,8-Pentachlorodibenzo-p-dioxin							
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	0.0800	0.400	1.60	8.00	32.0	160	640
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	0.0800	0.400	1.60	8.00	32.0	160	640
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	0.0800	0.400	1.60	8.00	32.0	160	640
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	0.160	0.800	3.20	16.0	64.0	320	1280
Octachlorodibenzo-p-dioxin	0.160	0.800	3.20	16.0	64.0	320	1280
2,3,7,8-Tetrachlorodibenzofuran	0.0400	0.200	0.800	4.00	16.0	80.0	320
1,2,3,7,8-Pentachlorodibenzofuran	0.0800	0.400	1.60	8.00	32.0	160	640
2,3,4,7,8-Pentachlorodibenzofuran	0.0800	0.400	1.60	8.00	32.0	160	640
1,2,3,4,7,8-Hexachlorodibenzofuran	0.0800	0.400	1.60	8.00	32.0	160	640
1,2,3,6,7,8-Hexachlorodibenzofuran	0.0800	0.400	1.60	8.00	32.0	160	640
1,2,3,7,8,9-Hexachlorodibenzofuran	0.0800	0.400	1.60	8.00	32.0	160	640
2,3,4,6,7,8-Hexachlorodibenzofuran	0.0800	0.400	1.60	8.00	32.0	160	640
1,2,3,4,6,7,8-Heptachlorodibenzofuran	0.160	0.800	3.20	16.0	64.0	320	1280
1,2,3,4,7,8,9-Heptachlorodibenzofuran	0.160	0.800	3.20	16.0	64.0	320	1280
Octachlorodibenzofuran	0.160	0.800	3.20	16.0	64.0	320	1280
SAMPLING STANDARDS							
1,2,3,7,8-Pentachloro(¹³C,,)dibenzofuran	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzofuran	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,4,7,8,9-Heptachloro(¹³C ₁₂)dibenzofuran	32.0	32.0	32.0	32.0	32.0	32.0	32.0
EXTRACTION STANDARDS							
2,3,7,8-Tetrachloro(¹³C,,)dibenzo-p-dioxin	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,7,8-Pentachloro(13C,,)dibenzo-p-dioxin	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,4,7,8-Hexachloro(13C,3)dibenzo-p-dioxin	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibenzo-p-dioxin	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,4,6,7,8-Heptachloro(13C,,)dibenzo-p-dioxir	32.0	32.0	32.0	32.0	32.0	32.0	32.0
Octachloro(13C ₁₂)dibenzo-p-dioxin	32.0	32.0	32.0	32.0	32.0	32.0	32.0
2,3,7,8-Tetrachloro(¹³C,,)dibenzofuran	16.0	16.0	16.0	16.0	16.0	16.0	16.0
2,3,4,7,8-Pentachloro(13C,2)dibenzofuran	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,4,7,8-Hexachloro(13C ₁₂)dibenzofuran	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,6,7,8-Hexachloro(¹³C,3)dibenzofuran	16.0	16.0	16.0	16.0	16.0	16.0	16.0
2,3,4,6,7,8-Hexachloro(13C ₁₂)dibenzofuran	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,4,6,7,8-Heptachloro(13C,)dibenzofuran	32.0	32.0	32.0	32.0	32.0	32.0	32.0
Octachloro(13C ₁₂)dibenzofuran	32.0	32.0	32.0	32.0	32.0	32.0	32.0
SYRINGE STANDARDS							
1,2,3,4-Tetrachloro(¹²C,_)dibenzo-p-dioxin	16.0	16.0	16.0	16.0	16.0	16.0	16.0
1,2,3,7,8,9-Hexachloro(13C,)dibenzo-p-dioxin	16.0	16.0	16.0	16.0	16.0	16.0	16.0

^{*} EN-1948CSL is not included in the EN-1948CVS kit and must be ordered separately.

EUROPEAN METHOD EN-1948 STANDARD SOLUTIONS

Catalogue Number	Product (no	nane solution)			Qty/Conc	
EN-1948ES	Extraction Standa	ard Solution			1.2 mL	
EN-1948IS	Syringe Standard	Solution		1.2 mL 1.2 mL		
EN-1948SS	Sampling Standa					
EN-1948STK	PCDD/PCDF Solut				1.2 mL	
NATIVE PCDDs & PCDFs		1948ES (pg/µL)	1948IS (pg/µL)	194855 (pg/µL)	1948STK (µg/mL)	
2,3,7,8-Tetrachlorodibenzo-p-dioxin		_	_	_	0.500	
1,2,3,7,8-Pentachlorodibenzo-p-diox		-	_	_	1.00	
1,2,3,4,7,8-Hexachlorodibenzo-p-dic		_	_	_	1.00	
1,2,3,6,7,8-Hexachlorodibenzo-p-dic		-	_	_	1.00	
1,2,3,7,8,9-Hexachlorodibenzo-p-dic		_	_	·)	1.00	
1,2,3,4,6,7,8-Heptachlorodibenzo-p-	-dioxin	-	_	=	2.00	
Octachlorodibenzo-p-dioxin		_	-	-	2.00	
2,3,7,8-Tetrachlorodibenzofuran		_	1. <u>—</u> 1.	_	0.500	
1,2,3,7,8-Pentachlorodibenzofuran		_	_	_	1.00	
2,3,4,7,8-Pentachlorodibenzofuran		_	_	_	1.00	
1,2,3,4,7,8-Hexachlorodibenzofuran	1	_		_	1.00	
1,2,3,6,7,8-Hexachlorodibenzofuran	ì	-	-	_	1.00	
1,2,3,7,8,9-Hexachlorodibenzofuran	1	_	-	_	1.00	
2,3,4,6,7,8-Hexachlorodibenzofuran		_	_	_	1.00	
1,2,3,4,6,7,8-Heptachlorodibenzofur		_	_	_	2.00	
1,2,3,4,7,8,9-Heptachlorodibenzofur	ran	_	_	-	2.00	
Octachlorodibenzofuran		-	-	-	2.00	
SAMPLING STANDARDS						
1,2,3,7,8-Pentachloro(13C,2)dibenzofu	uran		-	200		
1,2,3,7,8,9-Hexachloro(13C,,)dibenzot			_	200	_	
1,2,3,4,7,8,9-Heptachloro(13C ₁₂)diben		三		400	121	
EXTRACTION STANDARDS	liovin	200				
2,3,7,8-Tetrachloro(13C ₁₂)dibenzo-p-d	n-diovin	200 200	100	100		
1,2,3,7,8-Pentachloro(¹³C,,)dibenzo-μ 1,2,3,4,7,8-Hexachloro(¹³C,,)dibenzo-	-n-dioxin	200				
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibenzo-	-p-dioxin	200				
1,2,3,4,6,7,8-Heptachloro(13C,)diben	zo-p-dioxin	400	100	_		
Octachloro(¹³C,₂)dibenzo-p-dioxin	ing to another	400	_	_	_	
2.7.9 Totrocklore (IIC \dik		200				
2,3,7,8-Tetrachloro(13C ₁₂)dibenzofura	an .	200	1 = 1	=		
2,3,4,7,8-Pentachloro(¹³C _{,2})dibenzofu 1,2,3,4,7,8-Hexachloro(¹³C _{,2})dibenzof	furan	200	=			
1 / 2 4 / A-MEXACDIOCOL 3 IDIDEDZO	furan	200 200				
1 2 2 6 7 9 Hovachloro(13C \dibanas			_		_	
1,2,3,6,7,8-Hexachloro(13C,)dibenzot	furan					
1,2,3,6,7,8-Hexachloro(\(^12_12\))dibenzoi 2,3,4,6,7,8-Hexachloro(\(^12\)C ₁₂)dibenzoi 1,2,3,4,6,7,8-Heptachloro(\(^12\)C ₁₂)diben	furan	200 400	=	=	_	

SYRINGE STANDARDS

1,2,3,4-Tetrachloro(¹³C₁₂)dibenzo-*p*-dioxin 1,2,3,7,8,9-Hexachloro(¹³C₁₂)dibenzo-*p*-dioxin

> 800 800

HRGC/HRMS TCDD/TCDF ANALYSIS SOLUTIONS

		0.1.4.1.0	olution)			Q cyr	Conc
	PA Method 51 alibration and		on Solutions	CS1-CS6		1 kit	t mpoules)
			ion Solution	CS / CSC		500	Trees and the second
513-CS1						500	A COL
513-CS2						500	
513-CS3						500	μL
513-CS4						500	
513-CS5						500	
513-CS6						500	μL
	513-CS0.25	513-CS1	513-CS2	513-CS3	513-CS4	513-CS5	513-CS
NATIVE TCDD & TCDF	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.250	0.100	0.500	2.00	10.0	40.0	200
2,3,7,8-Tetrachlorodibenzofuran	0.250	0.100	0.500	2.00	10.0	40.0	200
MASS-LABELLED TCDD & TCDF							
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzo-p-dioxii	100	100	100	100	100	100	100
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran	100	100	100	100	100	100	100
INTERNAL STANDARDS							
1,2,3,4-Tetrachloro(13C,,)dibenzo-p-dioxin	100	100	100	100	100	100	100
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzofuran	100	100	100	100	100	100	100
CLEANUP STANDARDS							
2,3,7,8-(37Cl ₄)Tetrachlorodibenzo-p-dioxi	0.250	0.100	0.500	2.00	10.0	40.0	200
1,3,6,8-Tetrachloro(13C,,)dibenzo-p-dioxin		100	100	100	100	100	100
1,3,6,8-Tetrachloro(¹³C ₁₂)dibenzofuran	100	100	100	100	100	100	100
EPA-513LCSS E	PA Method 51	3 Labelled	TCDD/TCDF	Spiking Solu	ition	1.2	mL
2,3,7,8-Tetrachloro(¹³C _{,2})dibenzo- <i>p</i> -dioxii 2,3,7,8-Tetrachloro(¹³C _{,2})dibenzofuran	1						ng/mL ng/mL
EPA-513ISS E	PA Method 51	3 Internal	Standard Spi	king Solutio	n	1.2	ml
1,2,3,4-Tetrachloro(¹³C,₂)dibenzo-p-dioxi	i .					200	ng/mL
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzofuran							ng/mL
EPA-513CSSA E	PA Method 51	3 Cleanup	Standard Sp	iking Solutio	on	1.2	mL
2,3,7,8-(³¹Cl₄)Tetrachlorodibenzo-p-dioxii	1					40.0	ng/mL
EPA-513CSSB E	PA Method 51	3 Alternati	ve Cleanup :	Standard Sp	iking Solutio	n 1.2	mL
1,3,6,8-Tetrachloro(¹³C _{,2})dibenzo- <i>p</i> -dioxii 1,3,6,8-Tetrachloro(¹³C _{,2})dibenzofuran	1						ng/mL ng/mL
EPA-513PAR E	PA Method 51	3 Precision	and Recove	ry Solution		1.2	mL
2 2 7 9 Totrochlorodihanna a diavi-						40.0	nalmi
2,3,7,8-Tetrachlorodibenzo-p-dioxin							ng/mL
2,3,7,8-Tetrachlorodibenzofuran						40.0	ng/mL


^{* 513-}CS0.25 is not included in the EPA-513CVS kit and must be ordered separately.

CAPILLARY COLUMN PERFORMANCE TEST MIXTURES

Catalogue Number	Product (nonane solution)	Qty/Conc
5CWDS	Window Defining Mixture	1.2 mL
	for DB-5, BP5, HP-2, Rtx-5, SPB-5,	
	or Equivalent Capillary Columns	
1,3,6,8-Tetrachlorodibenzo-p-	dioxin	1.00 µg/ml
1,2,8,9-Tetrachlorodibenzo-p-	dioxin	1.00 µg/ml
1,2,4,7,9-Pentachlorodibenzo-	<i>p</i> -dioxin	1.00 µg/ml
1,2,3,8,9-Pentachlorodibenzo	<i>p</i> -dioxin	1.00 µg/ml
1,2,4,6,7,9-Hexachlorodibenzo	p-p-dioxin	1.00 µg/ml
1,2,3,4,6,7-Hexachlorodibenzo	p-p-dioxin	1.00 µg/ml
1,2,3,4,6,7,9-Heptachlorodibe	nzo-p-dioxin	1.00 µg/ml
1,2,3,4,6,7,8-Heptachlorodibe	nzo-p-dioxin	1.00 µg/ml
Octachlorodibenzo-p-dioxin		1.00 µg/ml
1,3,6,8-Tetrachlorodibenzofur	an	1.00 µg/ml
1,2,8,9-Tetrachlorodibenzofur		1.00 µg/ml
1,3,4,6,8-Pentachlorodibenzo	furan	1.00 µg/ml
1,2,3,8,9-Pentachlorodibenzo	furan	1.00 µg/ml
1,2,3,4,6,8-Hexachlorodibenzo		1.00 µg/ml
1,2,3,4,8,9-Hexachlorodibenzo	ofuran	1.00 µg/ml
1,2,3,4,6,7,8-Heptachlorodibe	nzofuran	1.00 µg/ml
1,2,3,4,7,8,9-Heptachlorodibe	nzofuran	1.00 µg/ml
Octachlorodibenzofuran		1.00 µg/ml
5TCDD	2,3,7,8-TCDD Isomer Specificity Test Mixture for DB-5, BP5, HP-2, Rtx-5, SPB-5,	1.2 mL
	or Equivalent Capillary Columns	
1,2,3,4-Tetrachlorodibenzo-p-	dioxin	0.500 µg/ml
1,2,3,7 and 1,2,3,8-Tetrachlore		0.500 µg/ml
1,2,3,9-Tetrachlorodibenzo-p-		1.00 µg/ml
2,3,7,8-Tetrachlorodibenzo-p-		1.00 µg/ml
1,2,3,4-Tetrachloro(¹³C,,)diben	zo-p-dioxin	0.500 µg/ml
2,3,7,8-Tetrachloro(¹³C ₁₂)diben	zo-p-dioxin	0.500 μg/ml
225TCDF	2,3,7,8-TCDF Isomer Specificity Test Mixture	1.2 mL
	for DB-225, BP225, HP-225, Rtx-225, SPB-225, or Equivalent Capillary Columns	
1,2,3,9-Tetrachlorodibenzofur		1.00 µg/ml
1,2,8,9-Tetrachlorodibenzofur		1.00 µg/ml
1,3,6,8-Tetrachlorodibenzofur		1.00 µg/ml
2,3,4,7-Tetrachlorodibenzofur		1.00 µg/ml
2,3,7,8-Tetrachlorodibenzofur	an	2.00 µg/ml
2,3,7,8-Tetrachloro(¹³C,,)diben		0.500 μg/ml

CAPILLARY COLUMN PERFORMANCE TEST MIXTURES

Catalogue Number	Product (nonane solution)	Qty/Conc
5TDWD	Combined Window Defining/TCDD Resolution	1.2 mL
	Testing Mixture for DB-5, BP5, HP-2, Rtx-5,	
	SPB-5, or Equivalent Capillary Columns	
WINDOW DEFINERS		
1,3,6,8-Tetrachlorodibenzo-p-dic		100 ng/mL
1,2,8,9-Tetrachlorodibenzo-p-dic		100 ng/mL
1,2,4,7,9-Pentachlorodibenzo-p-	dioxin	100 ng/mL
1,2,3,8,9-Pentachlorodibenzo-p-		100 ng/mL
1,2,4,6,7,9-Hexachlorodibenzo-p		100 ng/mL
1,2,3,4,6,7-Hexachlorodibenzo-p		100 ng/mL
1,2,3,4,6,7,9-Heptachlorodibenz		100 ng/mL
1,2,3,4,6,7,8-Heptachlorodibenz	o- <i>p</i> -dioxin	100 ng/mL
Octachlorodibenzo-p-dioxin		100 ng/mL
1,3,6,8-Tetrachlorodibenzofuran		100 ng/mL
1,2,8,9-Tetrachlorodibenzofuran		100 ng/mL
1,3,4,6,8-Pentachlorodibenzofur	an	100 ng/mL
1,2,3,8,9-Pentachlorodibenzofur	an	100 ng/mL
1,2,3,4,8,9-Hexachlorodibenzofu	ıran	100 ng/mL
1,2,3,4,6,8-Hexachlorodibenzofu	ıran	100 ng/mL
1,2,3,4,6,7,8-Heptachlorodibenz	ofuran	100 ng/mL
1,2,3,4,7,8,9-Heptachlorodibenz	ofuran	100 ng/mL
Octachlorodibenzofuran		100 ng/mL
2,3,7,8-TCDD RESOLUTION TES	STING ISOMERS	
1,2,3,4-Tetrachlorodibenzo-p-dic	oxin	50.0 ng/mL
1,2,3,7 and 1,2,3,8-Tetrachlorodil	benzo-p-dioxin mix	50.0 ng/mL
2,3,7,8-Tetrachlorodibenzo-p-dic		100 ng/mL
1,2,3,9-Tetrachlorodibenzo-p-did	oxin	100 ng/mL
2,3,7,8-Tetrachloro(13C ₁₂)dibenzo		50.0 ng/mL
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzo	-p-dioxin	50.0 ng/mL
OTHERS		
1,2,3,7,8,9-Hexachloro(13C,2)diber	nzo-p-dioxin	50.0 ng/mL



GC/MS DATA: TCDDs on a 60m DB-5 Column.

CAPILLARY COLUMN PERFORMANCE TEST MIXTURES

Catalogue Number	Product (nonane solution)	Qty/Conc
TDTFWD	Combined Window Defining and Resolution	1.2 mL
	Testing Mixture for 3 Capillary Columns	

Concentrations for each compound are listed in brackets (ng/mL ± 20%)^a

WINDOW DEFINING STANDARDS

5/2 ^b		2331 ^c /225 ^d		
FIRST	LAST	FIRST	LAST	
1368-TCDD (50.0)	1289-TCDD (50.0)	1368-TCDD (50.0)	1289-TCDD (50.0)	
12479-PeCDD (50.0)	12389-PeCDD (50.0)	12479-PeCDD (50.0)	12389-PeCDD (50.0)	
124679-HxCDD (50.0)	123467-HxCDD (50.0)	124679-HxCDD (50.0)	123467-HxCDD (50.0)	
1234679-HpCDD (50.0)	1234678-HpCDD (50.0) OCDD (50.0)	1234679-HpCDD (50.0)	1234678-HpCDD (50.0) OCDD (50.0)	
1368-TCDF (100)	1289-TCDF (110)	1368-TCDF (100)	1289-TCDF (110)	
13468-PeCDF (50.0)	12389-PeCDF (50.0)	13468-PeCDF (50.0)	23467-PeCDF (50.0)	
123468-HxCDF (50.0)	123489-HxCDF (50.0)	123468-HxCDF (50.0)	234678-HxCDF (50.0)	
1234678-HpCDF (50.0)	1234789-HpCDF (50.0) OCDF (50.0)	1234678-HpCDF (50.0)	1234789-HpCDF (50.0) OCDF (50.0)	

RESOLUTION TESTING MIXTURES

	5/2 ^b	2331°	225 ^d
2378-TCDD	1234-TCDD (25.0)	1478-TCDD (25.0)	1478-TCDD (25.0)
	1237- and 1238-TCDD (25.0) ^e	2378-TCDD (50.0)	2378-TCDD (50.0)
	2378-TCDD (50.0)	1237- and 1238-TCDD (25.0)e	1237- and 1238-TCDD (25.0)
	1239-TCDD (50.0)	1234-TCDD (25.0)	1234-TCDD (25.0)
2378-TCDF	2347-TCDF, 2348-TCDF,	1269-TCDF (50.0)	2347-TCDF (50.0)
	and 2378-TCDF	2378-TCDF (100)	2378-TCDF (100)
	(not resolved) (200) ^e	2348-TCDF (50.0)	1239-TCDF (65.0)

OTHER PCDDs AND PCDFs INCLUDED

12378-PeCDD (50.0)	123478-HxCDD (50.0)	123478-HxCDF (50.0)	¹³ C.,-1234-TCDD (25.0)
12378-PeCDF (50.0)	123678-HxCDD (50.0)	123678-HxCDF (50.0)	¹³ C, -2378-TCDD (25.0)
23478-PeCDF (50.0)	123789-HxCDD (50.0)	123789-HxCDF (50.0)	¹³ C ₁₂ -2378-TCDF (25.0)
			13C ₁₂ -123789-HxCDD (50.0)

- a Maximum percent relative combined uncertainty of weights and volumes
- b 5/2 DB-5, BP5, HP-2, Rtx-5, SPB-5 or equivalent capillary column
- c 2331 SP-2331, Rtx-2330 or equivalent capillary column
- d 225 DB-225, BP225, HP-225, Rtx-225, SPB-225 or equivalent capillary column
- e Total concentration of isomers

MASS-LABELLED CAPILLARY COLUMN PERFORMANCE TEST MIXTURES

The two mixtures detailed below, MD5CWDS and MF5CWDS, contain 13C-labelled PCDD and 13C-labelled PCDF congeners, respectively. These solutions were designed to be run on a DB-5 (or equivalent) capillary column to confirm the congener group windows for tetra-, penta-, hexa- and heptachloro- PCDDs and PCDFs. It is intended that these mixtures, or dilutions thereof, be added to the samples prior to extraction, at some stage during cleanup, or just prior to instrumental analysis. The final, cleaned-up, sample extracts would thus contain all the PCDD and PCDF window defining 13C-labelled congeners when used in concert with our calibration set support solutions. This would allow the analyst to immediately confirm that the congener group windows had not shifted and that all the PCDDs and PCDFs had been detected where present.

Please note that some 2,3,7,8-substituted PCDDs or PCDFs are also window defining congeners and are already present in 13C-labelled PCDD and PCDF solution/mixes added as sampling (e.g. EPA-23SS), extraction (e.g. EPA-1613LCS), cleanup, or internal standards (e.g. EPA-1613ISS). Therefore, they are not included in these window defining mixtures.

Catalogue Number	Product (nonan	e solution)	Qty/Conc	
MD5CWDS	PCDD Window Definin for DB-5, BP5, HP-2, Rt or Equivalent Capillary	x-5, SPB-5,	1.2 mL	
Concentrations for each con	npound are listed in bracke	ts (ng/mL ± 20%) ^a		
FIRST	FIRST		LAST	
1,2,3,7,8,9-Hexachloro(¹³ C ₁₂)d	penzo-p-dioxin (1000) ibenzo-p-dioxin (1000) plibenzo-p-dioxin (1000) ibenzo-p-dioxin (last eluting HxCl ibenzo-p-dioxin which is present	1,2,3,8,9-Pentachloro(13(
MF5CWDS	PCDF Window Defining for DB-5, BP5, HP-2, Rt or Equivalent Capillary	x-5, SPB-5,	1.2 mL	
Concentrations for each con		ts (ng/mL ± 20%) ^a		
Concentrations for each con			AST	

HpCDF) are not included in this solution as they are present in compatible support solutions.

***1,2,3,4,6,7,8-Heptachloro("2C,)dibenzofuran (first eluting HpCDF) and 1,2,3,4,7,8,9-Heptachloro("2C,)dibenzofuran (last eluting

a Maximum percent relative combined uncertainty of weights and volumes

INDIVIDUAL PCDD & PCDF CONGENERS: NATIVE AND MASS-LABELLED

Wellington offers a large selection of individual polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs). We now also offer the largest selection of mass-labelled PCDD and PCDF congeners.

The following product groups are presented in this section:

Native Polychlorinated Dibenzo-p-dioxins (PCDDs) Native Polychlorinated Dibenzofurans (PCDFs) Mass-labelled PCDDs Mass-labelled PCDFs

These compounds have all been prepared using single product, unambiguous synthetic routes and rigorously purified using various techniques. Prior to release, their structures, chemical and isotopic purities are confirmed using several instrumental methods and this data is summarized in the Certificates of Analysis (CofAs).

In addition, the concentrations of the 2,3,7,8-substituted PCDDs and PCDFs have been continually certified since 1991 through a large number of interlaboratory studies and are thus traceable to these studies.

Since our last catalogue, we have added 3 new mass-labelled PCDDs and 2 new mass-labelled PCDFs, namely:

MDD-27 2,7-Dichloro(¹³C₁₂)dibenzo-*p*-dioxin

MDD-28 2,8-Dichloro(¹³C₁₂)dibenzo-*p*-dioxin

MDD-1289 1,2,8,9-Tetrachloro(¹³C₁₂)dibenzo-*p*-dioxin

MDF-12389 1,2,3,8,9-Pentachloro(¹³C₁₂)dibenzofuran

MDF-123489 1,2,3,4,8,9-Hexachloro(¹³C₁₂)dibenzofuran




NATIVE POLYCHLORINATED DIBENZO-p-DIOXINS (PCDDs)

Catalogue Number	Product (toluene or nonane solution)	Qty/Conc	
DD-0-S	Dibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1-S	1-Chlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-2-S	2-Chlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-23-S	2,3-Dichlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-27-S	2,7-Dichlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-28-S	2,8-Dichlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-123-S	1,2,3-Trichlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-124-S	1,2,4-Trichlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-237-S	2,3,7-Trichlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1234-S	1,2,3,4-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1247/8-S	1,2,4,7/1,2,4,8-Tetrachlorodibenzo-p-dioxin mix	1.2 mL	50.0 μg/ml
DD-1278-S	1,2,7,8-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1289-S	1,2,8,9-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1368-S	1,3,6,8-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1378-S	1,3,7,8-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1379-S	1,3,7,9-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1478-S	1,4,7,8-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-2378-S	2,3,7,8-Tetrachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-12378-S	1,2,3,7,8-Pentachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-12478-S	1,2,4,7,8-Pentachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-123467-S	1,2,3,4,6,7-Hexachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-123468-S	1,2,3,4,6,8-Hexachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-123478-S	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-123678-S	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-123789-S	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-124679-S	1,2,4,6,7,9-Hexachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-1234678-S	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml
DD-12346789-S	Octachlorodibenzo-p-dioxin	1.2 mL	50.0 μg/ml

NATIVE POLYCHLORINATED DIBENZOFURANS (PCDFs)

Catalogue Number	Product (toluene or nonane solution)	Qty/Conc	
DF-0-S	Dibenzofuran	1.2 mL	50.0 μg/ml
DF-2-S	2-Chlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-4-S	4-Chlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-23-S	2,3-Dichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-24-S	2,4-Dichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-26-S	2,6-Dichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-27-S	2,7-Dichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-28-S	2,8-Dichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-136-S	1,3,6-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-138-S	1,3,8-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-146-S	1,4,6-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-147-S	1,4,7-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-149-S	1,4,9-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-234-S	2,3,4-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-236-S	2,3,6-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-238-S	2,3,8-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-246-S	2,4,6-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-247-S	2,4,7-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-248-S	2,4,8-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-267-S	2,6,7-Trichlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1236-S	1,2,3,6-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1238-S	1,2,3,8-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1239-S	1,2,3,9-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1246-S	1,2,4,6-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1247-S	1,2,4,7-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1248-S	1,2,4,8-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1267-S	1,2,6,7-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1278-S	1,2,7,8-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1279-S	1,2,7,9-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml
DF-1347-S	1,3,4,7-Tetrachlorodibenzofuran	1.2 mL	50.0 μg/ml



NATIVE POLYCHLORINATED DIBENZOFURANS (PCDFs)

Catalogue Number	Product (toluene or nonane solution)	Qty/Conc
DF-1348-S	1,3,4,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-1349-S	1,3,4,9-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-1367-S	1,3,6,7-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-1368-S	1,3,6,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-1369-S	1,3,6,9-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-1378-S	1,3,7,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-1467-S	1,4,6,7-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-1478-S	1,4,7,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-2346-S	2,3,4,6-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-2347-S	2,3,4,7-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-2348-S	2,3,4,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-2368-S	2,3,6,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-2378-S	2,3,7,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-2467-S	2,4,6,7-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-2468-S	2,4,6,8-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-3467-S	3,4,6,7-Tetrachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12347-S	1,2,3,4,7-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12348-S	1,2,3,4,8-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12367-S	1,2,3,6,7-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12378-S	1,2,3,7,8-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12379-S	1,2,3,7,9-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12389-S	1,2,3,8,9-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12467-S	1,2,4,6,7-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12468-S	1,2,4,6,8-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-12478-S	1,2,4,7,8-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-13467-S	1,3,4,6,7-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-13478-S	1,3,4,7,8-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-13479-S	1,3,4,7,9-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-13678-S	1,3,6,7,8-Pentachlorodibenzofuran (97% pure)	1.2 mL 48.5 μg/m
DF-14678-S	1,4,6,7,8-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-23467-S	2,3,4,6,7-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m
DF-23478-S	2,3,4,7,8-Pentachlorodibenzofuran	1.2 mL 50.0 μg/m

NATIVE POLYCHLORINATED DIBENZOFURANS (PCDFs)

Catalogue Number	Product (toluene or nonane solution)	Qty/Conc		
DF-123467-5	1,2,3,4,6,7-Hexachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-123468-S	1,2,3,4,6,8-Hexachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-123478-S	1,2,3,4,7,8-Hexachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-123489-S	1,2,3,4,8,9-Hexachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-123678-S	1,2,3,6,7,8-Hexachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-123789-S	1,2,3,7,8,9-Hexachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-234678-S	2,3,4,6,7,8-Hexachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-1234678-S	1,2,3,4,6,7,8-Heptachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-1234689-S	1,2,3,4,6,8,9-Heptachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-1234789-S	1,2,3,4,7,8,9-Heptachlorodibenzofuran	1.2 mL	50.0 μg/mL	
DF-12346789-S	Octachlorodibenzofuran	1.2 mL	50.0 μg/mL	

³⁷CI-MASS-LABELLED DIBENZO-p-DIOXIN

Catalogue Number		Product	
MCDD-2378	aCI ACI ACI	2,3,7,8-(³⁷ Cl ₄)Tetrachlorodibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene (isotopic purity 94 to 95%)	

MASS-LABELLED POLYCHLORINATED DIBENZO-p-DIOXINS

Catalogue	Number	Product		
MDD-0	13 _{C6} 13 _{C6}	($^{13}C_{12}$)Dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene		
MDD-2	13 _{C6} 013 _{C6}	2-Chloro(¹³ C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene		
MDD-23	13 _{C6} 013 _{C6} C	2,3-Dichloro(¹³ C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene		
MDD-27	d 13 ^c 6 0 13 ^c 6	2,7-Dichloro(¹³ C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene		
MDD-28	CI 13 _{C6} 013 _{C6} CI	2,8-Dichloro($^{13}C_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene		

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYCHLORINATED DIBENZO-p-DIOXINS

Catalogue	Number	Product
MDD-237	G 13 _{C6} 13 _{C6} CI	2,3,7-Trichloro(13 C $_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-1234	13 _{C6} Cl	1,2,3,4-Tetrachloro(13 C _{1,2})dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-1278	CI 13 _{C6} CI 13 _{C6} CI	1,2,7,8-Tetrachloro($^{13}C_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-1289		1,2,8,9-Tetrachloro(¹³C₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDD-1368		1,3,6,8-Tetrachloro(¹³ C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDD-1378	CI 13 _{C6} CI	1,3,7,8-Tetrachloro(13 C ₁₂)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-2378		2,3,7,8-Tetrachloro(13 C,2)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-12378	CI 13 _{C6} CI	1,2,3,7,8-Pentachloro($^{13}C_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 μ g/mL (\pm 2.5 μ g/mL); in toluene
MDD-12389	CI 13_{C_6} 0 13_{C_6} CI	1,2,3,8,9-Pentachloro(13 C, ₂)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-12478		1,2,4,7,8-Pentachloro(¹³C,₂)dibenzo-p-dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYCHLORINATED DIBENZO-p-DIOXINS

Catalogue N	lumber	Product
MDD-12479	G G G G G G G G G G G G G G G G G G G	1,2,4,7,9-Pentachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDD-123467	CI 13C6 CI	1,2,3,4,6,7-Hexachloro(13 C $_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-123468	CI 13 _{Ce} CI	1,2,3,4,6,8-Hexachloro(13 C $_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-123478	d 13c ₆ 13c ₆ d	1,2,3,4,7,8-Hexachloro(13 C $_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-123678	d 13c6 13c6 d	1,2,3,6,7,8-Hexachloro(13 C $_{12}$)dibenzo- p -dioxin 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDD-123789	CI 13C6 CI 13C6 CI	1,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDD-124679	G 13 _{C6} 13 _{C6} G	1,2,4,6,7,9-Hexachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDD-1234678	CI 13C6 CI 13C6 CI	1,2,3,4,6,7,8-Heptachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDD-1234679		1,2,3,4,6,7,9-Heptachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDD-12346789		Octachloro(¹³C _{1,2})dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYCHLORINATED DIBENZOFURANS

Catalogue I	Number	Product
MDF-0	13 _{C6} 13 _{C6}	(¹³ C ₁₂)Dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-2	13 _{C6} Cl	2-Chloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-23	13 _{C6} CI	2,3-Dichloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-238	Cl 13 _{C6} Cl	2,3,8-Trichloro(¹²C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-1234	13 _{C6} CI	1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-1278		1,2,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-1368	CI 13 _{C6} 33 _{C6} CI	1,3,6,8-Tetrachloro(13 C $_{12}$)dibenzofuran 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
MDF-2378	CI 13 _{C6} CI CI	2,3,7,8-Tetrachloro(13 C $_{12}$)dibenzofuran 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in toluene
MDF-12346	13 _{C6} 13 _{C6} CI	1,2,3,4,6-Pentachloro($^{13}C_{12}$)dibenzofuran 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in toluene

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYCHLORINATED DIBENZOFURANS


Catalogue	Number	Product			
MDF-12378	CI 13 _{C6} CI 13 _{C6} CI	1,2,3,7,8-Pentachloro(¹³C₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-12389	CI CI CI CI CI CI CI CI	1,2,3,8,9-Pentachloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-13468	CI 13 _{C6} 13 _{C6} CI	1,3,4,6,8-Pentachloro(¹³C₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-23478	CI 13 _{C6} CI	2,3,4,7,8-Pentachloro(¹³C₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-123468	CI 13 _{C6} CI	1,2,3,4,6,8-Hexachloro(¹³C₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-123469	CI C	1,2,3,4,6,9-Hexachloro(¹³ C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-123478		1,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-123489	CI CI CI CI CI CI CI CI	1,2,3,4,8,9-Hexachloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			
MDF-123678	CI CI CI CI CI CI CI CI	1,2,3,6,7,8-Hexachloro(¹³ C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene			

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYCHLORINATED DIBENZOFURANS

Catalogue I	Number	Product
MDF-123789	CI CI CI CI CI CI CI CI	1,2,3,7,8,9-Hexachloro(¹³ C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-234678	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,3,4,6,7,8-Hexachloro(¹³ C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-1234678	CI CI CI CI CI CI CI CI	1,2,3,4,6,7,8-Heptachloro(¹³C _{1,2})dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-1234689		1,2,3,4,6,8,9-Heptachloro(¹³C _{1,2})dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-1234789		1,2,3,4,7,8,9-Heptachloro(¹³ C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MDF-12346789		Octachloro(¹³ C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.




HRGC/LRMS data of 1,2,3,4,7,8,9-Heptachloro(13C,2)dibenzofuran (30m DB-5 column).

	NOTES AND NEW PRODUCTS				
					
1					
<u> </u>					
9	-				
14					
	-				


In order to keep up-to-date on new releases from Wellington Laboratories Inc., please visit our website at www.well-labs.com.

New Products are announced in the Wellington Reporter.



PCDDs & PCDFs:

JAPANESE INDUSTRIAL STANDARD METHODS
JIS K 0311 AND JIS K 0312 &
ADDITIONAL PCDD/PCDF SPECIALTY SOLUTION/MIXTURES





DF-CVS-A10

Catalogue Number	Product (nonane	solution)		(Qty/Conc
DF-CVS-A10-Set 1	CS1/CS3/CS5/CS7/CS9			1 kit (5	ampoules)
DF-CVS-A10-Set 2	CS2/CS4/CS6/CS8/CS10				ampoules)
DF-CVS-A10-Set 3	CS3/CS5/CS7/CS9/CS11				ampoules)
DF-A10-CSL	CSL Extended Calibra	tion/Low Level		,	200 µL
DF-A10-CS1	CS1				200 µL
DF-A10-CS2	CS2				200 µL
DF-A10-CS3	CS3				200 µL
DF-A10-CS4	CS4				200 μL
		Dr. 440	DF 440	DT 440	
	DF-A10- CSL	DF-A10- CS1	DF-A10- CS2	DF-A10- CS3	DF-A10- CS4
NATIVE PCDDs & PCDFs					
1,3,6,8-Tetrachlorodibenzo-p-dioxin	(ng/mL) 0.0500	(ng/mL) 0.100	(ng/mL) 0.200	(ng/mL) 0.500	(ng/mL) 1.00
1,3,7,9-Tetrachlorodibenzo-p-dioxin		0.100 0.100	0.200	0.500	1.00
1,2,8,9-Tetrachlorodibenzo-p-dioxin			0.200	0.500	1.00
2,3,7,8-Tetrachlorodibenzo-p-dioxin		0.100	0.200	0.500	1.00
1,2,3,7,8-Pentachlorodibenzo-p-dio		0.100	0.200	0.500	1.00
1,2,3,4,7,8-Hexachlorodibenzo-p-dic		0.100	0.200	0.500	1.00
1,2,3,6,7,8-Hexachlorodibenzo-p-dic		0.100	0.200	0.500	1.00
1,2,3,7,8,9-Hexachlorodibenzo-p-dic		0.100	0.200	0.500	1.00
1,2,3,4,6,7,8-Heptachlorodibenzo-p-		0.100	0.200	0.500	1.00
Octachlorodibenzo-p-dioxin	0.100	0.200	0.400	1.00	2.00
1,3,6,8-Tetrachlorodibenzofuran	0.0500	0.100	0.200	0.500	1.00
1,2,7,8-Tetrachlorodibenzofuran	0.0500	0.100	0.200	0.500	1.00
1,2,8,9-Tetrachlorodibenzofuran	0.0500	0.100	0.200	0.500	1.00
2,3,7,8-Tetrachlorodibenzofuran	0.0500	0.100	0.200	0.500	1.00
1,2,3,7,8-Pentachlorodibenzofuran	0.0500	0.100	0.200	0.500	1.00
2,3,4,7,8-Pentachlorodibenzofuran	0.0500	0.100	0.200	0.500	1.00
1,2,3,4,7,8-Hexachlorodibenzofuran		0.100	0.200	0.500	1.00
1,2,3,6,7,8-Hexachlorodibenzofuran		0.100	0.200	0.500	1.00
1,2,3,7,8,9-Hexachlorodibenzofuran	0.0500	0.100	0.200	0.500	1.00
2,3,4,6,7,8-Hexachlorodibenzofuran		0.100	0.200	0.500	1.00
1,2,3,4,6,7,8-Heptachlorodibenzofu	ran 0.0500	0.100	0.200	0.500	1.00
1,2,3,4,7,8,9-Heptachlorodibenzoful		0.100	0.200	0.500	1.00
Octachlorodibenzofuran	0.100	0.200	0.400	1.00	2.00
EXTRACTION SPIKE:					
MASS-LABELLED PCDDs & PCDFs		19.0	40.0	40.0	40.0
1,3,6,8-Tetrachloro(13C,2)dibenzo-p-d	ioxin 10.0	10.0	10.0	10.0	10.0
2,3,7,8-Tetrachloro(13C)2)dibenzo-p-d	ioxin 10.0	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(13C,2)dibenzo-p	o-dioxin 10.0	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(¹³ C,)dibenzo- 1,2,3,4,7,8-Hexachloro(¹³ C,)dibenzo- 1,2,3,6,7,8-Hexachloro(¹³ C,)dibenzo-	p-dioxin 10.0	10.0	10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibenzo	p-dioxin 10.0	10.0	10.0	10.0	10.0
1.2.3.7.8.9-Hexachloro(13C)dibenzo-	-p-dioxin 10.0	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(13C,3)diben	zo-p-dioxin 10.0	10.0	10.0	10.0	10.0
Octachloro(13C ₁₂)dibenzo-p-dioxin	20.0	20.0	20.0	20.0	20.0
,3,6,8-Tetrachloro(13C ₁₂)dibenzofura 2,3,7,8-Tetrachloro(13C ₁₂)dibenzofura	n 10.0	10.0	10.0	10.0	10.0
.,3,7,8-letrachloro("C ₁₂)dibenzofura	n 10.0	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(13C,2)dibenzoft	uran 10.0	10.0	10.0	10.0	10.0
2,3,4,7,8-Pentachioro(13C,)dibenzoft	uran 10.0	10.0	10.0	10.0	10.0
1,2,3,4,7,8-Hexachloro(13C ₁₂)dibenzo	furan 10.0	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(¹³ C,)dibenzoft 1,2,3,4,7,8-Pentachloro(¹³ C,)dibenzoft 1,2,3,4,7,8-Hexachloro(¹³ C,)dibenzort 1,2,3,6,7,8-Hexachloro(¹³ C,)dibenzort 1,2,3,7,8,9-Hexachloro(¹³ C,)dibenzort 2,3,4,6,7,8-Hexachloro(¹³ C,)dibenzort 1,2,3,4,6,7,8-Hexachloro(¹³ C,)dibenzort	furan 10.0	10.0	10.0	10.0	10.0
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibenzo	furan 10.0	10.0	10.0	10.0	10.0
2,3,4,6,7,8-Hexachloro('3C,3)dibenzo	furan 10.0	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(¹³ C, ₂)diben 1,2,3,4,7,8,9-Heptachloro(¹³ C, ₂)diben	zofuran 10.0	10.0	10.0	10.0	10.0
,2,3,4,7,8,9-Heptachloro(\(\frac{1}{2}\)diben Octachloro(\(\frac{1}{3}\)C ₁₂)dibenzofuran	zofuran 10.0 20.0	10.0 20.0	10.0 20.0	10.0 20.0	10.0 20.0
SYRINGE SPIKE:	2.0				2501
MASS-LABELLED PCDFs					
,2,7,8-Tetrachloro(13C,,)dibenzofura	n 10.0	10.0	10.0	10.0	10.0
,2,3,4,6-Pentachloro(13C,_)dibenzoft	ıran 10.0	10.0	10.0	10.0	10.0
1,2,3,4,6,9-Hexachloro(13C.)dibenzo	furan 10.0	10.0	10.0	10.0	10.0
,2,3,4,6,9-Hexachloro(¹³Ć̄,2)dibenzo ,2,3,4,6,8,9-Heptachloro(¹³C ₁₂)diben	zofuran 10.0	10.0	10.0	10.0	10.0
SAMPLING SPIKE:					
MASS-LABELLED PCDDs & PCDFs		200	-	3.05	3.3
2 2 1 Totrochloro/13C Idihonzo n d	ioxin 10.0	10.0	10.0	10.0	10.0
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzo- <i>p</i> -d 1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzofura	in 10.0	10.0	10.0	10.0	10.0

Catalogue N	umber	Produ	uct (nonar	ne solution	n)		Qty/Conc
DF-A10-CS5 DF-A10-CS6 DF-A10-CS7 DF-A10-CS8 DF-A10-CS9		CS5 CS6 CS7 CS8 CS9					200 µL 200 µL 200 µL 200 µL 200 µL
DF-A10-CS10 DF-A10-CS11 DF-A10-CSH		CS10 CS11 CSH	Extended Calil	oration/High Le	evel		200 μL 200 μL 200 μL
*FOR SUPPORT	SOLUTIONS, S					dilutions).	
DF-A10- CS5 (ng/mL) 2.00 2.00 2.00 2.00	DF-A10- CS6 (ng/mL) 5.00 5.00 5.00 5.00	DF-A10- CS7 (ng/mL) 10.0 10.0 10.0 10.0	DF-A10- CS8 (ng/mL) 20.0 20.0 20.0 20.0	DF-A10- CS9 (ng/mL) 50.0 50.0 50.0 50.0	DF-A10- CS10 (ng/mL) 100 100 100	DF-A10- CS11 (ng/mL) 200 200 200 200	DF-A10- CSH (ng/mL) 1000 1000 1000
2.00 2.00 2.00 2.00 2.00 4.00	5.00 5.00 5.00 5.00 5.00 10.0	10.0 10.0 10.0 10.0 10.0 20.0	20.0 20.0 20.0 20.0 20.0 40.0	50.0 50.0 50.0 50.0 50.0 100	100 100 100 100 100 200	200 200 200 200 200 200 400	1000 1000 1000 1000 1000 2000
2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00	5.00 5.00 5.00 5.00 5.00 5.00 5.00 5.00	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	20.0 20.0 20.0 20.0 20.0 20.0 20.0 20.0	50.0 50.0 50.0 50.0 50.0 50.0 50.0 50.0	100 100 100 100 100 100 100 100 100	200 200 200 200 200 200 200 200 200 200	1000 1000 1000 1000 1000 1000 1000 100
2.00 2.00 4.00	5.00 5.00 10.0	10.0 10.0 20.0	20.0 20.0 40.0	50.0 50.0 100	100 100 200	200 200 400	1000 1000 2000
10.0 10.0 10.0 10.0 10.0 10.0 10.0 20.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 20.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 20.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 20.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 20.0	10.0 10.0 10.0 10.0 10.0 10.0 20.0	10.0 10.0 10.0 10.0 10.0 10.0 20.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 20.0
10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0
10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0
10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0

DF-CVS-B10

Catalogue Number	Product (no	onane solution			Qty/Cond
DF-CVS-B10-Set 1	CS1/CS3/CS5/CS	7/CS9		1 kit ((5 ampoules)
DF-CVS-B10-Set 2	CS2/CS4/CS6/CS	8/CS10			(5 ampoules)
DF-CVS-B10-Set 3	CS3/CS5/CS7/CS				(5 ampoules)
or cos bio set s	C357 C357 C377 C3	5/6511		T KIL	(5 dilipodics)
DF-B10-CS1	CS1				200 µL
DF-B10-CS2	CS2				200 µL
DF-B10-CS3	CS3				200 µL
DF-B10-CS4	CS4				200 µL
		DF-B10- CS1	DF-B10- CS2	DF-B10- CS3	DF-B10- CS4
NATIVE PCDDs & PCDFs		(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
1,3,6,8-Tetrachlorodibenzo-p-dio	vin	0.100	0.200	0.500	1.00
1,3,7,9-Tetrachlorodibenzo-p-dio		0.100	0.200	0.500	1.00
1,2,8,9-Tetrachlorodibenzo-p-dio		0.100	0.200	0.500	1.00
		0.100	0.200	0.500	1.00
2,3,7,8-Tetrachlorodibenzo-p-dio		0.100		0.500	1.00
1,2,3,7,8-Pentachlorodibenzo-p-c			0.200		
1,2,3,4,7,8-Hexachlorodibenzo-p-		0.200	0.400	1.00	2.00
1,2,3,6,7,8-Hexachlorodibenzo-p-		0.200	0.400	1.00	2.00
1,2,3,7,8,9-Hexachlorodibenzo-p-		0.200	0.400	1.00	2.00
1,2,3,4,6,7,8-Heptachlorodibenzo	p-dioxin	0.200	0.400	1.00	2.00
Octachlorodibenzo-p-dioxin		0.500	1.00	2.50	5.00
1,3,6,8-Tetrachlorodibenzofuran		0.100	0.200	0.500	1.00
1,2,7,8-Tetrachlorodibenzofuran		0.100	0.200	0.500	1.00
1,2,8,9-Tetrachlorodibenzofuran		0.100	0.200	0.500	1.00
2,3,7,8-Tetrachlorodibenzofuran		0.100	0.200	0.500	1.00
1,2,3,7,8-Pentachlorodibenzofura	an	0.100	0.200	0.500	1.00
2,3,4,7,8-Pentachlorodibenzofura		0.100	0.200	0.500	1.00
1,2,3,4,7,8-Hexachlorodibenzofu		0.200	0.400	1.00	2.00
		0.200		1.00	
1,2,3,6,7,8-Hexachlorodibenzofu			0.400		2.00
1,2,3,7,8,9-Hexachlorodibenzofu		0.200	0.400	1.00	2.00
2,3,4,6,7,8-Hexachlorodibenzofu		0.200	0.400	1.00	2.00
1,2,3,4,6,7,8-Heptachlorodibenzo		0.200	0.400	1.00	2.00
1,2,3,4,7,8,9-Heptachlorodibenzo	nturan	0.200	0.400	1.00	2.00
Octachlorodibenzofuran		0.500	1.00	2.50	5.00
EXTRACTION SPIKE:					
MASS-LABELLED PCDDs & PCD					
1,3,6,8-Tetrachloro(13C,,)dibenzo-	p-dioxin	10.0	10.0	10.0	10.0
2,3,7,8-Tetrachloro(13C.)dibenzo-	p-dioxin	10.0	10.0	10.0	10.0
1.2.3.7.8-Pentachloro(13C)dibenz	o-p-dioxin	10.0	10.0	10.0	10.0
1.2.3.4.7.8-Hexachloro(13C)diber	zo-p-dioxin	10.0	10.0	10.0	10.0
2,3,7,8-Tetrachloro(¹³ C ₁₂)dibenzo- 1,2,3,7,8-Pentachloro(¹³ C ₁₂)dibenz 1,2,3,4,7,8-Hexachloro(¹³ C ₁₂)diben 1,2,3,6,7,8-Hexachloro(¹³ C ₁₂)diben	zo-p-dioxin	10.0	10.0	10.0	10.0
1,2,3,7,8,9-Hexachloro(13C,3)diben	zo-p-dioxin	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dib	penzo-n-dioxin	10.0	10.0	10.0	10.0
Octachloro(${}^{13}C_{12}$)dibenzo- p -dioxin	l aloviii	20.0	20.0	20.0	20.0
1,3,6,8-Tetrachloro(¹³C,₂)dibenzof 2,3,7,8-Tetrachloro(¹³C,₂)dibenzof	uran	10.0	10.0	10.0	10.0
2,3,7,8-Tetrachloro(13C ₁₂)dibenzof	uran	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(13C ₁₂)dibenz	oturan	10.0	10.0	10.0	10.0
$2,3,4,7,8$ -Pentachloro(${}^{13}C_{12}$)dibenz	ofuran	10.0	10.0	10.0	10.0
1,2,3,4,7,8-Hexachloro(¹³C,,)diben	zofuran	10.0	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(¹³ C,)dibenz 2,3,4,7,8-Pentachloro(¹³ C,)dibenz 1,2,3,4,7,8-Hexachloro(¹³ C,)diben 1,2,3,6,7,8-Hexachloro(¹³ C,)diben 1,2,3,7,8,9-Hexachloro(¹³ C,)diben 2,3,4,6,7,8-Hexachloro(¹³ C,)diben	zofuran	10.0	10.0	10.0	10.0
1,2,3,7,8,9-Hexachloro(13C,)diber	zofuran	10.0	10.0	10.0	10.0
2,3,4,6,7,8-Hexachloro(13C_)diber	zofuran	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(13C_)dik	penzofuran	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(¹³ C _{,2})dik 1,2,3,4,7,8,9-Heptachloro(¹³ C _{,2})dik	penzofuran	10.0	10.0	10.0	10.0
Octachloro(13C ₁₂)dibenzofuran		20.0	20.0	20.0	20.0
SYRINGE SPIKE					
SYRINGE SPIKE: MASS-LABELLED PCDFs					
1,2,7,8-Tetrachloro(¹³C ₁₂)dibenzof	uran	10.0	10.0	10.0	10.0
1.2.3.4.6-Pentachloro(13C)dihena	ofuran	10.0	10.0	10.0	10.0
1,2,3,4,6-Pentachloro(¹³C,₂)dibenz 1,2,3,4,6,9-Hexachloro(¹³C,₂)diben	zofuran	10.0	10.0	10.0	10.0
1,2,3,4,6,8,9-Heptachloro(13C ₁₂)diben	penzofuran	10.0	10.0	10.0	10.0
1-1-1 (1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		, 5.0	3.0		
SAMPLING SPIKE:	2				
TARGET ADDITION DODD O DOE)Fs				
				20.00.00	
MASS-LABELLED PCDDs & PCD 1,2,3,4-Tetrachloro('3C,,)dibenzo- 1,2,3,4-Tetrachloro('3C,,)dibenzof	p-dioxin	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0

Catalogue Nu	ımber	Product (r	nonane solut	ion)		Qty/Conc
DF-B10-CS5 DF-B10-CS6 DF-B10-CS7 DF-B10-CS8 DF-B10-CS9 DF-B10-CS10 DF-B10-CS11 *FOR SUPPORT S	OLUTIONS, see	CS5 CS6 CS7 CS8 CS9 CS10 CS11 DF-ST-B, DF-LCS-A	A, DF-IS-B, and I	OF-IS-I (and thei	r dilutions).	200 µL 200 µL 200 µL 200 µL 200 µL 200 µL 200 µL
DF-B10-	DF-B10-	DF-B10-	DF-B10-	DF-B10-	DF-B10-	DF-B10-
CS5	C56	CS7	CS8	CS9	CS10	CS11
(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
2.00	5.00	10.0	20.0	50.0	100	200
2.00	5.00	10.0	20.0	50.0	100	200
2.00 2.00 2.00 4.00 4.00	5.00 5.00 5.00 10.0	10.0 10.0 10.0 20.0 20.0	20.0 20.0 20.0 40.0 40.0	50.0 50.0 50.0 100	100 100 100 200 200	200 200 200 400 400
4.00 4.00 10.0 2.00	10.0 10.0 25.0 5.00	20.0 20.0 50.0	40.0 40.0 100 20.0	100 100 250 50.0	200 200 500	400 400 1000
2.00	5.00	10.0	20.0	50.0	100	200
2.00	5.00	10.0	20.0	50.0	100	200
2.00	5.00	10.0	20.0	50.0	100	200
2.00	5.00	10.0	20.0	50.0	100	200
2.00	5.00	10.0	20.0	50.0	100	200
4.00	10.0	20.0	40.0	100	200	400
4.00 4.00 4.00 4.00 4.00	10.0 10.0 10.0 10.0 10.0	20.0 20.0 20.0 20.0 20.0 20.0	40.0 40.0 40.0 40.0 40.0	100 100 100 100 100	200 200 200 200 200 200	400 400 400 400 400
10.0	25.0	50.0	100	250	10.0	1000
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
20.0	20.0	20.0	20.0	20.0	20.0	20.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0	10.0 10.0 10.0 10.0 10.0 10.0 10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
20.0	20.0	20.0	20.0	20.0	20.0	20.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0

DF-CVS-C10

Catalogue Number	Product (nonane so	olution)		Qty/Cond
DF-CVS-C10	PCDD & PCDF Calibration S CS1/CS2/CS3/CS4/CS5/CS6/C		1 kir	t (7 ampoules)
DF 640 664	CCA			200 . 1
DF-C10-CS1	CS1			200 µL
DF-C10-CS2	CS2			200 µL
DF-C10-CS3	CS3			200 μL
		DF-C10-CS1	DF-C10-CS2	DF-C10-CS3
NATIVE PCDDs & PCDFs		(ng/mL)	(ng/mL)	(ng/mL)
1,3,6,8-Tetrachlorodibenzo-p-dioxin		0.100	0.500	2.00
1,2,8,9-Tetrachlorodibenzo-p-dioxin		0.100	0.500	2.00
2,3,7,8-Tetrachlorodibenzo-p-dioxin		0.100	0.500	2.00
,2,3,7,8-Pentachlorodibenzo-p-dioxin		0.100	0.500	2.00
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		0.200	1.00	4.00
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin		0.200	1.00	4.00
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		0.200	1.00	4.00
1,2,3,4,6,7,8-Heptachlorodibenzo- <i>p</i> -dioxin	in	0.200	1.00	4.00
1,2,3,4,6,7,8-нертаспіогодівенzo- <i>p-</i> diox Octachlorodibenzo- <i>p-</i> dioxin		0.200	2.50	10.0
octaciliorodibenzo-p-dioxin		0.500	2.50	10.0
,3,6,8-Tetrachlorodibenzofuran		0.100	0.500	2.00
1,2,8,9-Tetrachlorodibenzofuran		0.100	0.500	2.00
2,3,7,8-Tetrachlorodibenzofuran		0.100	0.500	2.00
,2,3,7,8-Pentachlorodibenzofuran		0.100	0.500	2.00
2,3,4,7,8-Pentachlorodibenzofuran		0.100	0.500	2.00
,2,3,4,7,8-Hexachlorodibenzofuran		0.200	1.00	4.00
,2,3,6,7,8-Hexachlorodibenzofuran		0.200	1.00	4.00
,2,3,7,8,9-Hexachlorodibenzofuran		0.200	1.00	4.00
		0.200		4.00
2,3,4,6,7,8-Hexachlorodibenzofuran			1.00	
,2,3,4,6,7,8-Heptachlorodibenzofuran		0.200	1.00	4.00
1,2,3,4,7,8,9-Heptachlorodibenzofuran Octachlorodibenzofuran		0.200 0.500	1.00 2.50	4.00 10.0
zetaci iloi odibenzolulari		0.500	2.30	10.0
EXTRACTION SPIKE: MASS-LABELL				
,3,6,8-Tetrachloro(13C ₁₂)dibenzo-p-dioxir		10.0	10.0	10.0
2,3,7,8-Tetrachloro(13C,2)dibenzo-p-dioxir	1	10.0	10.0	10.0
1,2,3,7,8-Pentachloro(13C,_)dibenzo-p-dio	xin	10.0	10.0	10.0
1,2,3,4,7,8-Hexachloro(13C,2)dibenzo-p-di	oxin	10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(13C,)dibenzo-p-di		10.0	10.0	10.0
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibenzo-p-di		10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(13C,2)dibenzo-p		10.0	10.0	10.0
Octachloro(13C ₁₂)dibenzo-p-dioxin	7.00	20.0	20.0	20.0
		2210	52.5	V2.12h
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran		10.0	10.0	10.0
,2,3,7,8-Pentachloro(¹³C ₁₂)dibenzofuran		10.0	10.0	10.0
2,3,4,7,8-Pentachloro(13C ₁₂)dibenzofuran		10.0	10.0	10.0
1,2,3,4,7,8-Hexachloro(13C ₁₂)dibenzofurar		10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibenzofurar		10.0	10.0	10.0
,2,3,7,8,9-Hexachloro(13C ₁₂)dibenzofurar	1	10.0	10.0	10.0
2,3,4,6,7,8-Hexachloro(13C,2)dibenzofurar	n	10.0	10.0	10.0
,2,3,4,6,7,8-Heptachloro(13C12)dibenzofu	uran	10.0	10.0	10.0
1,2,3,4,7,8,9-Heptachloro(13C,2)dibenzofu	uran	10.0	10.0	10.0
Octachloro(13C,12)dibenzofuran		20.0	20.0	20.0
SYRINGE SPIKE: MASS-LABELLED	PCDDs			
		10.0	10.0	10.0
,3,7,8-Tetrachloro(13C,2)dibenzo-p-dioxir			10.0	
,2,4,7,8-Pentachloro(13C ₁₂)dibenzo-p-dic		10.0	10.0	10.0
1,2,3,4,6,8-Hexachloro(13C ₁₂)dibenzo-p-di		10.0	10.0	10.0
1,2,3,4,6,7,9-Heptachloro(13C ₁₂)dibenzo-r	o-aloxin	10.0	10.0	10.0
SAMPLING SPIKE				
ASSESSED TO THE PARTY OF THE PA				
1,2,3,4-Tetrachloro(¹³C,,)dibenzo-p-dioxi		10.0	10.0	10.0

Catalogue Number	Product (nonane solution)	Qty/Conc
DF-C10-CS4	CS4	200 µL
DF-C10-CS5	CS5	200 µL
DF-C10-CS6	CS6	200 µL
DF-C10-CS7	CS7	200 µL

*FOR SUPPORT SOLUTIONS, see DF-ST-C, DF-LCS-B, DF-IS-J, and DF-SS-A (and their dilutions).

	DF-C10-CS4	DF-C10-CS5	DF-C10-CS6	DF-C10-C57
NATIVE PCDDs & PCDFs	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
,3,6,8-Tetrachlorodibenzo-p-dioxin	10.0	50.0	200	500
,2,8,9-Tetrachlorodibenzo-p-dioxin	10.0	50.0	200	500
,3,7,8-Tetrachlorodibenzo-p-dioxin	10.0	50.0	200	500
,2,3,7,8-Pentachlorodibenzo-p-dioxin	10.0	50.0	200	500
,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	20.0	100	400	1000
,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	20.0	100	400	1000
,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	20.0	100	400	1000
,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	20.0	100	400	1000
Octachlorodibenzo-p-dioxin	50.0	250	1000	2500
1,3,6,8-Tetrachlorodibenzofuran	10.0	50.0	200	500
,2,8,9-Tetrachlorodibenzofuran	10.0	50.0	200	500
2,3,7,8-Tetrachlorodibenzofuran	10.0	50.0	200	500
,2,3,7,8-Pentachlorodibenzofuran	10.0	50.0	200	500
2,3,4,7,8-Pentachlorodibenzofuran	10.0	50.0	200	500
,2,3,4,7,8-Hexachlorodibenzofuran	20.0	100	400	1000
,2,3,6,7,8-Hexachlorodibenzofuran	20.0	100	400	1000
,2,3,7,8,9-Hexachlorodibenzofuran	20.0	100	400	1000
2,3,4,6,7,8-Hexachlorodibenzofuran	20.0	100	400	1000
,2,3,4,6,7,8-Heptachlorodibenzofuran	20.0	100	400	1000
1,2,3,4,7,8,9-Heptachlorodibenzofuran	20.0	100	400	1000
Octachlorodibenzofuran	50.0	250	1000	2500
EXTRACTION SPIKE: MASS-LABELLED PCDDs &	PCDFs			
,3,6,8-Tetrachloro(¹³C,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
,3,7,8-Tetrachloro(¹³C,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
,2,3,7,8-Pentachloro(13C,2)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
,2,3,4,7,8-Hexachloro(¹³C,3)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(13C,3)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
,2,3,7,8,9-Hexachloro(¹³C,3)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(¹³C,₃)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
Octachloro(13C ₁₂)dibenzo-p-dioxin	20.0	20.0	20.0	20.0
2,3,7,8-Tetrachloro(¹²C ₁₂)dibenzofuran	10.0	10.0	10.0	10.0
,2,3,7,8-Pentachloro(13C ₁₂)dibenzofuran	10.0	10.0	10.0	10.0
2,3,4,7,8-Pentachloro(13C ₁₂)dibenzofuran	10.0	10.0	10.0	10.0
,2,3,4,7,8-Hexachloro(13C, ₂)dibenzofuran	10.0	10.0	10.0	10.0
,2,3,6,7,8-Hexachloro(¹³C,3)dibenzofuran	10.0	10.0	10.0	10.0
,2,3,7,8,9-Hexachloro(¹³C,₂)dibenzofuran	10.0	10.0	10.0	10.0
2,3,4,6,7,8-Hexachloro(13C ₁₂)dibenzofuran	10.0	10.0	10.0	10.0
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzofuran	10.0	10.0	10.0	10.0
1,2,3,4,7,8,9-Heptachloro(13C ₁₂)dibenzofuran	10.0	10.0	10.0	10.0
Octachloro(13C ₁₂)dibenzofuran	20.0	20.0	20.0	20.0
SYRINGE SPIKE: MASS-LABELLED PCDDs				
1,3,7,8-Tetrachloro(¹³C ₁₂)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
,2,4,7,8-Pentachloro(13C,2)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
,2,3,4,6,8-Hexachloro(13C,,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
,2,3,4,6,7,9-Heptachloro(¹³ C ₁₂)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
SAMPLING SPIKE				
1,2,3,4-Tetrachloro(¹³C,)dibenzo-p-dioxin	10.0	10.0	10.0	10.0
1,2,5,4 Tetractiloto(C ₁₂ /dibert20-p-dibxii)	10.0	10.0	10.0	10.0

DFP-CVS-B10

Catalogue Number	Product (nona	ne solution)		Qty/Cond
DFP-CVS-B10	PCDD/PCDF/PCB Cali CS1/CS2/CS3/CS4/CS		1 ki	t (7 ampoules)
DFP-B10-CS1	CS1			200 µL
DFP-B10-CS2	CS2			200 µL
DFP-B10-CS3	CS3			200 µL
		DFP-B10-CS1	DFP-B10-C52	DFP-B10-CS3
NATIVE PCDDs & PCDFs		(ng/mL)	(ng/mL)	(ng/mL)
1,3,6,8-Tetrachlorodibenzo-p-dioxin		0.100 0.100	0.500 0.500	2.00 2.00
1,2,8,9-Tetrachlorodibenzo-p-dioxin 2,3,7,8-Tetrachlorodibenzo-p-dioxin		0.100	0.500	2.00
1,2,3,7,8-Pentachlorodibenzo-p-dioxin		0.100	0.500	2.00
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		0.200	1.00	4.00
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		0.200 0.200	1.00 1.00	4.00 4.00
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin		0.200	1.00	4.00
Octachlorodibenzo-p-dioxin 1,3,6,8-Tetrachlorodibenzofuran		0.500 0.100	2.50 0.500	10.0 2.00
1,2,8,9-Tetrachlorodibenzofuran		0.100	0.500	2.00
2,3,7,8-Tetrachlorodibenzofuran		0.100	0.500	2.00
1,2,3,7,8-Pentachlorodibenzofuran		0.100	0.500	2.00
2,3,4,7,8-Pentachlorodibenzofuran 1,2,3,4,7,8-Hexachlorodibenzofuran		0.100 0.200	0.500 1.00	2.00 4.00
1,2,3,6,7,8-Hexachlorodibenzofuran		0.200	1.00	4.00
1,2,3,7,8,9-Hexachlorodibenzofuran 2,3,4,6,7,8-Hexachlorodibenzofuran		0.200 0.200	1.00 1.00	4.00 4.00
1,2,3,4,6,7,8-Heptachlorodibenzofuran		0.200	1.00	4.00
1,2,3,4,7,8,9-Heptachlorodibenzofuran		0.200	1.00	4.00
Octachlorodibenzofuran NATIVE PCBs	IUPAC	0.500	2.50	10.0
3,3',4,4'-Tetrachlorobiphenyl	77	0.200	1.00	4.00
3,4,4',5-Tetrachlorobiphenyl 2,3,3',4,4'-Pentachlorobiphenyl	81 105	0.200 0.200	1.00 1.00	4.00 4.00
2,3,4,4',5-Pentachlorobiphenyl	114	0.200	1.00	4.00
2,3',4,4',5-Pentachlorobiphenyl	118	0.200	1.00	4.00
2',3,4,4',5-Pentachlorobiphenyl 3,3',4,4',5-Pentachlorobiphenyl	123 126	0.200 0.200	1.00 1.00	4.00 4.00
2,3,3',4,4',5-Hexachlorobiphenyl	156	0.200	1.00	4.00
2,3,3',4,4',5'-Hexachlorobiphenyl	157	0.200	1.00	4.00
2,3',4,4',5,5'-Hexachlorobiphenyl 3,3',4,4',5,5'-Hexachlorobiphenyl	167 169	0.200 0.200	1.00 1.00	4.00 4.00
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	0.200	1.00	4.00
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	0.200	1.00	4.00
2,3,3',4,4',5,5'-Heptachlorobiphenyl EXTRACTION SPIKE: ¹² C PCDDs/PCDFs/PCBs	189	0.200	1.00	4.00
1,3,6,8-Tetrachloro(13C,_)dibenzo-p-dioxin		10.0	10.0	10.0
2,3,7,8-Tetrachloro(¹²C, dibenzo-p-dioxin 1,2,3,7,8-Pentachloro(¹³C, dibenzo-p-dioxin		10.0 10.0	10.0 10.0	10.0 10.0
1,2,3,4,7,8-Hexachloro("C,2)dibenzo-p-dioxin		10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(¹³C,,)dibenzo-p-dioxin 1,2,3,7,8,9-Hexachloro(¹³C,,)dibenzo-p-dioxin		10.0	10.0	10.0
1,2,3,7,8,9-Hexachloro(" ² C ₁₂)dibenzo- <i>p</i> -dioxin 1,2,3,4,6,7,8-Heptachloro(" ³ C ₁₂)dibenzo- <i>p</i> -dioxin		10.0 10.0	10.0 10.0	10.0 10.0
Octachloro(13C,)dibenzo-p-dioxin		20.0	20.0	20.0
Octachloro(¹³C,)dibenzo-p-dioxin 2,3,7,8-Tetrachloro(¹³C,)dibenzofuran		10.0	10.0	10.0
1,2,3,7,8-Pentachloro(13C ₁₂)dibenzofuran		10.0 10.0	10.0 10.0	10.0 10.0
2,3,4,7,8-Pentachloro(¹³C,)dibenzofuran 1,2,3,4,7,8-Hexachloro(¹³C,)dibenzofuran		10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(¹³C,2)dibenzofuran		10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro("C,)dibenzofuran 1,2,3,7,8,9-Hexachloro("C,)dibenzofuran 2,3,4,6,7,8-Hexachloro("C,)dibenzofuran		10.0 10.0	10.0 10.0	10.0 10.0
1,2,3,4,6,7,8-Heptachloro(°C,)dibenzofuran 1,2,3,4,7,8,9-Heptachloro(°C,)dibenzofuran		10.0	10.0	10.0
Octachloro(13C)dibenzoturan		10.0 20.0	10.0 20.0	10.0 20.0
3,3',4,4'-Tetrachloro('3C,.)biphenyl	77L	10.0	10.0	10.0
3,3',4,4'-Tetrachloro("C,)biphenyl 3,4,4',5-Tetrachloro("C,)biphenyl 2,3,3',4,4'-Pentachloro("C,)biphenyl	81L	10.0	10.0	10.0
2,3,3',4,4'-Pentachloro("C,3)biphenyl 2,3,4,4',5-Pentachloro("C,3)biphenyl	105L 114L	10.0 10.0	10.0 10.0	10.0 10.0
2.3'.4.4'.5-Pentachloro('3C)biphenyl	118L	10.0	10.0	10.0
2',3,4,4',5-Pentachloro(' ³ C _{.,})biphenyl	123L	10.0	10.0	10.0
3,3',4,4',5-Pentachloro("C,)biphenyl	126L 156L	10.0 10.0	10.0 10.0	10.0 10.0
2,3,3',4,4',5-Hexachloro(''C,)biphenyl 2,3,3',4,4',5'-Hexachloro(''C,)biphenyl	157L	10.0	10.0	10.0
2,3',4,4',5,5'-Hexachloro("C_)biphenyl	167L	10.0	10.0	10.0
3,3',4,4',5,5'-Hexachloro(¹³C,¹)biphenyl 2,2',3,3',4,4',5-Heptachloro(¹³C,₃)biphenyl	169L 170L	10.0 10.0	10.0 10.0	10.0 10.0
2,2',3,4,4',5,5'-Heptachloro('3C,)biphenyl	180L	10.0	10.0	10.0
2,3,3',4,4',5,5'-Heptachloro('3C,2)biphenyl	189L	10.0	10.0	10.0
SYRINGE SPIKE: "C PCDDs & PCBs 1,3,7,8-Tetrachloro("C,2)dibenzo-p-dioxin		10.0	10.0	10.0
1,2,4,7,8-Pentachloro(¹³ C,)dibenzo- <i>p</i> -dioxin 1,2,3,4,6,8-Hexachloro(¹³ C,)dibenzo- <i>p</i> -dioxin		10.0	10.0	10.0
1,2,3,4,6,8-Hexachloro(¹³ C ₂)dibenzo-p-dioxin		10.0	10.0	10.0
1,2,3,4,6,7,9-Heptachloro(¹³ C ₁₂)dibenzo-p-dioxin 2,3',4',5-Tetrachloro(¹³ C ₁₂)biphenyl	70L	10.0 10.0	10.0 10.0	10.0 10.0
2,3',4',5-Tetrachloro(¹²C,3)biphenyl 2,3,3',5,5'-Pentachloro(¹²C,3)biphenyl	111L	10.0	10.0	10.0
2,2',3,4,4',5'-Hexachloro(' ¹ C,)biphenyl	138L 178L	10.0 10.0	10.0 10.0	10.0 10.0
3 31 3 31 E El 6 Hontachlass (3C Michael		10.0	10.0	10.0
2,2',3,3',5,5',6-Heptachloro(⁵ C _{,2})biphenyl SAMPLING SPIKE	170L	10.0	10.0	7.00

Catalogue Number	Product (nonane solution)	Qty/Conc
DFP-B10-CS4	CS4	200 µL
DFP-B10-CS5	CS5	200 µL
DFP-B10-CS6	CS6	200 µL
DFP-B10-CS7	CS7	200 µL

*FOR PCDD/PCDF SUPPORT SOLUTIONS, see DF-ST-C, DF-LCS-B, DF-IS-J, and DF-SS-A (and their dilutions).

*FOR PCB SUPPORT SOLUTIONS, see pages 96 and 98.

		DFP-B10-CS4	DFP-B10-CS5	DFP-B10-CS6	DFP-B10-CS7
NATIVE PCDDs & PCDFs		(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
,3,6,8-Tetrachlorodibenzo-p-dioxin		10.0 10.0	50.0 50.0	200 200	500 500
,2,8,9-Tetrachlorodibenzo-p-dioxin ,3,7,8-Tetrachlorodibenzo-p-dioxin		10.0	50.0	200	500
,2,3,7,8-Pentachlorodibenzo-p-dioxin		10.0	50.0	200	500
,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		20.0	100	400	1000
,2,3,6,7,8-Hexachlorodibenzo-p-dioxin		20.0	100	400	1000
,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		20.0	100	400	1000
,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin		20.0	100	400	1000
Octachlorodibenzo-p-dioxin		50.0	250	1000	2500
,3,6,8-Tetrachlorodibenzofuran		10.0	50.0	200	500
,2,8,9-Tetrachlorodibenzofuran		10.0	50.0	200	500
,3,7,8-Tetrachlorodibenzofuran		10.0	50.0 50.0	200	500 500
,2,3,7,8-Pentachlorodibenzofuran ,3,4,7,8-Pentachlorodibenzofuran		10.0 10.0	50.0	200 200	500
,2,3,4,7,8-Hexachlorodibenzofuran		20.0	100	400	1000
,2,3,6,7,8-Hexachlorodibenzofuran		20.0	100	400	1000
,2,3,7,8,9-Hexachlorodibenzofuran		20.0	100	400	1000
,3,4,6,7,8-Hexachlorodibenzofuran		20.0	100	400	1000
,2,3,4,6,7,8-Heptachlorodibenzofuran		20.0	100	400	1000
,2,3,4,7,8,9-Heptachlorodibenzofuran		20.0	100	400	1000
Octachlorodibenzofuran		50.0	250	1000	2500
ATIVE PCBs	IUPAC	20.0	400	400	2000
,3',4,4'-Tetrachlorobiphenyl	77	20.0	100	400	1000
,4,4',5-Tetrachlorobiphenyl ,3,3',4,4'-Pentachlorobiphenyl	81 105	20.0 20.0	100 100	400 400	1000 1000
,3,4,4',5-Pentachlorobiphenyl	114	20.0	100	400	1000
,3',4,4',5-Pentachlorobiphenyl	118	20.0	100	400	1000
',3,4,4',5-Pentachlorobiphenyl	123	20.0	100	400	1000
,3',4,4',5-Pentachlorobiphenyl	126	20.0	100	400	1000
,3,3',4,4',5-Hexachlorobiphenyl	156	20.0	100	400	1000
,3,3',4,4',5'-Hexachlorobiphenyl	157	20.0	100	400	1000
,3',4,4',5,5'-Hexachlorobiphenyl	167	20.0	100	400	1000
,3',4,4',5,5'-Hexachlorobiphenyl	169	20.0	100	400	1000
,2',3,3',4,4',5-Heptachlorobiphenyl	170	20.0	100	400	1000
,2',3,4,4',5,5'-Heptachlorobiphenyl	180	20.0	100	400	1000
,3,3',4,4',5,5'-Heptachlorobiphenyl	189	20.0	100	400	1000
3,6,8-Tetrachloro(13C,)dibenzo-p-dioxin		10.0	10.0	10.0	10.0
3.7.8-Tetrachloro(°C) dihenzo-p-dioxin		10.0	10.0	10.0	10.0
,3,7,8-Tetrachloro(¹ºC,)dibenzo-p-dioxin ,2,3,7,8-Pentachloro(¹³C,)dibenzo-p-dioxin		10.0	10.0	10.0	10.0
,2,3,4,7,8-Hexachloro("C _{1,2})dibenzo-p-dioxin		10.0	10.0	10.0	10.0
,2,3,6,7,8-Hexachloro(13C,2)dibenzo-p-dioxin		10.0	10.0	10.0	10.0
,2,3,6,7,8-Hexachloro(°C, dibenzo-p-dioxin ,2,3,7,8,9-Hexachloro(°C, dibenzo-p-dioxin		10.0	10.0	10.0	10.0
,2,3,4,6,7,8-Heptachloro(13C,)dibenzo-p-dioxin		10.0	10.0	10.0	10.0
Octachloro(13C,2)dibenzo-p-dioxin		20.0	20.0	20.0	20.0
,3,7,8-Tetrachloro("C)dibenzofuran		10.0	10.0	10.0	10.0
,2,3,7,8-Pentachloro(¹³ C ₁)dibenzofuran		10.0	10.0	10.0	10.0
,3,4,7,8-Pentachloro(¹³C,²)dibenzofuran ,2,3,4,7,8-Hexachloro(¹³C,₂)dibenzofuran		10.0	10.0	10.0	10.0
,2,3,4,7,8-Hexachloro(°C _{1,2})dibenzoturan ,2,3,6,7,8-Hexachloro(°C _{1,2})dibenzofuran		10.0	10.0	10.0	10.0
,2,3,7,8,9-Hexachloro(°C,2)dibenzofuran		10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0
,3,4,6,7,8-Hexachloro("C _{1,2})dibenzofuran		10.0	10.0	10.0	10.0
,2,3,4,6,7,8-Heptachloro(°C,,)dibenzofuran		10.0	10.0	10.0	10.0
,2,3,4,7,8,9-Heptachloro(¹³C,)dibenzofuran		10.0	10.0	10.0	10.0
Octachloro(¹³C,)dibenzofuran		20.0	20.0	20.0	20.0
.3'.4.4'-Tetrachloro("C)biphenyl	77L	10.0	10.0	10.0	10.0
,4,4',5-Tetrachloro(' ¹ C,)biphenyl ,3,3',4,4'-Pentachloro(¹ C,)biphenyl	81L	10.0	10.0	10.0	10.0
,3,3',4,4'-Pentachloro(' ¹ C,)biphenyl	105L	10.0	10.0	10.0	10.0
,3,4,4',5-Pentachloro(13C,)biphenyl	114L	10.0	10.0	10.0	10.0
,3',4,4',5-Pentachloro("C,)biphenyl	118L	10.0	10.0	10.0	10.0
',3,4,4',5-Pentachloro('IC,)biphenyl	123L	10.0	10.0	10.0	10.0
,3',4,4',5-Pentachloro("C,)biphenyl ,3,3',4,4',5-Hexachloro("C,)biphenyl	126L 156L	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0
,3,3',4,4',5'-Hexachloro('*C,2)biphenyl	157L	10.0	10.0	10.0	10.0
3' 4 4' 5 5'-Hexachloro("C)biphenyl	167L	10.0	10.0	10.0	10.0
,3',4,4',5,5'-Hexachloro('3C.)biphenyl	169L	10.0	10.0	10.0	10.0
,3',4,4',5,5'-Hexachloro("C,)biphenyl ,2',3,3',4,4',5-Heptachloro("C,)biphenyl	170L	10.0	10.0	10.0	10.0
,2',3,4,4',5,5'-Heptachloro("C,,)biphenyl	180L	10.0	10.0	10.0	10.0
,3,3',4,4',5,5'-Heptachloro("C,)biphenyl	189L	10.0	10.0	10.0	10.0
YRINGE SPIKE: "C PCDDs & PCBs					
,3,7,8-Tetrachloro(13C,)dibenzo-p-dioxin		10.0	10.0	10.0	10.0
,2,4,7,8-Pentachloro(¹³C,)dibenzo-p-dioxin ,2,3,4,6,8-Hexachloro(¹³C,)dibenzo-p-dioxin		10.0	10.0	10.0	10.0
,2,3,4,6,8-Hexachloro(°C,2)dibenzo-p-dioxin		10.0	10.0	10.0	10.0
,2,3,4,6,7,9-Heptachloro(¹³ C _{,2})dibenzo-p-dioxin	701	10.0	10.0	10.0	10.0
,3',4',5-Tetrachloro(' ³ C ₁)biphenyl	70L	10.0	10.0	10.0	10.0
,3,3',5,5'-Pentachloro(¹³ C,)biphenyl ,2',3,4,4',5'-Hexachloro(¹³ C,)biphenyl	111L 138L	10.0 10.0	10.0	10.0	10.0 10.0
;,2',3,4,4',5'-Hexachloro("C,)biphenyl	138L 178L	10.0	10.0 10.0	10.0 10.0	10.0
AMPLING SPIKE	1702	10.0	10.0	10.0	10.0
,2,3,4-Tetrachloro(¹³ C _{-,})dibenzo-p-dioxin		10.0	10.0	10.0	10.0
3,3',4,5'-Tetrachloro('3C,)biphenyl	79L	10.0	10.0	10.0	10.0

NK-CVS-J

Catalogue Number	Product	(nonane s	olution)			Qty/	Conc
NK-CVS-J		F Calibration S				1 kit	mpoules)
NK-CS1-J	CS1-J/CS2-J/C	33-31-23-31-33	-3/C30-3			200	
NK-CS2-J	CS2-J					200	
NK-CS3-J	CS3-J					200	
NK-CS4-J	CS4-J					200	
NK-CS5-J	CS5-J					200	
NK-CS6-J	CS6-J					200	
*FOR SUPPORT SOLUTIONS, see N		-J4, and NK-	IS-J5.			200	
		NK-CS1-J	NK-CS2-J	NK-CS3-J	NK-CS4-J	NK-CS5-J	NK-CS6-
NATIVE PCDDs & PCDFs		(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
1,3,6,8-Tetrachlorodibenzo-p-dioxin		0.100	0.400	2.00	10.0	50.0	100
1,3,7,9-Tetrachlorodibenzo-p-dioxin		0.100	0.400	2.00	10.0	50.0	100
2,3,7,8-Tetrachlorodibenzo-p-dioxin		0.100	0.400	2.00	10.0	50.0	100
1,2,3,7,8-Pentachlorodibenzo-p-diox	in	0.100	0.400	2.00	10.0	50.0	100
The state of the s							
1,2,3,4,7,8-Hexachlorodibenzo-p-dio		0.200	0.800	4.00	20.0	100	200
1,2,3,6,7,8-Hexachlorodibenzo-p-dio		0.200	0.800	4.00	20.0	100	200
1,2,3,7,8,9-Hexachlorodibenzo-p-dio		0.200	0.800	4.00	20.0	100	200
1,2,3,4,6,7,8-Heptachlorodibenzo-p-o	dioxin	0.200	0.800	4.00	20.0	100	200
Octachlorodibenzo-p-dioxin		0.500	2.00	10.0	50.0	250	500
1,2,7,8-Tetrachlorodibenzofuran		0.100	0.400	2.00	10.0	50.0	100
2,3,7,8-Tetrachlorodibenzofuran		0.100	0.400	2.00	10.0	50.0	100
1,2,3,7,8-Pentachlorodibenzofuran		0.100	0.400	2.00	10.0	50.0	100
2,3,4,7,8-Pentachlorodibenzofuran		0.100	0.400	2.00	10.0	50.0	100
1,2,3,4,7,8-Hexachlorodibenzofuran		0.200	0.800	4.00	20.0	100	200
1,2,3,6,7,8-Hexachlorodibenzofuran		0.200	0.800	4.00	20.0	100	200
							200
1,2,3,7,8,9-Hexachlorodibenzofuran		0.200	0.800	4.00	20.0	100	
2,3,4,6,7,8-Hexachlorodibenzofuran		0.200	0.800	4.00	20.0	100	200
1,2,3,4,6,7,8-Heptachlorodibenzofur		0.200	0.800	4.00	20.0	100	200
1,2,3,4,7,8,9-Heptachlorodibenzofur	an	0.200	0.800	4.00	20.0	100	200
Octachlorodibenzofuran		0.500	2.00	10.0	50.0	250	500
MASS-LABELLED PCDDs & PCDFs		20.0	20.0	20.0	20.0	20.0	20.0
2,3,7,8-Tetrachloro(¹³C,₂)dibenzo-p-dioxin		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,7,8-Pentachloro(¹³C ₁₂)dibenzo-p-diox		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzo- <i>p</i> -dic		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,6,7,8-Hexachloro(¹³C ₁₂)dibenzo- <i>p</i> -dic		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzo-p-	dioxin	20.0	20.0	20.0	20.0	20.0	20.0
Octachloro(13C,2)dibenzo-p-dioxin		40.0	40.0	40.0	40.0	40.0	40.0
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran		20.0	20.0	20.0	20.0	20.0	20.0
2,3,4,7,8-Pentachloro(13C ₁₂)dibenzofuran		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,4,7,8-Hexachloro(13C ₁₂)dibenzofuran		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibenzofuran		20.0	20.0	20.0	20.0	20.0	20.0
2.4.6.7.9. Hovachloro(13C. \dibonzafiran		20.0			20.0		20.0
2,3,4,6,7,8-Hexachloro(13C ₁₂)dibenzofuran			20.0	20.0		20.0	
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzoful		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,4,7,8,9-Heptachloro(¹³C _{,2})dibenzofuı Octachloro(¹³C _{,2})dibenzofuran	dil	20.0 40.0	20.0 40.0	20.0 40.0	20.0 40.0	20.0 40.0	20.0 40.0
INTERNAL STANDARDS		6335	2016		2.2.2.2	3916	32.3
1,2,3,4-Tetrachloro(13C,,)dibenzo-p-dioxin		20.0	20.0	20.0	20.0	20.0	20.0
	win						
1,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzo-p-dic	XIII	20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,7,8-Pentachloro(13C ₁₂)dibenzofuran		20.0	20.0	20.0	20.0	20.0	20.0
1,2,3,7,8,9-Hexachloro(¹³C,)dibenzofuran		20.0	20.0	20.0	20.0	20.0	20.0

Catalogue Number	Product (ı	nonane solutio	n)	Qty/Cond
DF-LCS-A	Mass-Labelled	PCDD/PCDF Solution	/Mixture	1.2 mL
DF-LCS-A200	Mass-Labelled	PCDD/PCDF Solution	/Mixture	1.2 mL
DF-LCS-A40	Mass-Labelled	PCDD/PCDF Solution	n/Mixture	1.2 mL
MASS-LABELLED PCDDs		DF-LCS-A (ng/mL)	DF-LCS-A200 (ng/mL)	DF-LCS-A40 (ng/mL)
1,3,6,8-Tetrachloro(¹³C ₁₂)dibenzo	-p-dioxin	1000	200	40.0
2,3,7,8-Tetrachloro(13C ₁₂)dibenzo	-p-dioxin	1000	200	40.0
1,2,3,7,8-Pentachloro(13C ₁₂)diben	zo-p-dioxin	1000	200	40.0
1,2,3,4,7,8-Hexachloro(13C,2)dibe	nzo-p-dioxin	1000	200	40.0
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibe	nzo- <i>p</i> -dioxin	1000	200	40.0
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibe	nzo- <i>p</i> -dioxin	1000	200	40.0
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)di	benzo-p-dioxin	1000	200	40.0
Octachloro(¹³C ₁₂)dibenzo-p-dioxi	n	2000	400	80.0
MASS-LABELLED PCDFs				
1,3,6,8-Tetrachloro(¹³C ₁₂)dibenzo	furan	1000	200	40.0
2,3,7,8-Tetrachloro(13C ₁₂)dibenzo	furan	1000	200	40.0
1,2,3,7,8-Pentachloro(13C,2)diben	zofuran	1000	200	40.0
2,3,4,7,8-Pentachloro(13C ₁₂)diben	zofuran	1000	200	40.0
1,2,3,4,7,8-Hexachloro(13C ₁₂)dibe	nzofuran	1000	200	40.0
1,2,3,6,7,8-Hexachloro(13C ₁₂)dibe	nzofuran	1000	200	40.0
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibe	nzofuran	1000	200	40.0
2,3,4,6,7,8-Hexachloro(13C ₁₂)dibe	nzofuran	1000	200	40.0
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)di	benzofuran	1000	200	40.0
1,2,3,4,7,8,9-Heptachloro(13C ₁₂)di	benzofuran	1000	200	40.0
Octachloro(13C,2)dibenzofuran		2000	400	80.0

DF-LCS-B

Support solutions for DF-CVS-A10, DF-CVS-B10, DF-CVS-C10, and DFP-CVS-B10.

Catalogue Number	Product (nonane solution)	Qty/Conc
DF-LCS-B	Mass-Labelled PCDD/PCDF Solution/Mixture	1.2 mL
DF-LCS-B200	Mass-Labelled PCDD/PCDF Solution/Mixture	1.2 mL
DF-LCS-B40	Mass-Labelled PCDD/PCDF Solution/Mixture	1.2 mL

	DF-LCS-B	DF-LCS-B200	DF-LCS-B40
MASS-LABELLED PCDDs	(ng/mL)	(ng/mL)	(ng/mL)
,3,6,8-Tetrachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin	1000	200	40.0
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzo-p-dioxin	1000	200	40.0
,2,3,7,8-Pentachloro(¹³C ₁₂)dibenzo-p-dioxin	1000	200	40.0
,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzo-p-dioxin	1000	200	40.0
,2,3,6,7,8-Hexachloro(¹³C ₁₂)dibenzo-p-dioxin	1000	200	40.0
,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzo-p-dioxin	1000	200	40.0
,2,3,4,6,7,8-Heptachloro(¹³C ₁₂)dibenzo-p-dioxin	1000	200	40.0
Octachloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin	2000	400	80.0
MASS-LABELLED PCDFs			
,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
,2,3,7,8-Pentachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
,3,4,7,8-Pentachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
,2,3,6,7,8-Hexachloro(¹³C₁₂)dibenzofuran	1000	200	40.0
,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
	1000	200	40.0
,3,4,6,7,8-Hexachloro(¹³C ₁₂)dibenzofuran			
	1000	200	40.0
,3,4,6,7,8-Hexachloro(13C ₁₂)dibenzofuran ,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzofuran ,2,3,4,7,8,9-Heptachloro(13C ₁₂)dibenzofuran	1000 1000	200 200	40.0 40.0

40.0

40.0

40.0

40.0

80.0

Support solutions for DF-CVS-A10, DF-CVS-B10, DF-CVS-C10, and DFP-CVS-B10.

Catalogue Number	Product (nonane solutio	n)	Qty/Conc
DF-LCS-C	Mass-Labelled	PCDD/PCDF Solution	/Mixture	1.2 mL
DF-LCS-C200	Mass-Labelled	d PCDD/PCDF Solution	/Mixture	1.2 mL
DF-LCS-C40	Mass-Labelled	d PCDD/PCDF Solution	/Mixture	1.2 mL
		DF-LCS-C	DF-LCS-C200	DF-LCS-C40
MASS-LABELLED PCDDs		DF-LCS-C (ng/mL)	DF-LCS-C200 (ng/mL)	DF-LCS-C40 (ng/mL)
MASS-LABELLED PCDDs 2,3,7,8-Tetrachloro(13C ₁₂)dibenzo	-p-dioxin			

1000

1000

1000

1000

2000

200

200

200

200

400

MASS-LABELLED PCDFs

Octachloro(13C₁₂)dibenzo-p-dioxin

1,2,3,4,7,8-Hexachloro(13C,)dibenzo-p-dioxin

1,2,3,6,7,8-Hexachloro(13C₁₂)dibenzo-p-dioxin

1,2,3,7,8,9-Hexachloro(13C,2)dibenzo-p-dioxin

1,2,3,4,6,7,8-Heptachloro(13C₁₂)dibenzo-p-dioxin

2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
1,2,3,7,8-Pentachloro(13C ₁₂)dibenzofuran	1000	200	40.0
2,3,4,7,8-Pentachloro(13C ₁₂)dibenzofuran	1000	200	40.0
1,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
1,2,3,6,7,8-Hexachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
1,2,3,7,8,9-Hexachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
2,3,4,6,7,8-Hexachloro(¹³C ₁₂)dibenzofuran	1000	200	40.0
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)dibenzofuran	1000	200	40.0
1,2,3,4,7,8,9-Heptachloro(13C _{1,2})dibenzofuran	1000	200	40.0
Octachloro(¹³C ₁₂)dibenzofuran	2000	400	80.0

NOTE CONCENTRATIONS: DS-1000 and FS-1000 = $\mu g/mL$ NK-LCS-O and NK-LCS-T = ng/mL

Catalogue Number	Product (n	onane solutio	n)		Qty/Conc	
DS-1000	Mass-Labelled F	CDD Solution/Mixtu	ıre		1.2 mL	
FS-1000	Mass-Labelled PCDF Solution/Mixture 1.2 m		1.2 mL			
NK-LCS-O	Mass-Labelled F	CDD/PCDF Solution	/Mixture		1.2 mL	
NK-LCS-T	Mass-Labelled F	PCDD/PCDF Solution	/Mixture		1.2 mL	
		DS-1000	FS-1000	NK-LCS-O	NK-LCS-T	
MASS-LABELLED PCDDs		(µg/mL)	(µg/mL)	(ng/mL)	(ng/mL)	
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzo	-p-dioxin	1.00	_	100	40.0	
1,2,3,7,8-Pentachloro(¹³C,,)dibenzo-p-dioxin		1.00	_	100	40.0	
1,2,3,4,7,8-Hexachloro(¹³C ₁₂)dibenzo-p-dioxin		1.00		100	40.0	
1,2,3,6,7,8-Hexachloro(¹³C ₁₂)dibenzo-p-dioxin		1.00	_	100	40.0	
1,2,3,4,6,7,8-Heptachloro(¹³C,2)dibenzo-p-dioxin		1.00	-	100	40.0	
Octachloro(¹³C ₁₂)dibenzo-p-dioxi	n	2.00	-	200	80.0	
MASS-LABELLED PCDFs						
2,3,7,8-Tetrachloro(¹³C ₁₂)dibenzo	furan	-	1.00	100	40.0	
1,2,3,7,8-Pentachloro(13C ₁₂)diben	zofuran	-	1.00	100	_	
2,3,4,7,8-Pentachloro(13C ₁₂)diben	zofuran	-	1.00	100	40.0	
1,2,3,4,7,8-Hexachloro(13C ₁₂)dibe	nzofuran	_	1.00	100	40.0	
1,2,3,6,7,8-Hexachloro(13C ₁₂)diber	nzofuran	_	1.00	100	40.0	
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibe	nzofuran	-	1.00	100	_	
2,3,4,6,7,8-Hexachloro(13C ₁₂)diber	nzofuran	-	1.00	100	40.0	
1,2,3,4,6,7,8-Heptachloro(¹³ C ₁₂)di	benzofuran	-	1.00	100	40.0	
1,2,3,4,7,8,9-Heptachloro(¹³ C ₁₂)di	benzofuran	-	1.00	100	40.0	
Octachloro(13C ₁₂)dibenzofuran		-	_	200	80.0	

Catalogue Number	Product (no	nane solution)		Qty/Conc
DF-IS-A	Mass-Labelled PC	CDD Internal Standard Solu	ution	1.2 mL
DF-IS-A200	Mass-Labelled PCDD Internal Standard Solution			1.2 mL
DF-IS-A40	Mass-Labelled PC	CDD Internal Standard Solu	ution	1.2 mL
		DF-IS-A	DF-IS-A200	DF-IS-A40
MASS-LABELLED PCDD		(µg/mL)	(ng/mL)	(ng/mL)
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzo-	<i>p</i> -dioxin	1.00	200	40.0
DF-IS-B	Mass-Labelled PC	CDD/PCDF Internal Standar	rd Solution	1.2 mL
PF-IS-B200 Mass-Labelled		CDD/PCDF Internal Standar	1.2 mL	
DF-IS-B40	Mass-Labelled PC	CDD/PCDF Internal Standar	rd Solution	1.2 mL
		DF-IS-B	DF-IS-B200	DF-IS-B40
MASS-LABELLED PCDD/PCDF		(µg/mL)	(ng/mL)	(ng/mL)
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzo-	p-dioxin	1.00	200	40.0
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzof	uran	1.00	200	40.0
DF-IS-C	Mass-Labelled PC	CDD/PCDF Internal Standar	d Solution	1.2 mL
DF-IS-C200	Mass-Labelled PC	CDD/PCDF Internal Standar	d Solution	1.2 mL
DF-IS-C40	Mass-Labelled PC	CDD/PCDF Internal Standar	rd Solution	1.2 mL
		DF-IS-C	DF-IS-C200	DF-IS-C40
MASS-LABELLED PCDD/PCDF		(µg/mL)	(ng/mL)	(ng/mL)
1,2,3,4-Tetrachloro(¹³C ₁₂)dibenzo-	p-dioxin	1.00	200	40.0
1,2,7,8-Tetrachloro(13C,,)dibenzof	uran	1.00	200	40.0

Catalogue Number	Product (no	nane solution)		Qty/Conc	
DF-IS-D	Mass-Labelled PCI	DD/PCDF Internal Standar	rd Solution	1.2 mL	
DF-IS-D200	Mass-Labelled PCI	DD/PCDF Internal Standar	rd Solution	1.2 mL	
DF-IS-D40	Mass-Labelled PC	DD/PCDF Internal Standar	rd Solution	1.2 mL	
		DF-IS-D	DF-IS-D200	DF-IS-D40	
MASS-LABELLED PCDD/PCDF		(µg/mL)	(ng/mL)	(ng/mL)	
1,3,6,8-Tetrachloro(¹³C ₁₂)dibenzo- <i>p</i>	o-dioxin	1.00	200	40.0	
1,3,6,8-Tetrachloro(¹³C ₁₂)dibenzofo	uran	1.00	200	40.0	
DF-IS-E	Mass-Labelled PC	DF Internal Standard Solu	ution	1.2 mL	
DF-IS-E200	-IS-E200 Mass-Labelled PCD		DF Internal Standard Solution		
DF-IS-E40	Mass-Labelled PCI	Mass-Labelled PCDF Internal Standard Solution			
		DF-IS-E	DF-IS-E200	DF-IS-E40	
MASS-LABELLED PCDFs		(µg/mL)	(ng/mL)	(ng/mL)	
1,3,6,8-Tetrachloro(¹³C ₁₂)dibenzofo	uran	1.00	200	40.0	
1,2,3,4,6,8,9-Heptachloro(13C ₁₂)dib	enzofuran	1.00	200	40.0	
DF-IS-F	Mass-Labelled PC	DF Internal Standard Solu	ution	1.2 mL	
DF-IS-F200	Mass-Labelled PCI	DF Internal Standard Solu	ution	1.2 mL	
DF-IS-F40	Mass-Labelled PCI	DF Internal Standard Solu	ution	1.2 mL	
		DF-IS-F	DF-IS-F200	DF-IS-F40	
MASS-LABELLED PCDFs		(µg/mL)	(ng/mL)	(ng/mL)	
1,2,7,8-Tetrachloro(¹³C ₁₂)dibenzof	uran	1.00	200	40.0	
1,2,3,4,6,8,9-Heptachloro(13C,2)dib	enzofuran	1.00	200	40.0	

Catalogue Number	Product (nor	nane solution)		Qty/Conc
DF-IS-G	Mass-Labelled PCI	OF Internal Standard Solu	ution	1.2 mL
DF-IS-G200	Mass-Labelled PCI	OF Internal Standard Solu	ution	1.2 mL
DF-IS-G40	Mass-Labelled PCI	OF Internal Standard Solu	ution	1.2 mL
		DF-IS-G	DF-IS-G200	DF-IS-G40
MASS-LABELLED PCDFs		(µg/mL)	(ng/mL)	(ng/mL)
1,2,3,4,6-Pentachloro(¹³C ₁₂)diben	zofuran	1.00	200	40.0
1,2,3,4,6,8,9-Heptachloro(13C ₁₂)di	benzofuran	1.00	200	40.0
DF-IS-H	Mass-Labelled PCI	OF Internal Standard Solu	ıtion	1.2 mL
DF-IS-H200	Mass-Labelled PCI	OF Internal Standard Solu	1.2 mL	
DF-IS-H40	Mass-Labelled PCI	OF Internal Standard Solu	ution	1.2 mL
		DF-IS-H	DF-IS-H200	DF-IS-H40
MASS-LABELLED PCDFs		(µg/mL)	(ng/mL)	(ng/mL)
1,2,3,4,6,9-Hexachloro(¹³C ₁₂)dibe	nzofuran	1.00	200	40.0
1,2,3,4,6,8,9-Heptachloro(¹³ C ₁₂)d	ibenzofuran	1.00	200	40.0
DF-IS-I	Mass-Labelled PCI	OF Internal Standard Solu	ution	1.2 mL
DF-IS-1200	Mass-Labelled PCI	OF Internal Standard Solu	ution	1.2 mL
DF-IS-I40	Mass-Labelled PCI	OF Internal Standard Solu	1.2 mL	
		DF-IS-I	DF-IS-1200	DF-IS-I40
MASS-LABELLED PCDFs		(µg/mL)	(ng/mL)	(ng/mL)
1,2,7,8-Tetrachloro(¹³C,₂)dibenzo	furan	1.00	200	40.0
1,2,3,4,6-Pentachloro(13C ₁₂)diben		1.00	200	40.0
1,2,3,4,6,9-Hexachloro(13C ₁₂)dibe		1.00	200	40.0
1,2,3,4,6,8,9-Heptachloro(13C ₁₂)d	ibenzofuran	1.00	200	40.0

Catalogue Number	Product (non	ane solution)		Qty/Conc
DF-IS-J	Mass-Labelled PCD	D Internal Standard Sol	ution	1.2 mL
DF-IS-J100	Mass-Labelled PCD	D Internal Standard Sol	ution	1.2 mL
DF-IS-J20	Mass-Labelled PCD	D Internal Standard Sol	ution	1.2 mL
		DF-IS-J	DF-IS-J100	DF-IS-J20
MASS-LABELLED PCDDs		(ng/mL)	(ng/mL)	(ng/mL)
1,3,7,8-Tetrachloro(13C ₁₂)dibenz	:o- <i>p</i> -dioxin	1000	100	20.0
1,2,4,7,8-Pentachloro(13C,2)dibenzo-p-dioxin		1000	100	20.0
1,2,3,4,6,8-Hexachloro(¹³C,,)dibenzo-p-dioxin		1000	100	20.0
1,2,3,4,6,7,9-Heptachloro(13C ₁₂)dibenzo-p-dioxin		1000	100	20.0
DF-SS-A	Mass-Labelled PCD	D Sampling Spike Solut	ion	1.2 mL
DF-SS-A100	Mass-Labelled PCD	D Sampling Spike Solut	ion	1.2 mL
DF-SS-A20	Mass-Labelled PCD	D Sampling Spike Solut	ion	1.2 mL
		DF-SS-A	DF-SS-A100	DF-SS-A20
MASS-LABELLED PCDD		(ng/mL)	(ng/mL)	(ng/mL)
1,2,3,4-Tetrachloro(¹³C,,)dibenz	o-p-dioxin	1000	100	20.0

Catalogue Number	Product (nonane solution)	Qty/Conc
MDF-1278-1		1.2 mL
1,2,7,8-Tetrachloro(¹³C ₁₂)dil	benzofuran	1.00 µg/mL
WDF-12346-1		1.2 mL
1,2,3,4,6-Pentachloro(¹³ C ₁₂)	dibenzofuran	1.00 µg/mL
MDF-123469-1		1.2 mL
1,2,3,4,6,9-Hexachloro(¹³ C ₁)dibenzofuran	1.00 μg/mL
MDF-1234689-1		1.2 mL
1,2,3,4,6,8,9-Heptachloro(³ C ₁₂)dibenzofuran	1.00 μg/mL
NK-1S-J4	Internal Standard Solution	1.2 mL
1,2,3,4-Tetrachloro(¹³C,,)di	benzo-p-dioxin	40.0 ng/mL
1,2,3,7,8,9-Hexachloro(¹³ C,		40.0 ng/mL
NK-IS-J5	Internal Standard Solution	1.2 mL
1,2,3,7,8-Pentachloro(¹³ C,,)	dibenzofuran	40.0 ng/mL
1,2,3,7,8,9-Hexachloro(13C,		40.0 ng/mL

Support solutions for DFP-CVS-B10, DF-CVS-C10, and PCB-CVS-B10 (see page 94).

Catalogue Number	Product (nonane solution)					
DFP-LCS-B	Mass-Labe	lled PCDDs/PCD	Fs/PCBs Solution/M	ixture	1.2 mL	
DFP-LCS-B100	Mass-Labe	Mass-Labelled PCDDs/PCDFs/PCBs Solution/Mixture				
DFP-LCS-B20	Mass-Labe	lled PCDDs/PCD	Fs/PCBs Solution/M	ixture	1.2 mL	
MASS-LABELLED PCDDs & PCI)Fs		DFP-LCS-B (ng/mL)	DFP-LCS-B100 (ng/mL)	DFP-LCS-B20 (ng/mL)	
1,3,6,8-Tetrachloro(¹³C,,)dibenzo-	p-dioxin		1000	100	20.0	
2,3,7,8-Tetrachloro(13C,2)dibenzo-			1000	100	20.0	
1,2,3,7,8-Pentachloro(¹³C ₁₂)dibenz			1000	100	20.0	
1,2,3,4,7,8-Hexachloro(13C,2)diber			1000	100	20.0	
1,2,3,6,7,8-Hexachloro(13C,2)diber			1000	100	20.0	
1,2,3,7,8,9-Hexachloro(13C,2)diber			1000	100	20.0	
1,2,3,4,6,7,8-Heptachloro(13C,2)dil			1000	100	20.0	
Octachloro(13C ₁₂)dibenzo-p-dioxir			2000	200	40.0	
2,3,7,8-Tetrachloro(¹³C,,)dibenzof	uran		1000	100	20.0	
1,2,3,7,8-Pentachloro(13C ₁₂)dibenz			1000	100	20.0	
2,3,4,7,8-Pentachloro(13C ₁₂)dibenz			1000	100	20.0	
1,2,3,4,7,8-Hexachloro(13C ₁₂)diber			1000	100	20.0	
1,2,3,6,7,8-Hexachloro(13C ₁₂)diber			1000	100	20.0	
1,2,3,7,8,9-Hexachloro(13C ₁₂)diber			1000	100	20.0	
2,3,4,6,7,8-Hexachloro(13C ₁₂)diber			1000	100	20.0	
1,2,3,4,6,7,8-Heptachloro(13C,2)dil			1000	100	20.0	
1,2,3,4,7,8,9-Heptachloro(13C,2)dil			1000	100	20.0	
Octachloro(13C ₁₂)dibenzofuran			2000	200	40.0	
MASS-LABELLED PCBs		IUPAC				
3,3',4,4'-Tetrachloro(¹³C,₂)bipheny	/I	77L	1000	100	20.0	
3,4,4',5-Tetrachloro(13C,2)bipheny		81L	1000	100	20.0	
2,3,3',4,4'-Pentachloro(13C12)biphe		105L	1000	100	20.0	
2,3,4,4',5-Pentachloro(13C ₁₂)biphe	nyl	114L	1000	100	20.0	
2,3',4,4',5-Pentachloro(13C ₁₂)biphe		118L	1000	100	20.0	
2',3,4,4',5-Pentachloro(13C ₁₂)biphe	enyl	123L	1000	100	20.0	
3,3',4,4',5-Pentachloro(¹³C ₁₂)biphe	enyl	126L	1000	100	20.0	
2,3,3',4,4',5-Hexachloro(13C ₁₂)biph	enyl	156L	1000	100	20.0	
2,3,3',4,4',5'-Hexachloro(¹³ C ₁₂)bip	henyl	157L	1000	100	20.0	
2,3',4,4',5,5'-Hexachloro(13C ₁₂)bip	henyl	167L	1000	100	20.0	
3,3',4,4',5,5'-Hexachloro(¹³C ₁₂)bip	henyl	169L	1000	100	20.0	
2,2',3,3',4,4',5-Heptachloro(¹³ C ₁₂)k	piphenyl	170L	1000	100	20.0	
2,2',3,4,4',5,5'-Heptachloro(13C _{1,2})k	piphenyl	180L	1000	100	20.0	
2,3,3',4,4',5,5'-Heptachloro(13C,2)k	piphenyl	189L	1000	100	20.0	

Support solutions for DF-CVS-A10, DF-CVS-B10, and PCB-CVS-A10 (page 92).

Catalogue Number	Product	(nonane solution)	Qty/Conc
PFP-LCS-A	Mass-Labelle	d PCDD/PCDF/PCB Solution/Mixture	1.2 mL
MASS-LABELLED PCDDs			
,3,7,8-Tetrachloro(\(^3\)C,2)dibenzo-p-,2,3,7,8-Pentachloro(\(^3\)C,2)dibenzo,2,3,4,7,8-Hexachloro(\(^3\)C,2)dibenzo,2,3,6,7,8-Hexachloro(\(^3\)C,2)dibenzo,2,3,7,8,9-Hexachloro(\(^3\)C,2)dibenzo,2,3,4,6,7,8-Heptachloro(\(^3\)C,2)dibenzoctachloro(\(^3\)C,2)dibenzo-p-dioxin	-p-dioxin o-p-dioxin o-p-dioxin o-p-dioxin		10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 20.0 ng/mL
MASS-LABELLED PCDFs			
2,3,7,8-Tetrachloro(13C ₁)dibenzofui 1,2,3,7,8-Pentachloro(13C ₁)dibenzo 2,3,4,7,8-Pentachloro(13C ₁)dibenzo 1,2,3,4,7,8-Hexachloro(13C ₁)dibenzo 1,2,3,6,7,8-Hexachloro(13C ₁)dibenzo 1,2,3,7,8,9-Hexachloro(13C ₁)dibenzo 2,3,4,6,7,8-Hexachloro(13C ₁)dibenzo 1,2,3,4,6,7,8-Heptachloro(13C ₁)dibenzo 1,2,3,4,7,8,9-Heptachloro(13C ₁)dibenzo 1,2,3,4,7,8,9-Heptachloro(13C ₁)dibenzofuran	furan furan ofuran ofuran ofuran ofuran nzofuran		10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 10.0 ng/mL 20.0 ng/mL
ASS-LABELLED PCBs		IUPAC	
1,3',4,4'-Tetrachloro(13C,2)biphenyl 1,4,4',5-Tetrachloro(13C,2)biphenyl 1,3,3',4,4'-Pentachloro(13C,2)biphenyl 1,3,4,4',5-Pentachloro(13C,2)biphenyl 1,3,4,4',5-Pentachloro(13C,2)biphenyl 1,3,4,4',5-Pentachloro(13C,2)biphenyl 1,3,3',4,4',5-Hexachloro(13C,2)biphenyl 1,3,3',4,4',5-Hexachloro(13C,2)biphenyl 1,3,3',4,4',5,5'-Hexachloro(13C,2)biphenyl 1,3,3',4,4',5,5'-Heytachloro(13C,2)biphenyl 1,2',3,3',4,4',5,5'-Heptachloro(13C,2)biphenyl 1,2',3,3',4,4',5,5'-Heptachloro(13C,2)biphenyl 1,2',3,3',4,4',5,5'-Heptachloro(13C,2)biphenyl 1,3,3',4,4',5,5'-Heptachloro(13C,2)biphenyl 1,3,3',4,4',5,5'-Heptachloro(13C,2)biphenyl	rl yl yl nyl nnyl nnyl nnyl ohenyl ohenyl	77L 81L 105L 114L 118L 123L 126L 156L 157L 167L 167L 169L 170L 180L 189L	10.0 ng/mL 10.0 ng/mL
FP-IS-A	Mass-Labelle	ed PCDF/PCB Syringe Spike Solution	1.2 mL
1,2,3,4,6,9-Hexachloro(1 ³ C _{,2})dibenzo ,2,3,4,6,8,9-Heptachloro(1 ³ C _{,2})dibe 2,3',4',5-Tetrachloro(1 ³ C _{,2})biphenyl	ofuran nzofuran	IUPAC 70L	10.0 ng/mL 10.0 ng/mL 10.0 ng/mL
FP-SS-A	Mass-Labelle	ed PCDD/PCB Sampling Spike Solution	1.2 mL
,2,3,4-Tetrachloro(¹³C ₁₂)dibenzo- <i>p</i> -,3',4,5'-Tetrachloro(¹³C ₁₂)biphenyl	dioxin	IUPAC 79L	50.0 ng/mL 50.0 ng/mL

Support solutions for DFP-CVS-B10, DF-CVS-C10, and PCB-CVS-B10 (page 94).

Catalogue Number	Product (nonane solution)	Qty/Conc
DFP-IS-B10	Mass-Labelled	PCDD/PCB Internal Standard Solution	1.2 mL
MASS-LABELLED PCDDs			
1,3,7,8-Tetrachloro(¹³C ₁₂)diber	nzo-p-dioxin		10.0 ng/mL
1,2,4,7,8-Pentachloro(13C ₁₂)dik	enzo-p-dioxin		10.0 ng/mL
1,2,3,4,6,8-Hexachloro(13C ₁₂)di	benzo-p-dioxin		10.0 ng/mL
1,2,3,4,6,7,9-Heptachloro(13C,	dibenzo-p-dioxin		10.0 ng/mL
MASS-LABELLED PCBs		IUPAC	
2,3',4',5-Tetrachloro(13C,2)biph	nenyl	70L	10.0 ng/mL
2,3,3',5,5-Pentachloro(13C ₁₂)bi	phenyl	111L	10.0 ng/mL
2,2',3,4,4',5'-Hexachloro(13C ₁₂)	biphenyl	138L	10.0 ng/mL
2,2',3,3',5,5',6-Heptachloro(¹³	C ₁₂)biphenyl	178L	10.0 ng/mL
DFP-SS-A10	Mass-Labelled	PCDD/PCB Sampling Spike Solution	1.2 mL
MASS-LABELLED PCDD & F	СВ	IUPAC	
1,2,3,4-Tetrachloro(13C ₁₂)diber	nzo-p-dioxin	<u>—</u>	10.0 ng/mL
3,3',4,5'-Tetrachloro('3C,,)biph	nenvl	79L	10.0 ng/mL

NATIVE PCDDs & PCDFs: SOLUTION/MIXTURES

- * Support solutions for **DF-CVS-A10** and **DF-CVS-B10**.
 ** Support solution for **DF-CVS-C10** and **DFP-CVS-B10**.

1,2,3,4,7,8,9-Heptachlorodibenzofuran

Octachlorodibenzofuran

Catalogue Number	Product (non	ane solution)		Qty/Cond
DF-ST-A*	Native PCDD/PCDF	Solution/Mixture		1.2 mL
DF-ST-B*	Native PCDD/PCDF	Solution/Mixture		1.2 mL
DF-ST-C**	Native PCDD/PCDF	Solution/Mixture		1.2 mL
		DF-ST-A*	DF-ST-B*	DF-ST-C**
NATIVE PCDDs		(µg/mL)	(µg/mL)	(µg/mL)
1,2,8,9-Tetrachlorodibenzo- <i>p</i> -	dioxin	1.00	1.00	1.00
1,3,6,8-Tetrachlorodibenzo-p-	dioxin	1.00	1.00	1.00
,3,7,9-Tetrachlorodibenzo-p-dioxin		1.00	1.00	_
2,3,7,8-Tetrachlorodibenzo-p-	dioxin	1.00	1.00	1.00
1,2,3,7,8-Pentachlorodibenzo	-p-dioxin	1.00	1.00	1.00
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		1.00	2.00	2.00
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin		1.00	2.00	2.00
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		1.00	2.00	2.00
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin		1.00	2.00	2.00
Octachlorodibenzo-p-dioxin		2.00	5.00	5.00
NATIVE PCDFs				
1,2,7,8-Tetrachlorodibenzofu	an	1.00	1.00	-
1,2,8,9-Tetrachlorodibenzofu	an	1.00	1.00	1.00
1,3,6,8-Tetrachlorodibenzofu		1.00	1.00	1.00
2,3,7,8-Tetrachlorodibenzofu	an	1.00	1.00	1.00
1,2,3,7,8-Pentachlorodibenzo		1.00	1.00	1.00
2,3,4,7,8-Pentachlorodibenzo	furan	1.00	1.00	1.00
1,2,3,4,7,8-Hexachlorodibenze		1.00	2.00	2.00
1,2,3,6,7,8-Hexachlorodibenze	ofuran	1.00	2.00	2.00
1,2,3,7,8,9-Hexachlorodibenzo	ofuran	1.00	2.00	2.00
2,3,4,6,7,8-Hexachlorodibenzo	ofuran	1.00	2.00	2.00
	nzofuran	1.00	2.00	2.00

1.00

2.00

2.00

5.00

2.00

5.00

NATIVE PCDDs & PCDFs: SOLUTION/MIXTURES

Catalogue Number	Product (r	onane solutior)		Qty/Cond
NK-ST-A	Native PCDD/P	CDF Solution/Mixture			1.2 mL
NK-ST-A4	Native PCDD/P	CDF Solution/Mixture			1.2 mL
NK-ST-B2	Native PCDD/P	Native PCDD/PCDF Solution/Mixture			
NK-ST-B4	Native PCDD/P	CDF Solution/Mixture			1.2 mL
		NK-ST-A	NK-ST-A4	NK-ST-B2	NK-ST-B4
NATIVE PCDDs		(µg/mL)	(ng/mL)	(ng/mL)	(µg/mL)
2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dio	xin	2.00	2.00	100	1.00
1,2,3,7,8-Pentachlorodibenzo-p-dioxin		2.00	2.00	100	1.00
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		2.00	2.00	200	2.00
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin		2.00	2.00	200	2.00
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		2.00	2.00	200	2.00
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin		2.00	2.00	200	2.00
Octachlorodibenzo-p-dioxin		4.00	4.00	400	5.00
NATIVE PCDFs					
2,3,7,8-Tetrachlorodibenzofuran		2.00	2.00	100	1.00
1,2,3,7,8-Pentachlorodibenzofur	an	2.00	2.00	100	1.00
2,3,4,7,8-Pentachlorodibenzofur	an	2.00	2.00	100	1.00
1,2,3,4,7,8-Hexachlorodibenzofu	ran	2.00	2.00	200	2.00
1,2,3,6,7,8-Hexachlorodibenzofu	ran	2.00	2.00	200	2.00
1,2,3,7,8,9-Hexachlorodibenzofu	ran	2.00	2.00	200	2.00
2,3,4,6,7,8-Hexachlorodibenzofu	ran	2.00	2.00	200	2.00
1,2,3,4,6,7,8-Heptachlorodibenzo	ofuran	2.00	2.00	200	2.00
1,2,3,4,7,8,9-Heptachlorodibenzo	ofuran	2.00	2.00	200	2.00
Octachlorodibenzofuran		4.00	4.00	400	5.00


PCDDs & PCDFs: SOLUTION/MIXTURES

Catalogue Number	Product (nonane/toluene solution)	Qty/Conc
DDF-MDT	Native PCDD/PCDF Solution/Mixture	1.2 mL
MDDF-MDT	Mass-Labelled PCDD/PCDF Solution/Mixture	1.2 mL
		DDF-MDT
NATIVE PCDDs & PCDFs		(µg/mL)
Dibenzo- <i>p</i> -dioxin		1.00
2-Chlorodibenzo-p-dioxin		1.00
2,3-Dichlorodibenzo- <i>p</i> -dioxin		1.00
2,3,7-Trichlorodibenzo- <i>p</i> -dioxin		1.00
Dibenzofuran		1.00
2-Chlorodibenzofuran		1.00
2,3-Dichlorodibenzofuran		1.00
2,3,8-Trichlorodibenzofuran		1.00
		MDDF-MDT
MASS-LABELLED PCDDs & PC	DE-	(µg/mL)
(¹³C,,)Dibenzo- <i>p</i> -dioxin	M13	(µg/mL)
2-Chloro(¹³C,,)dibenzo-p-dioxin		1.00
2,3-Dichloro($^{13}C_{12}$)dibenzo- p -diox	xin	1.00
2,3,7-Trichloro($^{13}C_{12}$)dibenzo- p -di		1.00
(¹³C ₁₂)Dibenzofuran		1.00
2-Chloro(¹³C ₁₂)dibenzofuran		1.00
2,3-Dichloro(¹³C,₂)dibenzofuran		1.00
2,3,8-Trichloro(¹³C ₁₂)dibenzofura	n	1.00

	NOTES AND NEW PRODUCTS						
T .							
							
\(\)							
-							
6							
-							

In order to keep up-to-date on new releases from Wellington Laboratories Inc., please visit our website at www.well-labs.com.

New Products are announced in the Wellington Reporter.



Elora Gorge Elora, Ontario

PCBS: ANALYTICAL METHOD SOLUTIONS

Wellington offers several calibration kits, along with support solutions, for the analysis of individual PCB congeners.

WP-CVS

This set of solutions is to be used for the analysis of the 12 'dioxin-like' PCB congeners by HRGC/HRMS.

EPA Method 1668C

This series of calibration solutions, and corresponding support solutions, were prepared to be used according to U.S. EPA Method 1668, Revision C.

EPA Method 1668

This calibration kit, and support solutions, were designed and prepared to be used with the Draft version (March, 1997) of U.S. EPA Method 1668 which is still popular with some laboratories.

EC-9605-CVS

Environment Canada Method 1/RM/31 is a HRGC/LRMS method for PCB analysis and these solutions were prepared to be used with this method.

P48-W-CVS and P48-M-CVS

European Standard Method EN 1948-4 is to be used for the analysis of the 12 'dioxin-like' PCB congeners in stationary source emissions. These two calibration kits, and their support solutions, were prepared for this method.

WM48-CVS

This calibration set is a combination of P48-W-CVS and P48-M-CVS.



WP-CVS STANDARD SOLUTIONS

Catalogue Number Pr	Product (nonane solution)							Qty/Conc		
WP-CVS Die	oxin-Like PC	rin-Like PCBs						1 kit		
	Calibration and Verification Solutions CS1-CS7 (7 ampoule									
	CS1 500 μL									
	CS2 500 μL CS3 500 μL									
WP-CS4 CS								00 μL		
WP-CS5 CS								00 μL		
WP-CS6 CS								00 μL		
WP-CS7 CS								00 µL		
			WP-CS2					100		
NATIVE PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)		
3,3',4,4'-Tetrachlorobiphenyl	77	0.100	0.500	2.00	10.0	40.0	200	800		
3,4,4',5-Tetrachlorobiphenyl	81	0.100	0.500	2.00	10.0	40.0	200	800		
2,3,3',4,4'-Pentachlorobiphenyl	105	0.100	0.500	2.00	10.0	40.0	200	800		
2,3,4,4',5-Pentachlorobiphenyl	114	0.100	0.500	2.00	10.0	40.0	200	800		
2,3',4,4',5-Pentachlorobiphenyl	118	0.100	0.500	2.00	10.0	40.0	200	800		
2',3,4,4',5-Pentachlorobiphenyl	123	0.100	0.500	2.00	10.0	40.0	200	800		
3,3',4,4',5-Pentachlorobiphenyl	126	0.100	0.500	2.00	10.0	40.0	200	800		
2,3,3',4,4',5-Hexachlorobiphenyl	156	0.100	0.500	2.00	10.0	40.0	200	800		
2,3,3',4,4',5'-Hexachlorobiphenyl	157	0.100	0.500	2.00	10.0	40.0	200	800		
2,3',4,4',5,5'-Hexachlorobiphenyl	167	0.100	0.500	2.00	10.0	40.0	200	800		
3,3',4,4',5,5'-Hexachlorobiphenyl	169	0.100	0.500	2.00	10.0	40.0	200	800		
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	0.100	0.500	2.00	10.0	40.0	200	800		
MASS-LABELLED PCBs										
3,3',4,4'-Tetrachloro(¹³C _{1,2})biphenyl	77L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
3,4,4',5-Tetrachloro(13C,)biphenyl	81L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3,3',4,4'-Pentachloro(13C,2)biphenyl	105L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3,4,4',5-Pentachloro(13C,3)biphenyl	114L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3',4,4',5-Pentachloro(13C ₁₂)biphenyl	118L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2',3,4,4',5-Pentachloro(13C,)biphenyl	123L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
3,3',4,4',5-Pentachloro(13C,2)biphenyl	126L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3,3',4,4',5-Hexachloro(13C,,)biphenyl	156L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3,3',4,4',5'-Hexachloro(¹³C,,)biphenyl	157L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3',4,4',5,5'-Hexachloro(¹³C ₁₃)biphenyl	167L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
3,3',4,4',5,5'-Hexachloro(13C,3)biphenyl	169L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3,3',4,4',5,5'-Heptachloro(¹³ C ₁₂)biphenyl	189L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
INTERNAL STANDARDS										
2,3',4',5-Tetrachloro(¹³C,,)biphenyl	70L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,3,3',5,5'-Pentachloro(13C,2)biphenyl	111L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
2,2',3,4,4',5'-Hexachloro(¹³C,,)biphenyl	138L	50.0	50.0	50.0	50.0	50.0	50.0	50.0		
12										

WP-CVS STANDARD SOLUTIONS

Catalogue Number	Product (non	ane solution)		Qty/Conc
WP-LCS S	Surrogate Spiking	1.2 mL		
	nternal Standard	1.2 mL		
WP-STK	Native PCB Solutio	n		1.2 mL
		WP-LCS	WP-ISS	WP-STK
NATIVE PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)
3,3',4,4'-Tetrachlorobiphenyl	77	-	-	2000
3,4,4',5-Tetrachlorobiphenyl	81	-	_	2000
2,3,3',4,4'-Pentachlorobiphenyl	105	-	=	2000
2,3,4,4',5-Pentachlorobiphenyl	114	-	-	2000
2,3',4,4',5-Pentachlorobiphenyl	118	-	-	2000
2',3,4,4',5-Pentachlorobiphenyl	123	_	_	2000
3,3',4,4',5-Pentachlorobiphenyl	126	-	_	2000
2,3,3',4,4',5-Hexachlorobiphenyl	156	-	-	2000
2,3,3',4,4',5'-Hexachlorobiphenyl	157	-	_	2000
2,3',4,4',5,5'-Hexachlorobiphenyl	167	-	_	2000
3,3',4,4',5,5'-Hexachlorobiphenyl	169	-	-	2000
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	=	=	2000
MASS-LABELLED PCBs				
3,3',4,4'-Tetrachloro(¹³C,,)biphenyl	77L	1000		
3,4,4',5-Tetrachloro(¹³C,₂)biphenyl	81L	1000	_	2
2,3,3',4,4'-Pentachloro(13C ₁₂)biphenyl	105L	1000	_	_
2,3,4,4',5-Pentachloro(13C,3)biphenyl	114L	1000	_	_
2,3',4,4',5-Pentachloro('3C,_)biphenyl	118L	1000	_	_
2',3,4,4',5-Pentachloro(' ³ C ₁₂)biphenyl	123L	1000		_
3,3',4,4',5-Pentachloro(¹³C,₂)biphenyl	126L	1000	_	_
2,3,3',4,4',5-Hexachloro(¹³C,,)biphenyl	156L	1000	_	2
2,3,3',4,4',5'-Hexachloro('³C,3)biphenyl	157L	1000	_	
2,3',4,4',5,5'-Hexachloro('³C,3)biphenyl	167L	1000	_	_
	169L	1000		_
3,3',4,4',5,5'-Hexachloro(13C,)biphenyl	169L			

1000

1000

1000

1000

70L

111L

138L

170L

INTERNAL STANDARDS

2,3',4',5-Tetrachloro(13C₁₂)biphenyl

2,3,3',5,5'-Pentachloro(13C₁₂)biphenyl

2,2',3,4,4',5'-Hexachloro(13C₁₂)biphenyl

2,2',3,3',4,4',5-Heptachloro($^{13}C_{12}$)biphenyl

EPA METHOD 1668C STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc
68C-CVS	EPA Method 1668C	1 kit
	Calibration and Verification Solutions CS0.2-CS5	(6 ampoules)
68C-CS0.2	CS0.2 High Sensitivity	200 µL
68C-CS1	CS1	200 µL
68C-C52	CS2	200 µL
68C-CS3	CS3 Calibration Verification	500 µL
68C-CS4	CS4	200 µL
68C-CS5	CS5	200 µL

NOTE: The above product codes were updated to reflect the change of EPA Method 1668B to 1668C in April of 2010.

NATIVE TOXICS/LOC STANDARDS	IUPAC	68C-CS0.2 (ng/mL)	68C-C51 (ng/mL)	68C-C52 (ng/mL)	68C-C53 (ng/mL)	68C-CS4 (ng/mL)	68C-CSS (ng/mL)
-Chlorobiphenyl	1	0.200	1.00	5.00	50.0	400	2000
-Chlorobiphenyl	3	0.200	1.00	5.00	50.0	400	2000
,2'-Dichlorobiphenyl	4	0.200	1.00	5.00	50.0	400	2000
,4'-Dichlorobiphenyl	15	0.200	1.00	5.00	50.0	400	2000
,2',6-Trichlorobiphenyl	19	0.200	1.00	5.00	50.0	400	2000
,4,4'-Trichlorobiphenyl	37	0.200	1.00	5.00	50.0	400	2000
,2',6,6'-Tetrachlorobiphenyl	54	0.200	1.00	5.00	50.0	400	2000
3',4,4'-Tetrachlorobiphenyl	77	0.200	1.00	5.00	50.0	400	2000
4,4',5-Tetrachlorobiphenyl	81	0.200	1.00	5.00	50.0	400	2000
2',4,6,6'-Pentachlorobiphenyl	104	0.200	1.00	5.00	50.0	400	2000
3,3',4,4'-Pentachlorobiphenyl	105	0.200	1.00	5.00	50.0 50.0	400	2000
,3,4,4',5-Pentachlorobiphenyl ,3',4,4',5-Pentachlorobiphenyl	114 118	0.200 0.200	1.00	5.00 5.00	50.0	400 400	2000
,3,4,4',5-Pentachlorobiphenyl	123	0.200	1.00	5.00	50.0	400	2000
3',4,4',5-Pentachlorobiphenyl	126	0.200	1.00	5.00	50.0	400	2000
2',4,4',6,6'-Hexachlorobiphenyl	155	0.200	1.00	5.00	50.0	400	2000
3,3',4,4',5-Hexachlorobiphenyl	156	0.200	1.00	5.00	50.0	400	2000
3,3',4,4',5'-Hexachlorobiphenyl	157	0.200	1.00	5.00	50.0	400	2000
3',4,4',5,5'-Hexachlorobiphenyl	167	0.200	1.00	5.00	50.0	400	2000
3',4,4',5,5'-Hexachlorobiphenyl	169	0.200	1.00	5.00	50.0	400	2000
2',3,4',5,6,6'-Heptachlorobiphenyl	188	0.200	1.00	5.00	50.0	400	2000
,3,3',4,4',5,5'-Heptachlorobiphenyl	189	0.200	1.00	5.00	50.0	400	2000
,2',3,3',5,5',6,6'-Octachlorobiphenyl	202	0.200	1.00	5.00	50.0	400	2000
,3,3',4,4',5,5',6-Octachlorobiphenyl	205	0.200	1.00	5.00	50.0	400	2000
,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	206	0.200	1.00	5.00	50.0	400	2000
,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	208	0.200	1.00	5.00	50.0	400	2000
ecachlorobiphenyl	209	0.200	1.00	5.00	50.0	400	2000
IASS-LABELLED TOXICS/LOC/							
VINDOW-DEFINING STANDARDS							
-Chloro(¹³C,,)biphenyl	1L	100	100	100	100	100	100
-Chloro(¹³C)biphenyl	3L	100	100	100	100	100	100
2'-Dichloro('3C,2)biphenyl	4L	100	100	100	100	100	100
4'-Dichloro(13C)biphenyl	15L	100	100	100	100	100	100
2',6-Trichloro(¹³ C ₁₂)biphenyl	19L	100	100	100	100	100	100
4,4'-Trichloro(¹³C ₁₂)biphenyl	37L	100	100	100	100	100	100
,2',6,6'-Tetrachloro(¹³C,₂)biphenyl	54L	100	100	100	100	100	100
3',4,4'-Tetrachloro('3C, biphenyl	77L	100	100	100	100	100	100
4,4',5-Tetrachloro(¹²C, biphenyl	81L	100	100	100	100	100	100
2',4,6,6'-Pentachloro(¹aC,)biphenyl	104L	100	100	100	100	100	100
3,3',4,4'-Pentachloro('3C, biphenyl	105L	100	100	100	100	100	100
,3,4,4',5-Pentachloro(¹³C, biphenyl ,3',4,4',5-Pentachloro(¹²C, biphenyl	114L	100	100	100	100	100	100
',3,4,4',5-Pentachloro("C,)biphenyl	118L	100	100	100	100	100	100
,3',4,4',5-Pentachloro("C ₁₂)biphenyl	123L 126L	100 100	100 100	100 100	100 100	100 100	100 100
,2',4,4',6,6'-Hexachloro("C ₁₂)biphenyl	155L	100	100	100	100	100	100
,3,3',4,4',5-Hexachloro("C,3biphenyl	156L	100	100	100	100	100	100
,3,3',4,4',5'-Hexachloro("C _{1,2})biphenyl	157L	100	100	100	100	100	100
3',4,4',5,5'-Hexachloro('3C,)biphenyl	167L	100	100	100	100	100	100
3',4,4',5,5'-Hexachloro("C,)biphenyl	169L	100	100	100	100	100	100
2',3,4',5,6,6'-Heptachloro('aC,,)biphenyl	188L	100	100	100	100	100	100
,3,3',4,4',5,5'-Heptachloro('3C,3)biphenyl	189L	100	100	100	100	100	100
2',3,3',5,5',6,6'-Octachloro(13C ₁₂)biphenyl	202L	100	100	100	100	100	100
.3.3',4,4',5,5',6-Octachloro('3C)biphenyl	205L	100	100	100	100	100	100
2',3,3',4,4',5,5',6-Nonachloro(13C,2)biphenyl	206L	100	100	100	100	100	100
2',3,3',4,5,5',6,6'-Nonachloro(13C_)biphenyl	208L	100	100	100	100	100	100
ecachloro(¹³C,,)biphenyl	209L	100	100	100	100	100	100
IASS-LABELLED CLEANUP STANDARDS			100	- 0.0		127	1817
4,4'-Trichloro(¹³C,,)biphenyl	28L	100	100	100	100	100	100
3,3',5,5'-Pentachloro('3C,)biphenyl	111L	100	100	100	100	100	100
2',3,3',5,5',6-Heptachloro(13C,)biphenyl	178L	100	100	100	100	100	100
IASS-LABELLED INJECTION/							
5-Dichloro(13C,)biphenyl	9L	100	100	100	100	100	100
,2',5,5'-Tetrachloro("C,)biphenyl	52L	100	100	100	100	100	100
,2',4,5,5'-Pentachloro('3C,)biphenyl	101L	100	100	100	100	100	100
12 / 1/5/5 Telledellord Cispopherly	138L	100	100	100	100	100	100
,2',3,4,4',5'-Hexachloro(13C,)biphenyl	1.561						

EPA METHOD 1668C STANDARD SOLUTIONS

Catalogue Number	Product (nonane solution)	Qty/Conc		
68C-LCS	Mass-Labelled Toxics/LOC/Window Defining Stock Solution	1.2 mL		
68C-CS	Mass-Labelled Cleanup Stock Solution	1.2 mL		
68C-IS	Mass-Labelled Injection/Internal Standard Stock Solution	1.2 mL		
68C-PAR	Native Toxics/LOC Stock Solution	1.2 mL		

NOTE: The above product codes were updated to reflect the change of EPA Method 1668B to 1668C in April of 2010.

ATIVE TOXICS/LOC STANDARDS	IUPAC	68C-LCS (ng/mL)	68C-CS (ng/mL)	68C-IS (ng/mL)	68C-PAR (ng/mL)
-Chlorobiphenyl	1		_	_	2000
-Chlorobiphenyl	3	-	-	_	2000
,2'-Dichlorobiphenyl	4	-	-	_	2000
4'-Dichlorobiphenyl	15	-	_	_	2000
2',6-Trichlorobiphenyl	19		_	_	2000
,4,4'-Trichlorobiphenyl	37	_	_	_	2000
2',6,6'-Tetrachlorobiphenyl	54	_		_	2000
3',4,4'-Tetrachlorobiphenyl	77	_	_	_	2000
4,4',5-Tetrachlorobiphenyl	81		_		2000
2',4,6,6'-Pentachlorobiphenyl	104	_	_	Ξ.	2000
3,3',4,4'-Pentachlorobiphenyl	105		E		2000
3,4,4',5-Pentachlorobiphenyl	114		=		2000
	118			7.5	
3',4,4',5-Pentachlorobiphenyl		-	-		2000
,3,4,4',5-Pentachlorobiphenyl	123	=	_	=	2000
3',4,4',5-Pentachlorobiphenyl	126	_	_	_	2000
2',4,4',6,6'-Hexachlorobiphenyl	155	-	=	-	2000
3,3',4,4',5-Hexachlorobiphenyl	156	_		_	2000
3,3',4,4',5'-Hexachlorobiphenyl	157	_	-	_	2000
3',4,4',5,5'-Hexachlorobiphenyl	167	-		-	2000
3',4,4',5,5'-Hexachlorobiphenyl	169	_	-	-	2000
2',3,4',5,6,6'-Heptachlorobiphenyl	188	_	_	_	2000
3,3',4,4',5,5'-Heptachlorobiphenyl	189	=	_	_	2000
2',3,3',5,5',6,6'-Octachlorobiphenyl	202	三	E		2000
3,3',4,4',5,5',6-Octachlorobiphenyl	205	= = = = = = = = = = = = = = = = = = = =	Ξ		2000
2',3,3',4,4',5,5',6-Nonachlorobiphenyl	206				2000
			_	_	
2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	208	=	_	-	2000
ecachlorobiphenyl	209	_	-	-	2000
ASS-LABELLED TOXICS/LOC/					
INDOW-DEFINING STANDARDS	100	9000			
Chloro(13C,2)biphenyl	1L	1000	_	-	-
Chloro(¹³C¹²)biphenyl	3L	1000	-	_	_
?'-Dichloro(' ³ C,)biphenyl	4L	1000	_	_	_
1'-Dichloro(13C, biphenyl	15L	1000	_	_	_
2'.6-Trichloro(13C)biphenyl	19L	1000	_	_	_
1,4'-Trichloro(¹³C,²)biphenyl	37L	1000		_	
2',6,6'-Tetrachloro(¹³C,)biphenyl	54L	1000	_	_	_
3' 4.4'-Tetrachloro(13C)hinhenyl	77L	1000	_		_
3',4,4'-Tetrachloro('³C',)biphenyl 4,4',5-Tetrachloro('³C ₁₂)biphenyl	81L	1000			
2',4,6,6'-Pentachloro("C ₁₂)biphenyl	104L	1000			
2 2' 4 4' Pontachioro("C ₁₂)biphenyl			=		
3,3',4,4'-Pentachloro(¹³C,)biphenyl	105L	1000	_	=	-
3,4,4',5-Pentachloro(¹³C, biphenyl	114L	1000	_	_	_
3',4,4',5-Pentachloro(¹³C,2)biphenyl	118L	1000	_	_	_
,3,4,4',5-Pentachloro(¹³C ₁₂)biphenyl	123L	1000	-	_	_
3',4,4',5-Pentachloro(13C,)biphenyl	126L	1000	-	_	_
2',4,4',6,6'-Hexachloro(¹³C,,)biphenyl	155L	1000	_	-	-
3,3',4,4',5-Hexachloro(¹³C,¬)biphenyl	156L	1000	_	_	_
3,3',4,4',5'-Hexachloro(13C,2)biphenyl	157L	1000	_	_	_
3',4,4',5,5'-Hexachloro(¹³C,3)biphenyl	167L	1000		_	_
3',4,4',5,5'-Hexachloro(1°C,2)biphenyl	169L	1000	_		_
2',3,4',5,6,6'-Heptachloro(13C,)biphenyl	188L	1000			
3 3' 4 4' 5 5'-Hentachloro(19C \hinhony)	189L	1000		35	
3,3',4,4',5,5'-Heptachloro("C, biphenyl					
2',3,3',5,5',6,6'-Octachloro('³Ć,)biphenyl 3,3',4,4',5,5',6-Octachloro('³Ć,)biphenyl	202L	1000	=	_	_
3,3',4,4',5,5',6-Octachioro('3C,3)biphenyl	205L	1000		_	_
2',3,3',4,4',5,5',6-Nonachloro(¹³ C ₁₂)biphenyl	206L	1000	_	_	_
2',3,3',4,5,5',6,6'-Nonachloro(¹³C,2)biphenyl	208L	1000	_	_	_
ecachloro(¹³C,,)biphenyl	209L	1000	_	_	_
ASS-LABELLED CLEANUP STANDARDS					
4,4'-Trichloro(¹³C,,)biphenyl	28L	_	1000	_	-
3,3',5,5'-Pentachloro(¹³C,,)biphenyl	111L		1000	三	_
2',3,3',5,5',6-Heptachloro('3C,_)biphenyl	178L		1000	_	
ASS-LABELLED INJECTION/	IVOL		1000	100	15-5
ITERNAL STANDARDS	OI.			E000	
5-Dichloro(12C,3)biphenyl	9L	=	=	5000	=
2',5,5'-Tetrachloro(¹³C,₂)biphenyl	52L	-	-	5000	_
2',4,5,5'-Pentachloro(¹³ C ₁₂)biphenyl	101L	_	_	5000	_
2',3,4,4',5'-Hexachloro('3C,,)biphenyl	138L	_	_	5000	-
				5000	_

EPA METHOD 1668 STANDARD SOLUTIONS

Catalogue Number	Product (nor	iane solutio	n)		Q	ty/Conc	
	EPA Method 1668	10			1 kit		
	Calibration and Ve	erification Solution	ons CS1-CS5			(5 ampoules	
	CS1 CS2					200 μL	
	CS3 Calibration		200 μL 500 μL				
	CS4	vernication				200 μL	
	CS5					200 µL	
						LOO AL	
NATIVE PCBs	IUPAC	1668CS1 (ng/mL)	1668CS2 (ng/mL)	1668CS3 (ng/mL)	1668CS4 (ng/mL)	1668CS5 (ng/mL)	
NATIVE PCBS	IOPAC	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	
3,3',4,4'-Tetrachlorobiphenyl	77	0.500	2.00	10.0	40.0	200	
2,3,3',4,4'-Pentachlorobiphenyl	105	2.50	10.0	50.0	200	1000	
2,3,4,4',5-Pentachlorobiphenyl	114	2.50	10.0	50.0	200	1000	
2,3',4,4',5-Pentachlorobiphenyl	118	2.50	10.0	50.0	200	1000	
2',3,4,4',5-Pentachlorobiphenyl	123	2.50	10.0	50.0	200	1000	
3,3',4,4',5-Pentachlorobiphenyl	126	2.50	10.0	50.0	200	1000	
2,3,3',4,4',5-Hexachlorobiphenyl	156	5.00	20.0	100	400	2000	
2,3,3',4,4',5'-Hexachlorobiphenyl	157	5.00	20.0	100	400	2000	
2,3',4,4',5,5'-Hexachlorobiphenyl	167	5.00	20.0	100	400	2000	
3,3',4,4',5,5'-Hexachlorobiphenyl	169	5.00	20.0	100	400	2000	
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	5.00	20.0	100	400	2000	
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	5.00	20.0	100	400	2000	
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	5.00	20.0	100	400	2000	
MASS-LABELLED PCBs							
3,3',4,4'-Tetrachloro(¹³C,,)biphenyl	77L	100	100	100	100	100	
2,3,3',4,4'-Pentachloro(13C ₁₂)biphenyl	105L	100	100	100	100	100	
2,3',4,4',5-Pentachloro(¹³C,)biphenyl	118L	100	100	100	100	100	
3,3',4,4',5-Pentachloro(¹³C,,)biphenyl	126L	100	100	100	100	100	
2,3,3',4,4',5-Hexachloro(¹³C,₂)biphenyl	156L	100	100	100	100	100	
2,3,3',4,4',5'-Hexachloro(¹³C,,)biphenyl	157L	100	100	100	100	100	
2,3',4,4',5,5'-Hexachloro('3C,,)biphenyl	167L	100	100	100	100	100	
3,3',4,4',5,5'-Hexachloro(¹³C,,)biphenyl	169L	100	100	100	100	100	
2,2',3,4,4',5,5'-Heptachloro('3C,)biphen		100	100	100	100	100	
2,3,3',4,4',5,5'-Heptachloro('3C,)biphen		100	100	100	100	100	
Decachloro(13C ₁₂)biphenyl	209L	200	200	200	200	200	
CLEANUP STANDARDS							
24457		2 - 2 - 2		46.5			
3,4,4',5-Tetrachloro(¹³C ₁₂)biphenyl	81L	0.500	2.00	10.0	40.0	200	
2,3,3',5,5'-Pentachloro(¹³C ₁₂)biphenyl	111L	2.50	10.0	50.0	200	1000	
INTERNAL STANDARDS							
2,2',5,5'-Tetrachloro(¹³C ₁₂)biphenyl	52L	100	100	100	100	100	
2,2',4,5,5'-Pentachloro('3C,3)biphenyl	101L	100	100	100	100	100	
2,2',3,4,4',5'-Hexachloro(' ¹ C ₁₂)biphenyl	138L	100	100	100	100	100	
2,2',3,4',4',5'-Hexachloro(' ³ C ₁₂)biphen 2,2',3,3',5,5',6-Heptachloro(' ³ C ₁₂)biphen		100	100	100	100	100	
E'E '2'' '0' '0-Uehracillolo("C'3)nibueu	y I/OL	100	100	100	100	100	

EPA METHOD 1668 STANDARD SOLUTIONS

Catalogue Number	Product (non	Qty/Conc			
EPA-1668LCS	Labelled Compour	d Stock Solution			1.2 mL
EPA-1668CS	Cleanup Standard			1.2 mL	
EPA-1668IS	Internal Standard		1.2 mL		
EPA-1668PAR	Precision and Reco	very Solution			1.2 mL
		1668LCS	1668CS	166815	1668PAR
NATIVE PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
3,3',4,4'-Tetrachlorobiphenyl	77	-	-	-	20.0
2,3,3',4,4'-Pentachlorobiphenyl	105	_	_	_	1000
2,3,4,4',5-Pentachlorobiphenyl	114	-	-	-	1000
2,3',4,4',5-Pentachlorobiphenyl	118	-	_	-	1000
2',3,4,4',5-Pentachlorobiphenyl	123	_	_	-	1000
3,3',4,4',5-Pentachlorobiphenyl	126	-	_	_	100
2,3,3',4,4',5-Hexachlorobiphenyl	156	-	-	-	1000
2,3,3',4,4',5'-Hexachlorobiphenyl	157	-	_	-	1000
2,3',4,4',5,5'-Hexachlorobiphenyl	167	_	_	_	1000
3,3',4,4',5,5'-Hexachlorobiphenyl	169	-	_	_	200
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	-	_	-	200
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	-	_	-	1000
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	-	_	_	200
MASS-LABELLED PCBs					
3,3',4,4'-Tetrachloro(¹³C,,)biphenyl	77L	1000		_	
2,3,3',4,4'-Pentachloro(' ³ C _{1,2})biphenyl	105L	1000	_		
2,3',4,4',5-Pentachloro('3C,3)biphenyl	118L	1000			
3,3',4,4',5-Pentachloro('3C,3)biphenyl	126L	1000		=	Ξ
2,3,3',4,4',5-Hexachloro('3C,3)biphenyl		1000			=
2,3,3',4,4',5'-Hexachloro(' ³ C _{,2})bipheny		1000			=
2,3',4,4',5,5'-Hexachloro(' ¹² C _{,2})bipheny		1000			Ξ
3,3',4,4',5,5'-Hexachloro(' ³ C,,)bipheny		1000			Ξ
2,2',3,4,4',5,5'-Heptachloro('3C ₁₂)biphe		1000			
2,3,3',4,4',5,5'-Heptachloro(' ¹² C,,)biphe		1000	=	= =	2
Decachloro(¹³C ₁₂)biphenyl	209L	2000			
		2000			
CLEANUP STANDARDS					
3,4,4',5-Tetrachloro(¹³C ₁₂)biphenyl	81L	_	200	=	-
2,3,3',5,5'-Pentachloro(¹³ C ₁₂)biphenyl	111L	_	1000	-	-
INTERNAL STANDARDS					
2,2',5,5'-Tetrachloro(¹³C ₁₂)biphenyl	52L		_	1000	_
2,2',4,5,5'-Pentachloro(13C ₁₂)biphenyl	101L	-	-	1000	-
Z,Z, T,S,S T CITACINOTO(C, Dipricity)				4000	
2,2',3,4,4',5'-Hexachloro('3C,3)bipheny	1 138L	_	_	1000	_

ENVIRONMENT CANADA METHOD 1/RM/31 STANDARD SOLUTIONS

Catalogue Number	Product (isooctane solution)	Qty/Conc		
EC9605-CVS	PCB Calibration Solutions for GC/MS	1 kit		
	Calibration and Verification Solutions CS1-CS5	(5 ampoules		
ECPCS1	CS1	500 µL		
ECPCS2	CS2	500 µL		
ECPCS3	CS3	500 μL		
ECPCS4	CS4	500 µL		
ECPCS5	CS5	500 µL		

NATIVE PCBs*	IUPAC	ECPCS1 (ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
2,2',5-Trichlorobiphenyl	18	20.0	50.0	200	800	2000
2,4,4'-Trichlorobiphenyl	28	20.0	50.0	200	800	2000
2',3,4-Trichlorobiphenyl	33	20.0	50.0	200	800	2000
2,2',5,5'-Tetrachlorobiphenyl	52	20.0	50.0	200	800	2000
2,2',3,5'-Tetrachlorobiphenyl	44	20.0	50.0	200	800	2000
2,3',4',5-Tetrachlorobiphenyl	70	20.0	50.0	200	800	2000
2,2',4,5,5'-Pentachlorobiphenyl	101	20.0	50.0	200	800	2000
2,3',4,4',5-Pentachlorobiphenyl	118	20.0	50.0	200	800	2000
2,3,3',4,4'-Pentachlorobiphenyl	105	20.0	50.0	200	800	2000
2,2',4,4',5,5'-Hexachlorobiphenyl	153	20.0	50.0	200	800	2000
2,2',3,4,4',5'-Hexachlorobiphenyl	138	20.0	50.0	200	800	2000
2,2',3,3',4,4'-Hexachlorobiphenyl	128	20.0	50.0	200	800	2000
2,2',3,4',5,5',6-Heptachlorobiphenyl	187	20.0	50.0	200	800	2000
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	20.0	50.0	200	800	2000
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	20.0	50.0	200	800	2000
2,2',3,3',4,5,5',6'-Octachlorobiphenyl	199	20.0	50.0	200	800	2000
2,2',3,3',4,4',5,6-Octachlorobiphenyl	195	20.0	50.0	200	800	2000
2,2',3,3',4,4',5,5'-Octachlorobiphenyl	194	20.0	50.0	200	800	2000
2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	206	20.0	50.0	200	800	2000
Decachlorobiphenyl	209	20.0	50.0	200	800	2000
MASS-LABELLED PCBs*						
2,4,4'-Trichloro(¹³C,₂)biphenyl	28L	400	400	400	400	400
2,2',5,5'-Tetrachloro(¹³C ₁₂)biphenyl	52L	400	400	400	400	400
2,3',4,4',5-Pentachloro(¹³C,₂)biphenyl	118L	400	400	400	400	400
2,2',4,4',5,5'-Hexachloro(¹³C,,)biphenyl	153L	400	400	400	400	400
2,2',3,4,4',5,5'-Heptachloro(¹³ C ₁₂)biphenyl	180L	400	400	400	400	400
2,2',3,3',5,5',6,6'-Octachloro(¹³C,,)biphenyl	202L	400	400	400	400	400
2,2',3,3',4,4',5,5',6-Nonachloro(13C,2)biphenyl	206L	400	400	400	400	400
Decachloro(13C ₁₂)biphenyl	209L	400	400	400	400	400
MASS-LABELLED RECOVERY STANDARDS	*					
2,2',4,5,5'-Pentachloro('³C ₁₂)biphenyl	101L	400	400	400	400	400
2,2',3,3',4,4',5,5'-Octachloro(¹³C ₁₂)biphenyl	194L	400	400	400	400	400

^{*} In order of elution on a 60 m DB-5 column.

ENVIRONMENT CANADA METHOD 1/RM/31 STANDARD SOLUTIONS

Catalogue Number	Product (isooctane solution)	Qty/Conc
EC9605-RS	Recovery Standard Solution	1.2 mL
EC9605-SS	Surrogate Solution	1.2 mL
EC9605-PAR	Precision and Recovery Solution	1.2 mL

		EC9605-RS	EC9605-SS	EC9605-PAR
NATIVE PCBs	IUPAC	(µg/mL)	(µg/mL)	(ng/mL)
2,2',5-Trichlorobiphenyl	18	-	_	100
2,4,4'-Trichlorobiphenyl	28	-	-	100
2',3,4-Trichlorobiphenyl	33	-	_	100
2,2',5,5'-Tetrachlorobiphenyl	52	-	-	100
2,2',3,5'-Tetrachlorobiphenyl	44	_	_	100
2,3',4',5-Tetrachlorobiphenyl	70	_	_	100
2,2',4,5,5'-Pentachlorobiphenyl	101	_	_	100
2,3',4,4',5-Pentachlorobiphenyl	118	_	_	100
2,3,3',4,4'-Pentachlorobiphenyl	105	_	_	100
2,2',4,4',5,5'-Hexachlorobiphenyl	153	_	_	100
2,2',3,4,4',5'-Hexachlorobiphenyl	138	-	_	100
2,2',3,3',4,4'-Hexachlorobiphenyl	128	_	-	100
2,2',3,4',5,5',6-Heptachlorobiphenyl	187	_	_	100
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	_	_	100
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	_	_	100
2,2',3,3',4,5,5',6'-Octachlorobiphenyl	199	-	_	100
2,2',3,3',4,4',5,6-Octachlorobiphenyl	195	_	_	100
2,2',3,3',4,4',5,5'-Octachlorobiphenyl	194	-	1,-1	100
2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	206	_	_	100
Decachlorobiphenyl	209	-	-	100
MASS-LABELLED PCBs				
2.44 Tibles (25.16)	201		2.00	
2,4,4'-Trichloro(1 ³ C ₁₂)biphenyl	28L	_	2.00	_
2,2',5,5'-Tetrachloro(¹³C ₁₂)biphenyl	52L	_	2.00	_
2,3',4,4',5-Pentachloro(¹³C ₁₂)biphenyl	118L	_	2.00	_
2,2',4,4',5,5'-Hexachloro(¹³C, ₂)biphenyl	153L	-	2.00	_
2,2',3,4,4',5,5'-Heptachloro('3C ₁₂)biphenyl	180L	3.7	2.00	-
2,2',3,3',5,5',6,6'-Octachloro('3C ₁₂)biphenyl	202L	-	2.00	
2,2',3,3',4,4',5,5',6-Nonachloro(¹³C ₁₂)biphenyl		-	2.00	_
Decachloro(¹³C ₁₂)biphenyl	209L	_	2.00	-
MASS-LABELLED RECOVERY STANDARDS				
2,2',4,5,5'-Pentachloro('3C,,)biphenyl	101L	2.00	-	-
2,2',3,3',4,4',5,5'-Octachloro(13C,,)biphenyl	194L	2.00		

P48-W-CVS

Catalogue Number	Product (nonane solution)							Qty/Conc	
		-CVS; EN 194	8-4:2010 ation Solutions	for the D	ioxin-like	PCBs CS1	1 kit CS6 (6 ampoule		
	CS1			,				00 μL	
	CS2						5	00 μL	
	CS3							00 μL	
	CS4							00 μL	
	CS5							00 μL	
	CS6							00 μL	
			P48-W- CS1	P48-W- CS2	P48-W- CS3	P48-W- CS4	P48-W- CS5	P48-W- CS6	
NATIVE DIOXIN-LIKE PCBs		IUPAC	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)	
3,3',4,4'-Tetrachlorobiphenyl		77	0.100	1.00	10.0	50.0	200	800	
3,4,4',5-Tetrachlorobiphenyl		81	0.100	1.00	10.0	50.0	200	800	
2,3,3',4,4'-Pentachlorobiphenyl		105	0.100	1.00	10.0	50.0	200	800	
2,3,4,4',5-Pentachlorobiphenyl		114	0.100	1.00	10.0	50.0	200	800	
2,3',4,4',5-Pentachlorobiphenyl		118	0.600	6.00	60.0	300	1200	4800	
2',3,4,4',5-Pentachlorobiphenyl		123	0.100	1.00	10.0	50.0	200	800	
3,3',4,4',5-Pentachlorobiphenyl		126	0.100	1.00	10.0	50.0	200	800	
2,3,3',4,4',5-Hexachlorobiphenyl		156	0.100	1.00	10.0	50.0	200	800	
2,3,3',4,4',5'-Hexachlorobiphenyl		157	0.100	1.00	10.0	50.0	200	800	
2,3',4,4',5,5'-Hexachlorobiphenyl		167	0.100	1.00	10.0	50.0	200	800	
3,3',4,4',5,5'-Hexachlorobiphenyl		169	0.100	1.00	10.0	50.0	200	800	
2,3,3',4,4',5,5'-Heptachlorobiphenyl		189	0.100	1.00	10.0	50.0	200	800	
WHO PCB EXTRACTION STANDARDS									
3,3',4,4'-Tetrachloro(¹³C ₁₂)biphenyl		77L	10.0	10.0	10.0	10.0	10.0	10.0	
3,4,4',5-Tetrachloro(13C,,)biphenyl		81L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4'-Pentachloro(¹³ C ₁₂)biphenyl		105L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3,4,4',5-Pentachloro(¹³C,₂)biphenyl		114L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3',4,4',5-Pentachloro(13C,)biphenyl		118L	10.0	10.0	10.0	10.0	10.0	10.0	
2',3,4,4',5-Pentachloro(¹³C,,)biphenyl		123L	10.0	10.0	10.0	10.0	10.0	10.0	
3,3',4,4',5-Pentachloro(¹³C,,)biphenyl		126L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4',5-Hexachloro(13C,3)biphenyl		156L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4',5'-Hexachloro(13C,,)biphenyl		157L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3',4,4',5,5'-Hexachloro(13C,_)biphenyl		167L	10.0	10.0	10.0	10.0	10.0	10.0	
3,3',4,4',5,5'-Hexachloro(13C ₁₂)biphenyl		169L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4',5,5'-Heptachloro(¹³ C ₁₂)biphen	yl	189L	10.0	10.0	10.0	10.0	10.0	10.0	
SAMPLING STANDARDS									
2,3,4,4'-Tetrachloro(¹³C ₁₂)biphenyl		60L	10.0	10.0	10.0	10.0	10.0	10.0	
3,3',4,5,5'-Pentachloro(¹³ C ₁₂)biphenyl		127L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,5,5'-Hexachloro(13C ₁₂)biphenyl		159L	10.0	10.0	10.0	10.0	10.0	10.0	
RECOVERY STANDARDS									
2,3',4',5-Tetrachloro(¹³C ₁₂)biphenyl		70L	10.0	10.0	10.0	10.0	10.0	10.0	
2,3,3',5,5'-Pentachloro(13C ₁₂)biphenyl		111L	10.0	10.0	10.0	10.0	10.0	10.0	
2,2',3,3',4,4',5-Heptachloro(¹³ C ₁₂)biphen	yl	170L	10.0	10.0	10.0	10.0	10.0	10.0	

Catalogue Number	Product (nonane solution)	Qty/Conc
P48-M-CVS	P48-M-CVS; EN 1948-4:2010	1 kit
	HRGC/HRMS Calibration Solutions for the Marker PCBs CS0.1-CS5	(6 ampoules
P48-M-C50.1	CS0.1	500 µL
P48-M-CS1	CS1	500 µL
P48-M-CS2	CS2	500 µL
P48-M-CS3	CS3	500 µL
P48-M-CS4	CS4	500 µL
P48-M-CS5	CS5	500 µL

		P48-M- CS0.1	P48-M- C51	P48-M- C52	P48-M- CS3	P48-M- CS4	P48-M
NATIVE MARKER PCBs	IUPAC	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL
2,4,4'-Trichlorobiphenyl	28	0.100	1.00	10.0	100	500	5000
2,2',5,5'-Tetrachlorobiphenyl	52	0.100	1.00	10.0	100	500	5000
2,2',4,5,5'-Pentachlorobiphenyl	101	0.100	1.00	10.0	100	500	5000
2,2',3,4,4',5'-Hexachlorobiphenyl	138	0.100	1.00	10.0	100	500	5000
2,2',4,4',5,5'-Hexachlorobiphenyl	153	0.100	1.00	10.0	100	500	5000
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	0.100	1.00	10.0	100	500	5000
MARKER PCB EXTRACTION STANDARDS							
2,4,4'-Trichloro(¹³C,₂)biphenyl	28L	100	100	100	100	100	100
2,2',5,5'-Tetrachloro(¹³C ₁₂)biphenyl	52L	100	100	100	100	100	100
2,2',4,5,5'-Pentachloro(13C,)biphenyl	101L	100	100	100	100	100	100
2,2',3,4,4',5'-Hexachloro(¹³C,,)biphenyl	138L	100	100	100	100	100	100
2,2',4,4',5,5'-Hexachloro(¹³C, biphenyl	153L	100	100	100	100	100	100
2,2',3,4,4',5,5'-Heptachloro(¹³ C ₁₂)biphenyl	180L	100	100	100	100	100	100
SAMPLING STANDARDS							
2,3,4,4'-Tetrachloro(¹³C,₂)biphenyl	60L	10.0	10.0	10.0	10.0	10.0	10.0
3,3',4,5,5'-Pentachloro(¹³ C ₁₂)biphenyl	127L	10.0	10.0	10.0	10.0	10.0	10.0
2,3,3',4,5,5'-Hexachloro(¹³C ₁₂)biphenyl	159L	10.0	10.0	10.0	10.0	10.0	10.0
RECOVERY STANDARDS							
2,3',4',5-Tetrachloro(¹³C,,)biphenyl	70L	10.0	10.0	10.0	10.0	10.0	10.0
2,3,3',5,5'-Pentachloro(¹³C,₂)biphenyl	111L	10.0	10.0	10.0	10.0	10.0	10.0
2,2',3,3',4,4',5-Heptachloro(13C,)biphenyl	170L	10.0	10.0	10.0	10.0	10.0	10.0

WM48-CVS

Catalogue Number	Product (non	ane solutio	on)			Qt	y/Conc
WM48-CVS	WM48-CVS; EN 194 HRGC/HRMS Calibr Dioxin-like and Ma	ation Solutions					kit ampoule
WM48-CS1	CS1		230			50	00 μL
WM48-CS2	CS2						00 µL
WM48-C53	CS3						00 µL
NM48-CS4	CS4						00 μL
WM48-CS5	CS5						00 µL
NM48-CS6	CS6						00 µL
		1417440	1000000	100000	1479.440	14/0440	100000
		WM48- CS1	WM48- CS2	WM48- CS3	WM48- CS4	WM48- CS5	WM48- CS6
NATIVE DIOXIN-LIKE PCBs	IUPAC	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)	(pg/µL)
3,3',4,4'-Tetrachlorobiphenyl	77	0.100	0.500	2.00	10.0	40.0	200
3,4,4',5-Tetrachlorobiphenyl	81	0.100	0.500	2.00	10.0	40.0	200
2,3,3',4,4'-Pentachlorobiphenyl	105	0.100	0.500	2.00	10.0	40.0	200
2,3,4,4',5-Pentachlorobiphenyl	114	0.100	0.500	2.00	10.0	40.0	200
2,3',4,4',5-Pentachlorobiphenyl	118	0.500	2.50	10.0	50.0	200	1000
2',3,4,4',5-Pentachlorobiphenyl	123	0.100	0.500	2.00	10.0	40.0	200
3,3',4,4',5-Pentachlorobiphenyl	126	0.100	0.500	2.00	10.0	40.0	200
2,3,3',4,4',5-Hexachlorobiphenyl	156	0.100	0.500	2.00	10.0	40.0	200
2,3,3',4,4',5'-Hexachlorobiphenyl	157	0.100	0.500	2.00	10.0	40.0	200
2,3',4,4',5,5'-Hexachlorobiphenyl	167	0.100	0.500	2.00	10.0	40.0	200
3,3',4,4',5,5'-Hexachlorobiphenyl	169	0.100	0.500	2.00	10.0	40.0	200
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	0.100	0.500	2.00	10.0	40.0	200
NATIVE MARKER PCBs							
2,4,4'-Trichlorobiphenyl	28	0.500	2.50	10.0	50.0	200	1000
2,2',5,5'-Tetrachlorobiphenyl	52	0.500	2.50	10.0	50.0	200	1000
2,2',4,5,5'-Pentachlorobiphenyl	101	0.500	2.50	10.0	50.0	200	1000
2,2',3,4,4',5'-Hexachlorobiphenyl	138	0.500	2.50	10.0	50.0	200	1000
2,2',4,4',5,5'-Hexachlorobiphenyl	153	0.500	2.50	10.0	50.0	200	1000
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	0.500	2.50	10.0	50.0	200	1000
EXTRACTION STANDARDS							
3,3',4,4'-Tetrachloro(¹³C,,)biphenyl	77L	10.0	10.0	10.0	10.0	10.0	10.0
3,4,4',5-Tetrachloro(¹³C,)biphenyl	81L	10.0	10.0	10.0	10.0	10.0	10.0
2,3,3',4,4'-Pentachloro(¹³C ₁₃)biphenyl	105L	10.0	10.0	10.0	10.0	10.0	10.0
2,3,4,4',5-Pentachloro(¹³C,2)biphenyl	114L	10.0	10.0	10.0	10.0	10.0	10.0
2,3',4,4',5-Pentachloro('3C,3)biphenyl	118L	10.0	10.0	10.0	10.0	10.0	10.0
2',3,4,4',5-Pentachloro(13C ₁₂)biphenyl	123L	10.0	10.0	10.0	10.0	10.0	10.0
3,3',4,4',5-Pentachloro(13C ₁₂)biphenyl	126L	10.0	10.0	10.0	10.0	10.0	10.0
2,3,3',4,4',5-Hexachloro('3C,,)biphenyl	156L	10.0	10.0	10.0	10.0	10.0	10.0
2,3,3',4,4',5'-Hexachloro(' ³ C ₁₂)biphenyl		10.0	10.0	10.0	10.0	10.0	10.0
2,3',4,4',5,5'-Hexachloro('3C,,)biphenyl		10.0	10.0	10.0	10.0	10.0	10.0
3,3',4,4',5,5'-Hexachloro(' ¹² C _{,2})biphenyl		10.0	10.0	10.0	10.0	10.0	10.0
2,3,3',4,4',5,5'-Heptachloro(13C ₁₂)biphe		10.0	10.0	10.0	10.0	10.0	10.0
2,4,4'-Trichloro(¹³C ₁₂)biphenyl	28L	10.0	10.0	10.0	10.0	10.0	10.0
2,2',5,5'-Tetrachloro(¹³C,,)biphenyl	52L	10.0	10.0	10.0	10.0	10.0	10.0
2,2',4,5,5'-Pentachloro('3C ₁₂)biphenyl	101L	10.0	10.0	10.0	10.0	10.0	10.0
2,2',3,4,4',5'-Hexachloro(' ³ C _{,2})biphenyl		10.0	10.0	10.0	10.0	10.0	10.0
2,2',4,4',5,5'-Hexachloro(' ³ C _{,2})biphenyl							
2,2',3,4,4',5,5'-Hexachloro(' ³ C ₁₂)biphe		10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0	10.0 10.0
SAMPLING STANDARDS							
2,3,4,4'-Tetrachloro(13C,3)biphenyl	60L	10.0	10.0	10.0	10.0	10.0	10.0
3,3',4,5,5'-Pentachloro("C ₁₂ /biphenyl	127L	10.0	10.0	10.0	10.0	10.0	10.0
2,3,3',4,5,5'-Hexachloro(¹³ C ₁₂)biphenyl	159L	10.0	10.0	10.0	10.0	10.0	10.0
RECOVERY STANDARDS							
2,3',4',5-Tetrachloro(¹³C,,)biphenyl	70L	10.0	10.0	10.0	10.0	10.0	10.0
-, -, -, - recracinoro(C ₁₂)Diprierry							
2,3,3',5,5'-Pentachloro(13C,2)biphenyl	111L	10.0	10.0	10.0	10.0	10.0	10.0

P48-W-PAR: Native Dioxin-Like (WHO) PCB Solution

Catalogue Number	Product (nonane solution)	Qty/Conc
P48-W-PAR	P48-W-PAR; EN 1948-4:2010	1.2 mL
NATIVE DIOXIN-LIKE (WHO) PCBs	IUPAC	P48-W-PAR (pg/µL)
3,3',4,4'-Tetrachlorobiphenyl	77	250
3,4,4',5-Tetrachlorobiphenyl	81	250
2,3,3',4,4'-Pentachlorobiphenyl	105	250
2,3,4,4',5-Pentachlorobiphenyl	114	250
2,3',4,4',5-Pentachlorobiphenyl	118	1500
2',3,4,4',5-Pentachlorobiphenyl	123	250
3,3',4,4',5-Pentachlorobiphenyl	126	250
2,3,3',4,4',5-Hexachlorobiphenyl	156	250
2,3,3',4,4',5'-Hexachlorobiphenyl	157	250
2,3',4,4',5,5'-Hexachlorobiphenyl	167	250
3,3',4,4',5,5'-Hexachlorobiphenyl	169	250
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	250

P48-M-PAR: Native Marker PCB Solution

Catalogue Number	Product (nonane solution)	Qty/Conc
P48-M-PAR	P48-M-PAR; EN 1948-4:2010	1.2 mL
NATIVE MARKER PCBs	IUPAC	P48-M-PAR (pg/µL)
2,4,4'-Trichlorobiphenyl	28	250
2,2',5,5'-Tetrachlorobiphenyl	52	250
2,2',4,5,5'-Pentachlorobiphenyl	101	250
2,2',3,4,4',5'-Hexachlorobiphenyl	138	250
2,2',4,4',5,5'-Hexachlorobiphenyl	153	250
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	250

SUPPORT SOLUTIONS FOR EN 1948-4:2010

Control and Contro			ne solution	***************************************		Qty/Conc
P48-W-ES P48-M-ES P48-SS P48-RS	Marker P Mass-Lab	CB Extraction	CB Extraction St on Standard ampling Standa ecovery Standa	rd		1.2 mL 1.2 mL 1.2 mL 1.2 mL
DIOXIN-LIKE PCB EXTRACTION STA	NDARD	IUPAC	P48-W-ES (pg/µL)	P48-M-ES (pg/µL)	P48-SS (pg/µL)	P48-RS (pg/uL)
						4.5
3,3',4,4'-Tetrachloro(¹³C ₁₂)biphenyl		77L	100	_	_	_
3,4,4',5-Tetrachloro(¹³C ₁₂)biphenyl		81L	100	-	_	_
2,3,3',4,4'-Pentachloro(¹³ C ₁₂)biphenyl		105L	100	-	-	_
2,3,4,4',5-Pentachloro(¹³C ₁₂)biphenyl		114L	100	_	_	=
2,3',4,4',5-Pentachloro(13C ₁₂)biphenyl		118L	100	_	_	_
2',3,4,4',5-Pentachloro(13C ₁₂)biphenyl		123L	100	_	-	-
3,3',4,4',5-Pentachloro(13C ₁₂)biphenyl		126L	100	_	_	_
2,3,3',4,4',5-Hexachloro(¹³C ₁₂)biphenyl		156L	100	_	_	-
2,3,3',4,4',5'-Hexachloro(¹³C ₁₂)bipheny		157L	100	_	_	_
2,3',4,4',5,5'-Hexachloro(¹³C ₁₂)bipheny		167L	100	_	_	_
3,3',4,4',5,5'-Hexachloro(13C ₁₂)bipheny		169L	100	_	_	-
2,3,3',4,4',5,5'-Heptachloro(¹³ C ₁₂)biphe	enyl	189L	100	-	_	-
MARKER PCB EXTRACTION STAND	ARD					
2,4,4'-Trichloro(¹³C,₂)biphenyl		28L	-	1000	_	-
2,2',5,5'-Tetrachloro(13C,,)biphenyl		52L	_	1000	_	_
2,2',4,5,5'-Pentachloro(13C,)biphenyl		101L	_	1000	_	_
2,2',3,4,4',5'-Hexachloro(13C,)bipheny	1	138L	-	1000	_	_
2,2',4,4',5,5'-Hexachloro(13C,)bipheny	1	153L	_	1000	_	-
2,2',3,4,4',5,5'-Heptachloro(13C ₁₂)biphe		180L	-	1000	-	-
MASS-LABELLED PCB SAMPLING S	TANDARD	1.				
2,3,4,4'-Tetrachloro(¹³C,¸)biphenyl		60L	_	-	100	=
3,3',4,5,5'-Pentachloro(13C,)biphenyl		127L	_	-	100	-
2,3,3',4,5,5'-Hexachloro(¹³C ₁₂)biphenyl		159L	-	-	100	_
MASS-LABELLED PCB RECOVERY S	TANDARD					
2,3',4',5-Tetrachloro(¹³C,,)biphenyl		70L	_	_	_	100
-io i i i i i i i i i i i i i i i i i i		111L		_	_	100
2.3.3' 5.5'-Pentachloro(13C)hinhenvl						
2,3,3',5,5'-Pentachloro('3C,2)biphenyl 2,2',3,3',4,4',5-Heptachloro('3C,3)biphe	envl	170L	_		_	100

PCBs: MASS-LABELLED CONGENERS

Wellington began the preparation of $^{13}C_{12}$ -labelled PCBs in the early 1990s and now offers an extensive selection. This includes mass-labelled analogues of the 12 'dioxin-like' PCBs as well as those of the more prominent congeners found in industrial mixtures and the environment.

The ¹³C-PCBs in the following pages were all prepared using one-product, unambiguous routes and purified using a variety of methods. Their structures, chemical and isotopic purities were confirmed using multiple instruments and this data is included in detailed Certificates of Analysis (CofAs).

Additional ¹³C-PCBs may be added in the future, so please continue to visit our website for updates or contact Wellington or your local distributor if you have any requests for additional congeners.



Catalogue	Number	Product
MBP-1	Q 13 _{C6}	2-Chloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-3	(13 _{C6})—(13 _{C6})—C	4-Chloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-4	Cl Cl 13 _{C6}	2,2'-Dichloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-5	C C C C C C C C C C C C C C C C C C C	2,3-Dichloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-8	$CI \longrightarrow \begin{pmatrix} 13 & & \\ & & \\ & & & \\ & \\ & & \\ & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ $	2,4'-Dichloro(¹³C _{1,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-9	13 _{C6}	2,5-Dichloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-11	Cl 13 _{C6} Cl	3,3'-Dichloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-15	$CI \longrightarrow \begin{pmatrix} 13_{C_6} \\ \end{pmatrix} \longrightarrow \begin{pmatrix} 13_{C_6} \\ \end{pmatrix} \longrightarrow CI$	4,4'-Dichloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-19	GI CI CI 13C6	2,2',6-Trichloro(' ³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-28	$a \xrightarrow{13_{C_6}} a$	2,4,4'-Trichloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

Catalogue	Number	Product
MBP-31	$d - \sqrt{3 c_6} - \sqrt{13 c_6}$	2,4',5-Trichloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-37	CI—(13 _{C6})—(13 _{C6})—CI	3,4,4'-Trichloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-52	13 _{C6} 13 _{C6}	2,2',5,5'-Tetrachloro(¹³ C _{1,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-54	13 _{C6} 13 _{C6}	2,2',6,6'-Tetrachloro(' ³ C _{1,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-60	$d = \sqrt{\frac{13}{c_6}} = d$	2,3,4,4'-Tetrachloro(¹²C₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-70		2,3',4',5-Tetrachloro(' ³ C _{1,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-77	$d = \sqrt{3 c_6} = \sqrt{13 c_6} = d$	3,3',4,4'-Tetrachloro(' ³ C _{1,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-79		3,3',4,5'-Tetrachloro(' ³ C _{1,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-81		3,4,4',5-Tetrachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBP-95	13 _{C6}	2,2',3,5',6-Pentachloro(' ² C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

Catalogue	Number	Product	
MBP-101	13 _{C6} 13 _{C6} a	2,2',4,5,5'-Pentachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-104	13 _{C6} 13 _{C6} 0	2,2',4,6,6'-Pentachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-105	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,3,3',4,4'-Pentachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-111	Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	2,3,3',5,5'-Pentachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-114	$C = \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix}$	2,3,4,4',5-Pentachloro($^{13}C_{12}$)biphenyl 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in nonane	
MBP-118	$d \qquad d \qquad d$ $d \qquad d \qquad d$ $d \qquad d \qquad d$	2,3',4,4',5-Pentachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-123	CI—(13 _{C6})—(13 _{C6} —CI	2',3,4,4',5-Pentachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-126	$\begin{array}{c} d \\ d \\ \end{array}$	3,3',4,4',5-Pentachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-127	d 13c ₆ 13c ₆ a	3,3',4,5,5'-Pentachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-133	d d d d d d d d d d d d d d d d d d d	2,2',3,3',5,5'-Hexachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.


Number	Product	
CI 13 _{C6} 13 _{C6} a	2,2',3,4,4',5'-Hexachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
CI CI CI 13C ₆ CI CI	2,2',4,4',5,5'-Hexachloro('³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
CI—(13 _{C6})—CI	2,2',4,4',6,6'-Hexachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
	2,3,3',4,4',5-Hexachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
	2,3,3',4,4',5'-Hexachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	2,3,3',4,5,5'-Hexachloro(' ³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
	2,3,3',4',5,5'-Hexachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
$CI \longrightarrow CI$ $CI \longrightarrow$	2,3',4,4',5,5'-Hexachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
CI————————————————————————————————————	3,3',4,4',5,5'-Hexachloro(¹³C _{,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
$CI \longrightarrow \begin{bmatrix} CI & CI & CI \\ 13C_6 & & CI \end{bmatrix}$	2,2',3,3',4,4',5-Heptachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,2',3,4,4',5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,2',4,4',5,5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,2',4,4',6,6'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,3,3',4,4',5-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,3,3',4,4',5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,3,3',4,5,5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,3,3',4,5,5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,3,3',4,5,5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 2,3',4,4',5,5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane 3,3',4,4',5,5'-Hexachloro("C _{1,1})biphenyl 1,2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

Catalogue I	Number	Product	
MBP-178	Cl C	2,2',3,3',5,5',6-Heptachloro(' ³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-180		2,2',3,4,4',5,5'-Heptachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-188		2,2',3,4',5,6,6'-Heptachloro(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-189		2,3,3',4,4',5,5'-Heptachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-194	d d d d d d	2,2',3,3',4,4',5,5'-Octachloro(' ³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-202	13 _{C6} 13 _{C6}	2,2',3,3',5,5',6,6'-Octachloro(' ³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-205		2,3,3',4,4',5,5',6-Octachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-206		2,2',3,3',4,4',5,5',6-Nonachloro(¹³C,₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-208	13 _{C6} 13 _{C6} a	2,2',3,3',4,5,5',6,6'-Nonachloro(¹³C _{,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBP-209		Decachloro(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

PCBs: SPECIALTY SOLUTION/MIXTURES



PCB-CVS-A10 and PCB-CVS-B10, and their support solutions, were designed and prepared to be used to satisfy the requirements of the Japanese Industrial Standards JIS K 0311:2005 and JIS K 0312:2005. Note that PCB congeners 170 and 180, and their ¹³C analogues, have been added to the 12 'dioxin-like' PCBs. Some years back these two congeners were assigned 'provisional TEFs'.

Also offered is **PCB-CVS-H**, a calibration set with support solutions, and solution/mixtures containing a larger number of PCB congeners.

All of the solutions from this section are accompanied by detailed Certificates of Analysis (CofAs) that include HRGC/LRMS and/or HRGC/HRMS data as appropriate, along with RRF summaries for each calibration set.



	PCB-CS6-I (ng/mL) 200 200
200 µL 200 µL 200 µL 200 µL 200 µL 200 µL 40.0 40.0	(ng/mL) 200 200
200 µL 200 µL 200 µL 200 µL 200 µL 200 µL 40.0 40.0	(ng/mL) 200 200
200 µL 200 µL 200 µL -H PCB-CS5-H P (ng/mL) 40.0 40.0	(ng/mL) 200 200
200 µL 200 µL 	(ng/mL) 200 200
200 µL	(ng/mL) 200 200
H-H PCB-CS5-H P (ng/mL) 40.0 40.0 40.0	(ng/mL) 200 200
40.0 40.0 40.0 40.0	(ng/mL) 200 200
40.0 40.0	200
40.0	
	200
40.0	
	200
40.0	200
40.0	200
40.0	200
40.0	200
40.0	200
40.0	200
40.0	200
50.0	FOO
	50.0 50.0
	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
	50.0
	50.0
	50.0 50.0
	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
	50.0
	50.0
	50.0
	50.0
	50.0
	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
50.0	50.0
	50.0
	50.0 50.0
50.0	50.0
	50.0
	50.0
	50.0 50.0
	50.0
	2010
50.0	
50.0	50.0
50.0	
	50.0 50.0 50.0 50.0 50.0 50.0 50.0 50.0

Catalogue Number	Product (nonane solution)	Qty/Conc
PCB-LCS-H	Mass-Labelled PCB Extraction Standards	1.2 mL
PCB-ISS-H	Mass-Labelled PCB Recovery/Internal Standards	1.2 mL
PCB-SCS-H	Mass-Labelled PCB Sampling/Cleanup Standards	1.2 mL
PCB-PAR-H	Native PCB Solution	1.2 mL

NATIVE PCBs (IUPAC)		PCB-LCS-H (ng/mL)	PCB-ISS-H (ng/mL)	PCB-SCS-H (ng/mL)	PCB-PAR-H (ng/mL)
CHLOROBIPHENYLS		_	-	-	500
1, 3 DICHLOROBIPHENYLS		_	_	_	500
4, 6, 8, 10, 15					300
TRICHLOROBIPHENYLS		-	_	_	500
16, 18, 19, 22, 28, 31, 33, 37					500
TETRACHLOROBIPHENYLS 40, 41, 44, 49, 52, 54, 60, 66, 70,		=		-	500
74, 77, 81					
PENTACHLOROBIPHENYLS		-	-	_	500
84, 85, 87, 90, 95, 97, 99, 101, 104					
105, 110, 114, 118, 119, 123, 126 HEXACHLOROBIPHENYLS		_	_		500
128, 129, 135, 137, 138, 141, 149, 151,					
153, 155, 156, 157, 158, 167, 168, 169					
HEPTACHLOROBIPHENYLS		_	_	-	500
170,171, 174, 177, 178, 180, 183, 187, 188, 189, 191, 193					
OCTACHLOROBIPHENYLS		_	_	_	500
194, 199, 200, 201, 202, 203, 205					
NONACHLOROBIPHENYLS		_	-	-	500
206, 207, 208 DECACHLOROBIPHENYL			=	=	500
209					200
MASS-LABELLED PCBs	IUPAC				
EXTRACTION STANDARDS	1L	1000			
2-Chloro("²C,,)biphenyl 4-Chloro("²C,,)biphenyl	3L	1000	= =	=	=
2,2'-Dichloro(' ³ C,)biphenyl	4L	1000	_	_	-
2,4'-Dichloro(¹³C,)biphenyl	8L	1000	_	=	
4,4'-Dichloro(¹²C,₂)biphenyl	15L	1000	_	_	-
2,2',6-Trichloro(' ³ C _{,2})biphenyl	19L	1000	_	_	-
2,4,4'-Trichloro(13C ₁₂)biphenyl	28L 52L	1000 1000		=	
2,2',5,5'-Tetrachloro('³C,2)biphenyl 2,2',6,6'-Tetrachloro('³C,2)biphenyl	54L	1000	=	=	Ξ.
2,3',4',5-Tetrachloro(' ¹ C,)biphenyl	70L	1000		_	Ξ
3,3',4,4'-Tetrachloro('3C,2)biphenyl	77L	1000	_	_	_
3,4,4',5-Tetrachloro(¹²C,₂)biphenyl	81L	1000	_	_	-
2,2',3,5',6-Pentachloro("C,2)biphenyl	95L 101L	1000	_	-	-
2,2',4,5,5'-Pentachloro("C,,)biphenyl 2,2',4,6,6'-Pentachloro("C,,)biphenyl	101L	1000 1000			
2,3,3',4,4'-Pentachloro("C,)biphenyl	105L	1000		_	_
2,3,4,4',5-Pentachloro(¹³C,)biphenyl	114L	1000	_	=	-
2,3',4,4',5-Pentachloro(¹³C,₂)biphenyl	118L	1000	-	-	-
2',3,4,4',5-Pentachloro("C,2)biphenyl	123L	1000	-	_	-
3,3',4,4',5-Pentachloro("C,,)biphenyl 2,2',3,4,4',5'-Hexachloro("C,,)biphenyl	126L 138L	1000 1000	Ξ		=
2,2',4,4',5,5'-Hexachloro(' ¹ C _{1,2} biphenyl	153L	1000			_
2,2',4,4',6,6'-Hexachloro(' ¹ C,)biphenyl	155L	1000	_	_	_
2,3,3',4,4',5-Hexachloro("C ₁₂)biphenyl	156L	1000	-	-	_
2,3,3',4,4',5'-Hexachloro(¹³C,₂)biphenyl	157L	1000	_	_	_
2,3',4,4',5,5'-Hexachloro("C,2)biphenyl	167L 169L	1000 1000	=	=	
3,3',4,4',5,5'-Hexachloro(' ³ C _{,2})biphenyl 2,2',3,3',4,4',5-Heptachloro(' ³ C _{,2})biphenyl	170L	1000	=	=	
2,2',3,4,4',5,5'-Heptachloro('C,)biphenyl	180L	1000	_	_	-
2,2',3,4',5,6,6'-Heptachloro('3C,2)biphenyl	188L	1000	_	_	_
2,3,3',4,4',5,5'-Heptachloro("C ₁₂)biphenyl	189L	1000	=	= -	-
2,2',3,3',5,5',6,6'-Octachloro('3C,3)biphenyl	202L	1000	= =	=	=
2,3,3',4,4',5,5',6-Octachloro('²C,¸)biphenyl 2,2',3,3',4,5,5',6,6'-Nonachloro('²C,¸)biphenyl	205L 208L	1000 1000	= =		
Decachloro("C _{1,2})biphenyl	209L	1000			100
RECOVERY/INTERNAL STANDARDS		200			
2,5-Dichloro(¹³C,₂)biphenyl	9L	_	1000	_	_
3,4,4'-Trichloro('3C,)biphenyl	37L	=	1000	_	_
3,3',4,5'-Tetrachloro('3C ₂)biphenyl	79L 111L	Ξ	1000 1000	=	
2,3,3',5,5'-Pentachloro(' ¹ C, ₂)biphenyl 2,3,3',4',5,5'-Hexachloro(' ¹ C, ₂)biphenyl	162L	=	1000	=	
2,2',3,3',4,4',5,5'-Octachloro(' ¹ C _,)biphenyl	194L		1000	-	-
2,2',3,3',4,4',5,5',6-Nonachloro(¹³C,,)biphenyl	206L	-	1000	=	_
SAMPLING/CLEANUP STANDARDS	501			1000	
2,3,4,4'-Tetrachloro(' ¹ C _{-,})biphenyl 2,3,3',4,5,5'-Hexachloro(' ¹ C _{-,})biphenyl	60L 159L	-	Ξ	1000 1000	

3,3',4,5'-Tetrachloro(13C₁₂)biphenyl

Catalogue Number	Product (nor	nane solutio	n)		Q	ty/Conc	
PCB-CVS-A10-Set2	CS1/CS3/CS5/CS7/ CS2/CS4/CS6/CS8/ CS3/CS5/CS7/CS9/	CS10			1 kit (5 ampoules) 1 kit (5 ampoules) 1 kit (5 ampoules)		
		alibration/Low L	ovol			mpoules) 200 µL	
	CS1	alibration/Low L	evei			200 μL	
	CS2					200 µL	
	CS3					200 µL	
PCB-A10-CS4	CS4					200 µL	
		PCB-A10- CSL	PCB-A10- CS1	PCB-A10- CS2	PCB-A10- CS3	PCB-A10- CS4	
NATIVE PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	
3,3',4,4'-Tetrachlorobiphenyl	77	0.0500	0.100	0.200	0.500	1.00	
3,4,4',5-Tetrachlorobiphenyl	81	0.0500	0.100	0.200	0.500	1.00	
2,3,3',4,4'-Pentachlorobiphenyl	105	0.0500	0.100	0.200	0.500	1.00	
2,3,4,4',5-Pentachlorobiphenyl	114	0.0500	0.100	0.200	0.500	1.00	
2,3',4,4',5-Pentachlorobiphenyl	118	0.0500	0.100	0.200	0.500	1.00	
2',3,4,4',5-Pentachlorobiphenyl	123	0.0500	0.100	0.200	0.500	1.00	
3,3',4,4',5-Pentachlorobiphenyl	126	0.0500	0.100	0.200	0.500	1.00	
2,3,3',4,4',5-Hexachlorobiphenyl	156	0.0500	0.100	0.200	0.500	1.00	
2,3,3',4,4',5'-Hexachlorobiphenyl	157	0.0500	0.100	0.200	0.500	1.00	
2,3',4,4',5,5'-Hexachlorobiphenyl	167	0.0500	0.100	0.200	0.500	1.00	
3,3',4,4',5,5'-Hexachlorobiphenyl	169	0.0500	0.100	0.200	0.500	1.00	
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	0.0500	0.100	0.200	0.500	1.00	
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	0.0500	0.100	0.200	0.500	1.00	
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	0.0500	0.100	0.200	0.500	1.00	
EXTRACTION SPIKE							
3,3',4,4'-Tetrachloro(¹³C,₂)biphenyl	77L	10.0	10.0	10.0	10.0	10.0	
3,4,4',5-Tetrachloro(13C ₁₂)biphenyl	81L	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4'-Pentachloro(¹³C ₁₂)biphenyl	105L	10.0	10.0	10.0	10.0	10.0	
2,3,4,4',5-Pentachloro(13C ₁₂)biphenyl	114L	10.0	10.0	10.0	10.0	10.0	
2,3',4,4',5-Pentachloro(¹³C ₁₂)biphenyl	118L	10.0	10.0	10.0	10.0	10.0	
2',3,4,4',5-Pentachloro(¹³C ₁₂)biphenyl	123L	10.0	10.0	10.0	10.0	10.0	
3,3',4,4',5-Pentachloro(¹³C ₁₂)biphenyl	126L	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4',5-Hexachloro(13C ₁₂)biphenyl	156L	10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4',5'-Hexachloro(¹³ C ₁₂)biphenyl	157L	10.0	10.0	10.0	10.0	10.0	
2,3',4,4',5,5'-Hexachloro(13C ₁₂)biphenyl	167L	10.0	10.0	10.0	10.0	10.0	
3,3',4,4',5,5'-Hexachloro(13C ₁₂)biphenyl	169L	10.0	10.0	10.0	10.0	10.0	
2,2',3,3',4,4',5-Heptachloro(¹³ C ₁₂)biphen		10.0	10.0	10.0	10.0	10.0	
2,2',3,4,4',5,5'-Heptachloro(1 ³ C ₁₂)bipher		10.0	10.0	10.0	10.0	10.0	
2,3,3',4,4',5,5'-Heptachloro(¹³C ₁₂)biphen	yl 189L	10.0	10.0	10.0	10.0	10.0	
SYRINGE SPIKE							
2,3',4',5-Tetrachloro(¹³C,₂)biphenyl	70L	10.0	10.0	10.0	10.0	10.0	
2,3,3',5,5'-Pentachloro(¹³C ₁₂)biphenyl	111L	10.0	10.0	10.0	10.0	10.0	
2,2',3,4,4',5'-Hexachloro(' ³ C ₁₂)biphenyl	138L	10.0	10.0	10.0	10.0	10.0	
SAMPLING SPIKE							

10.0

10.0

10.0

10.0

10.0

79L

Catalogue N	lumber	Proc	luct (nonar	ne solution)		Qty/Conc
CB-A10-CS5		CS5					200 µL
CB-A10-CS6		CS6					200 µL
CB-A10-CS7		CS7					200 µL
CB-A10-CS8		CS8					200 µL
PCB-A10-CS9		CS9					200 µL
PCB-A10-CS10		CS10					200 µL
PCB-A10-CS11		CS11	F				200 µL
CB-A10-CSH		CSH	Extended Calil	oration/High L	evel		200 µL
PCB-A10-	PCB-A10-	PCB-A10-	PCB-A10-	PCB-A10-	PCB-A10-	PCB-A10-	PCB-A10-
CS5	CS6	CS7	CS8	CS9	CS10	CS11	CSH
(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00					100	250	
	5.00	10.0	20.0	50.0			1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
2.00	5.00	10.0	20.0	50.0	100	250	1000
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0			10.0	10.0	10.0
			10.0	10.0			
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0

PCB-CVS-B10

Catalogue Number	Product (nonane s	olution)		Qty/Cond
PCB-CVS-B10-Set2	CS1/CS2/CS3/CS4/CS5 CS2/CS3/CS4/CS5/CS6			t (5 ampoules) t (5 ampoules)
	CS1			200 μL
	CS2 CS3			200 μL 200 μL
rcb-b10-c33	C33			200 με
		PCB-B10-	PCB-B10-	PCB-B10-
		CS1	CS2	CS3
NATIVE PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)
3,3',4,4'-Tetrachlorobiphenyl	77	0.200	1.00	4.00
3,4,4',5-Tetrachlorobiphenyl	81	0.200	1.00	4.00
2,3,3',4,4'-Pentachlorobiphenyl	105	0.200	1.00	4.00
2,3,4,4',5-Pentachlorobiphenyl	114	0.200	1.00	4.00
2,3',4,4',5-Pentachlorobiphenyl	118	0.200	1.00	4.00
2',3,4,4',5-Pentachlorobiphenyl	123	0.200	1.00	4.00
3,3',4,4',5-Pentachlorobiphenyl	126	0.200	1.00	4.00
2,3,3',4,4',5-Hexachlorobiphenyl	156	0.200	1.00	4.00
2,3,3',4,4',5'-Hexachlorobiphenyl	157	0.200	1.00	4.00
2,3',4,4',5,5'-Hexachlorobiphenyl	167	0.200	1.00	4.00
3,3',4,4',5,5'-Hexachlorobiphenyl	169	0.200	1.00	4.00
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	0.200	1.00	4.00
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	0.200	1.00	4.00
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	0.200	1.00	4.00
EXTRACTION SPIKE				
3,3',4,4'-Tetrachloro(¹³C _{1,2})biphenyl	77L	10.0	10.0	10.0
3,4,4',5-Tetrachloro(13C ₁₂)biphenyl	81L	10.0	10.0	10.0
2,3,3',4,4'-Pentachloro(13C ₁₂)biphenyl	105L	10.0	10.0	10.0
2,3,4,4',5-Pentachloro(13C,2)biphenyl	114L	10.0	10.0	10.0
2,3',4,4',5-Pentachloro(13C ₁₂)biphenyl	118L	10.0	10.0	10.0
2',3,4,4',5-Pentachloro(13C ₁₂)biphenyl	123L	10.0	10.0	10.0
3,3',4,4',5-Pentachloro(13C ₁₂)biphenyl	126L	10.0	10.0	10.0
2,3,3',4,4',5-Hexachloro(13C ₁₂)biphenyl	156L	10.0	10.0	10.0
2,3,3',4,4',5'-Hexachloro(¹³ C ₁₂)biphenyl	157L	10.0	10.0	10.0
2,3',4,4',5,5'-Hexachloro(13C ₁₂)biphenyl	167L	10.0	10.0	10.0
3,3',4,4',5,5'-Hexachloro(¹³ C ₁₂)biphenyl	169L	10.0	10.0	10.0
2,2',3,3',4,4',5-Heptachloro(¹³ C ₁₂)biphen		10.0	10.0	10.0
2,2',3,4,4',5,5'-Heptachloro(13C ₁₂)biphen		10.0	10.0	10.0
2,3,3',4,4',5,5'-Heptachloro(¹³C ₁₂)biphen	yl 189L	10.0	10.0	10.0
SYRINGE SPIKE				
2,3',4',5-Tetrachloro(¹³C,,)biphenyl	70L	10.0	10.0	10.0
2,3,3',5,5'-Pentachloro(13C,)biphenyl	111L	10.0	10.0	10.0
2,2',3,4,4',5'-Hexachloro(¹³C,,)biphenyl	138L	10.0	10.0	10.0
2,2',3,3',5,5',6-Heptachloro(¹³ C ₁₂)biphen		10.0	10.0	10.0
SAMPLING SPIKE				
3,3',4,5'-Tetrachloro(¹³C ₁₂)biphenyl	79L	10.0	10.0	10.0

Catalogue Number	Product (nonane solution)	Qty/Cond
PCB-B10-CS4	CS4	200 µL
PCB-B10-CS5	CS5	200 µL
PCB-B10-CS6	CS6	200 µL
PCB-B10-CS7	CS7	200 µL

NATIVE PCBs	IUPAC	PCB-B10- CS4 (ng/mL)	PCB-B10- CS5 (ng/mL)	PCB-B10- CS6 (ng/mL)	PCB-B10 CS7 (ng/mL)
3,3',4,4'-Tetrachlorobiphenyl	77	20.0	100	400	1000
3,4,4',5-Tetrachlorobiphenyl	81	20.0	100	400	1000
2,3,3',4,4'-Pentachlorobiphenyl	105	20.0	100	400	1000
2,3,4,4',5-Pentachlorobiphenyl	114	20.0	100	400	1000
2,3',4,4',5-Pentachlorobiphenyl	118	20.0	100	400	1000
2',3,4,4',5-Pentachlorobiphenyl	123	20.0	100	400	1000
3,3',4,4',5-Pentachlorobiphenyl	126	20.0	100	400	1000
2,3,3',4,4',5-Hexachlorobiphenyl	156	20.0	100	400	1000
2,3,3',4,4',5'-Hexachlorobiphenyl	157	20.0	100	400	1000
2,3',4,4',5,5'-Hexachlorobiphenyl	167	20.0	100	400	1000
3,3',4,4',5,5'-Hexachlorobiphenyl	169	20.0	100	400	1000
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	20.0	100	400	1000
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	20.0	100	400	1000
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	20.0	100	400	1000
EXTRACTION SPIKE					
3,3',4,4'-Tetrachloro(¹³C,,)biphenyl	77L	10.0	10.0	10.0	10.0
3,4,4',5-Tetrachloro(¹³C ₁₂)biphenyl	81L	10.0	10.0	10.0	10.0
2,3,3',4,4'-Pentachloro(¹³C ₁₂)biphenyl	105L	10.0	10.0	10.0	10.0
2,3,4,4',5-Pentachloro(¹³C,,2)biphenyl	114L	10.0	10.0	10.0	10.0
2,3',4,4',5-Pentachloro(¹³C ₁₂)biphenyl	118L	10.0	10.0	10.0	10.0
2',3,4,4',5-Pentachloro(¹³C ₁₂)biphenyl	123L	10.0	10.0	10.0	10.0
3,3',4,4',5-Pentachloro(13C ₁₂)biphenyl	126L	10.0	10.0	10.0	10.0
2,3,3',4,4',5-Hexachloro(¹³C ₁₂)biphenyl	156L	10.0	10.0	10.0	10.0
2,3,3',4,4',5'-Hexachloro(¹³C ₁₂)biphenyl	157L	10.0	10.0	10.0	10.0
2,3',4,4',5,5'-Hexachloro(¹³C ₁₂)biphenyl	167L	10.0	10.0	10.0	10.0
3,3',4,4',5,5'-Hexachloro(¹³C,2)biphenyl	169L	10.0	10.0	10.0	10.0
2,2',3,3',4,4',5-Heptachloro(¹³ C ₁₂)biphenyl	170L	10.0	10.0	10.0	10.0
2,2',3,4,4',5,5'-Heptachloro(¹³ C _{,2})biphenyl	180L	10.0	10.0	10.0	10.0
2,3,3',4,4',5,5'-Heptachloro(' ³ C ₁₂)biphenyl	189L	10.0	10.0	10.0	10.0
SYRINGE SPIKE					
2,3',4',5-Tetrachloro(¹³C ₁₂)biphenyl	70L	10.0	10.0	10.0	10.0
2,3,3',5,5'-Pentachloro(¹³C ₁₂)biphenyl	111L	10.0	10.0	10.0	10.0
2,2',3,4,4',5'-Hexachloro(¹³C ₁₂)biphenyl	138L	10.0	10.0	10.0	10.0
2,2',3,3',5,5',6-Heptachloro('3C ₁₂)biphenyl	178L	10.0	10.0	10.0	10.0
SAMPLING SPIKE					

MASS-LABELLED PCBs: SOLUTION/MIXTURES

Support solutions for PCB-CVS-A10, PCB-CVS-B10, and DFP-CVS-B10

PCB-LCS-A1	Mass-Labelled PCB Solution	n/Mixture		1.2 mL
PCB-LCS-A100	Mass-Labelled PCB Solution	n/Mixture		1.2 mL
PCB-LCS-A20	Mass-Labelled PCB Solution	n/Mixture		1.2 mL
CD ECS ALO	Wass Eaberied 1 Cb Soldto	WWW.		1.2 1112
		PCB-LCS-A1	PCB-LCS-A100	PCB-LCS-A20
MASS-LABELLED PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)
3,3',4,4'-Tetrachloro(13C,,)biphenyl	77L	1000	100	20.0
3,4,4',5-Tetrachloro(13C,)biphenyl	81L	1000	100	20.0
2,3,3',4,4'-Pentachloro(¹³ C _{1,2})biphenyl	105L	1000	100	20.0
2,3,4,4',5-Pentachloro(¹³C,3)biphenyl	114L	1000	100	20.0
2,3',4,4',5-Pentachloro(' ³ C ₁₂)biphenyl	118L	1000	100	20.0
2',3,4,4',5-Pentachloro(13C ₁₂)biphenyl	123L	1000	100	20.0
3,3',4,4',5-Pentachloro(¹³C ₁₂)biphenyl	126L	1000	100	20.0
2,3,3',4,4',5-Hexachloro(¹³C ₁₂)biphenyl	156L	1000	100	20.0
2,3,3',4,4',5'-Hexachloro(¹³C ₁₂)biphenyl	157L	1000	100	20.0
2,3',4,4',5,5'-Hexachloro(13C,2)biphenyl	167L	1000	100	20.0
3,3',4,4',5,5'-Hexachloro(13C,,)biphenyl	169L	1000	100	20.0
2,2',3,3',4,4',5-Heptachloro(13C,,)bipher	nyl 170L	1000	100	20.0
2,2',3,4,4',5,5'-Heptachloro(13C,)bipher		1000	100	20.0
2,3,3',4,4',5,5'-Heptachloro(13C,3)bipher		1000	100	20.0
E,3,3,4,4,3,3 Treptachiolo(C ₁₂ /bipher	1032	1000	100	20.0
PCB-IS-A	Mass-Labelled PCB Solution	n		1.2 mL
PCB-IS-A100	Mass-Labelled PCB Solution	n		1.2 mL
PCB-IS-A20	Mass-Labelled PCB Solution	n		1.2 mL
		PCB-IS-A	PCB-IS-A100	PCB-IS-A20
MASS-LABELLED PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)
2,3',4',5-Tetrachloro(¹³C ₁₂)biphenyl	70L	1000	100	20.0
PCB-IS-B	Mass-Labelled PCB Solution	- /h Alicebi com		1.2 mi
				1.2 mL
PCB-IS-B100	Mass-Labelled PCB Solution			1.2 mL
PCB-IS-B20	Mass-Labelled PCB Solution	n/Mixture		1.2 mL
		PCB-IS-B	PCB-IS-B100	PCB-IS-B20
MASS-LABELLED PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)
2,3',4',5-Tetrachloro(¹³C,,)biphenyl	70L	1000	100	20.0
2,3,3',5,5'-Pentachloro(13C ₁₂)biphenyl	111L	1000	100	20.0
2,2',3,4,4',5'-Hexachloro(¹³ C ₁₂)biphenyl	138L	1000	100	20.0
PCB-IS-C	Mass-Labelled PCB Solution	n/Mixture		1.2 mL
PCB-IS-C100	Mass-Labelled PCB Solution			1.2 mL
PCB-IS-C20	Mass-Labelled PCB Solution			1.2 mL
-CB-13-C20	Mass-Labelled FCB Solution	Wivincture		1.2 111
		PCB-IS-C	PCB-IS-C100	PCB-IS-C20
MASS-LABELLED PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)
2,3',4',5-Tetrachloro(¹³C,,)biphenyl	70L	1000	100	20.0
2,3,3',5,5'-Pentachloro('3C,,)biphenyl	111L	1000	100	20.0
2,2',3,4,4',5'-Hexachloro(¹³C₁₂)biphenyl	138L	1000	100	20.0
2,2',3,3',5,5',6-Heptachloro(¹³ C ₁₂)bipher	nyl <i>178L</i>	1000	100	20.0
PCB-SS-A	Mass-Labelled PCB Solution	n		1.2 mL
PCB-SS-A100	Mass-Labelled PCB Solution			1.2 mL
PCB-SS-A20	Mass-Labelled PCB Solution			1.2 mL
CD-33-M20	iviass-Labelled PCB Solution			1.2 IIIL
		PCB-SS-A	PCB-SS-A100	PCB-SS-A20
			(ng/mL)	(ng/mL)
MASS-LABELLED PCBs	IUPAC	(ng/mL)	(ng/mi)	(ng/mi)

MASS-LABELLED PCBs: SOLUTION/MIXTURES

Catalogue Number	Product (nonane solution)	Qty/Conc
MBP-CP	Mass-Labelled Coplanar PCB Solution/Mixture	1.2 mL
	IUPAC	
3,3',4,4'-Tetrachloro('3C ₁₂)biphenyl	77L	10.0 μg/ml
3,4,4',5-Tetrachloro(¹³C ₁₂)biphenyl	81L	10.0 μg/ml
$3,3',4,4',5\text{-Pentachloro}(^{13}\text{C}_{_{12}}) biphenyl$	126L	10.0 μg/mL
3,3',4,4',5,5'-Hexachloro(¹³ C ₁₂)bipheny	yl 169L	10.0 μg/mL
мвр-мо	Mass-Labelled Mono-ortho PCB Solution/Mixture	1.2 mL
	IUPAC	
$2,3,3',4,4'\text{-Pentachloro}(^{13}\text{C}_{_{12}})\text{biphenyl}$	105L	5.00 μg/ml
2,3,4,4',5-Pentachloro(¹³C ₁₂)biphenyl	114L	5.00 μg/mL
2,3',4,4',5-Pentachloro($^{13}C_{12}$)biphenyl	118L	5.00 μg/ml
2',3,4,4',5-Pentachloro('3C ₁₂)biphenyl	123L	5.00 μg/mL
2,3,3',4,4',5-Hexachloro(13C,2)bipheny	1 156L	5.00 μg/mL
2,3,3',4,4',5'-Hexachloro(13C ₁₂)bipheny	yl 157L	5.00 μg/mL
2,3',4,4',5,5'-Hexachloro(13C ₁₂)bipheny	yl 167L	5.00 μg/mL
2,3,3',4,4',5,5'-Heptachloro(¹³ C ₁₂)biph	enyl <i>189L</i>	5.00 μg/mL
MBP-CG	Mass-Labelled Mono to Decachloro PCB Solution/Mixture	e 1.2 mL
A Chlora (9C Neighborn)	IUPAC	F 00/
4-Chloro(13C ₁₂)biphenyl	3L	5.00 μg/mL
4,4'-Dichloro(¹³C ₁₂)biphenyl	15L	5.00 μg/mL
2,4',5-Trichloro(¹³C ₁₂)biphenyl	31L 52L	5.00 μg/mL
2,2',5,5'-Tetrachloro(13C ₁₂)biphenyl	118L	5.00 μg/mL
2,3',4,4',5-Pentachloro('3C ₁₂)biphenyl		5.00 µg/mL
2,2',4,4',5,5'-Hexachloro(13C ₁₂)bipheny		5.00 µg/mL
2,2',3,4,4',5,5'-Heptachloro('3C ₁₂)biph		5.00 µg/mL
2,2',3,3',4,4',5,5'-Octachloro(¹³ C ₁₂)bipl 2,2',3,3',4,4',5,5',6-Nonachloro(¹³ C ₁₂)b		5.00 μg/mL 5.00 μg/mL
Decachloro(¹³ C ₁₂)biphenyl	209L	5.00 μg/mL
WBP-MXE	Mass-Labelled PCB Solution/Mixture	1.2 mL
	IUPAC	
2,4,4'-Trichloro(13C ₁₂)biphenyl	28L	5.00 μg/mL
2,2',5,5'-Tetrachloro(¹³C ₁₂)biphenyl	52L	5.00 µg/mL
2,2',4,5,5'-Pentachloro(13C ₁₂)biphenyl	101L	5.00 µg/mL
2,2',3,4,4',5'-Hexachloro(13C ₁₂)bipheny	yl 138L	5.00 μg/mL
2,2',4,4',5,5'-Hexachloro(13C ₁₂)bipheny	yl 153L	5.00 μg/mL
2,2',3,4,4',5,5'-Heptachloro(13C ₁₂)biph	enyl 180L	5.00 μg/mL
Decachloro(13C ₁₂)biphenyl	209L	5.00 μg/mL

NATIVE PCBs: SOLUTION/MIXTURES

(*) Support solutions for PCB-CVS-A10, PCB-CVS-B10, and DFP-CVS-B10

Catalogue Number	Product (nonane so	lution)		Qty/Conc
PCB-ST-A*	Native PCB Stock Solution/N		1.2 mL	
PCB-ST-A10*	Native PCB Stock Solution/N	lixture		1.2 mL
PCB-ST-A2*	Native PCB Stock Solution/N	lixture		1.2 mL
		PCB-ST-A*	PCB-ST-A10*	PCB-ST-A2*
NATIVE PCBs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)
3,3',4,4'-Tetrachlorobiphenyl	77	2000	10.0	2.00
3,4,4',5-Tetrachlorobiphenyl	81	2000	10.0	2.00
2,3,3',4,4'-Pentachlorobiphenyl	105	2000	10.0	2.00
2,3,4,4',5-Pentachlorobiphenyl	114	2000	10.0	2.00
2,3',4,4',5-Pentachlorobiphenyl	118	2000	10.0	2.00
2',3,4,4',5-Pentachlorobiphenyl	123	2000	10.0	2.00
3,3',4,4',5-Pentachlorobiphenyl	126	2000	10.0	2.00
2,3,3',4,4',5-Hexachlorobiphenyl	156	2000	10.0	2.00
2,3,3',4,4',5'-Hexachlorobiphenyl	157	2000	10.0	2.00
2,3',4,4',5,5'-Hexachlorobiphenyl	167	2000	10.0	2.00
3,3',4,4',5,5'-Hexachlorobiphenyl	169	2000	10.0	2.00
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	2000	10.0	2.00
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	2000	10.0	2.00
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	2000	10.0	2.00

BP-CP81

Catalogue Number	Product (nonane solution)	Qty/Conc
BP-CP81	Native Coplanar PCB Solution/Mixture	1.2 mL
NATIVE PCBs	IUPAC	
3,3',4,4'-Tetrachlorobiphenyl	77	10.0 μg/mL
3,4,4',5-Tetrachlorobiphenyl	81	10.0 μg/mL
3,3',4,4',5-Pentachlorobiphenyl	126	10.0 μg/mL
3,3',4,4',5,5'-Hexachlorobiphenyl	169	10.0 µg/mL

Catalogue Number	Product (nonane solution)	Qty/Conc
BP-WD	Native PCB Window Defining Solution/Mixture for DB-5 or Equivalent Columns	1.2 mL
NATIVE PCBs	IUPAC	
Biphenyl	=	2.50 μg/mL
2-Chlorobiphenyl	1	2.50 μg/mL
4-Chlorobiphenyl	3	2.50 µg/mL
2,6-Dichlorobiphenyl	10	2.50 µg/mL
4,4'-Dichlorobiphenyl	15	2.50 µg/mL
2,2',6-Trichlorobiphenyl	19	2.50 μg/mL
3,4,4'-Trichlorobiphenyl	37	2.50 µg/mL
2,2',6,6'-Tetrachlorobiphenyl	54	2.50 µg/mL
3,3',4,4'-Tetrachlorobiphenyl	77	2.50 µg/mL
2,2',4,6,6'-Pentachlorobiphenyl	104	2.50 µg/mL
3,3',4,4',5-Pentachlorobiphenyl	126	2.50 µg/mL
2,2',4,4',6,6'-Hexachlorobiphenyl	155	2.50 µg/mL
3,3',4,4',5,5'-Hexachlorobiphenyl	169	2.50 µg/mL
2,2',3,4',5,6,6'-Heptachlorobiphenyl	188	2.50 µg/mL
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	2.50 µg/mL
2,2',3,3',5,5',6,6'-Octachlorobiphenyl	202	2.50 µg/mL
2,3,3',4,4',5,5',6-Octachlorobiphenyl	205	2.50 µg/mL
2,2',3,3',4,4',5,5',6-Nonachlorobipheny	yl 206	2.50 µg/mL
2,2',3,3',4,5,5',6,6'-Nonachlorobipheny	yl 208	2.50 µg/mL
Decachlorobiphenyl	209	2.50 μg/mL

BP-MO

Catalogue Number	Product (nonane solution)	Qty/Conc	
вр-мо	Native Mono-ortho PCB Solution/Mixture	1.2 mL	
NATIVE PCBs	IUPAC		
2,3,3',4,4'-Pentachlorobiphenyl	105	10.0 μg/mL	
2,3,4,4',5-Pentachlorobiphenyl	114	10.0 μg/mL	
2,3',4,4',5-Pentachlorobiphenyl	118	10.0 μg/mL	
2',3,4,4',5-Pentachlorobiphenyl	123	10.0 μg/mL	
2,3,3',4,4',5-Hexachlorobiphenyl	156	10.0 μg/mL	
2,3,3',4,4',5'-Hexachlorobiphenyl	157	10.0 μg/mL	
2,3',4,4',5,5'-Hexachlorobiphenyl	167	10.0 μg/mL	
2,3,3',4,4',5,5'-Heptachlorobiphenyl	189	10.0 μg/mL	

BP-MS


BP-MS-PL1, **BP-MS-PL2**, and **BP-MS-PL3** were prepared to be used in the identification/confirmation of the PCB congeners in **BP-MS**. Although DB-5 data is provided with **BP-MS**, there can be changes in the elution order on "equivalent capillary columns".

Catalogue Number	Product (non	ane solutio	n)		Q	ty/Conc
BP-MS BP-MS2 BP-MS-PL1 BP-MS-PL2 BP-MS-PL3	Native PCB Solution/N Native PCB Solution/N Native PCB Solution/N Native PCB Solution/N Native PCB Solution/N	1.2 mL 1.2 mL 1.2 mL 1.2 mL 1.2 mL				
CO CONCENTRA	wnec	BP-MS	BP-MS2	BP-MS- PL1	BP-MS- PL2	BP-MS- PL3
PCB CONGENERS	IUPAC	(µg/mL)	(µg/mL)	(µg/mL)	(µg/mL)	(µg/mL)
2-Chlorobiphenyl 4-Chlorobiphenyl	1 3	2.00 2.00	Ξ	Ξ	==	Ξ
2,2'-Dichlorobiphenyl	4	2.00	-	_	-	_
2,4'-Dichlorobiphenyl 2,6- Dichlorobiphenyl	8 10	2.00 2.00	=	=	=	Ξ
4,4'-Dichlorobiphenyl	15	2.00		=		
2,2',5-Trichlorobiphenyl 2,2',6-Trichlorobiphenyl	18 19	2.00 2.00	-	=	-	
2,3,4'-Trichlorobiphenyl	22	2.00	=	Ξ		=
2,4,4'-Trichlorobiphenyl 2',3,4-Trichlorobiphenyl	28 33	2.00 2.00	Ξ			Ξ
3,4,4'-Trichlorobiphenyl	37	2.00	_	-	-	-
2,2',3,3'-Tetrachlorobiphenyl 2,2',3,4-Tetrachlorobiphenyl	40 41	=	2.00 2.00	=	=	=
2,2',3,5'-Tetrachlorobiphenyl	44	2.00		Ξ	=	=
2,2',4,5'-Tetrachlorobiphenyl 2,2',5,5'-Tetrachlorobiphenyl	49 52	2.00 2.00	Ξ	2.00	2.00	
2,2',6,6'-Tetrachlorobiphenyl	54	2.00		-	-	-
2,3,4,4'-Tetrachlorobiphenyl 2,3',4,4'-Tetrachlorobiphenyl	60 66	=	2.00	Ξ	=	=
2,3',4',5-Tetrachlorobiphenyl 2,4,4',5-Tetrachlorobiphenyl	70 74	2.00 2.00	=	2.00	2.00	=
3,3',4,4'-Tetrachlorobiphenyl	77	2.00	_	-	_	2.00
3,4,4',5-Tetrachlorobiphenyl	81	2.00	_	2.00	_	_
2,2',3,4,5'-Pentachlorobiphenyl 2,2',3,4',5-Pentachlorobiphenyl	87 90	2.00	2.00	2.00	E.	
2,2',3,5',6-Pentachlorobiphenyl 2,2',4,4',5-Pentachlorobiphenyl	95 99	2.00 2.00	\equiv	=	2.00 2.00	=
2,2',4,5,5'-Pentachlorobiphenyl	101	2.00	-	2.00	_	=
2,2',4,6,6'-Pentachlorobiphenyl	104 105	2.00 2.00	Ξ	Ξ	Ξ'	Ξ
2,3,3',4',6-Pentachlorobiphenyl 2,3,4,4',5-Pentachlorobiphenyl	110 114	2.00 2.00	_	2.00	-	-
2,3',4,4',5-Pentachlorobiphenyl	118	2.00	=	=	=	Ξ
2,3',4,4',6-Pentachlorobiphenyl 2',3,4,4',5-Pentachlorobiphenyl	119 123	2.00 2.00		Ξ	=	=
3,3',4,4',5-Pentachlorobiphenyl	126	2.00	_	-	=	_
2,2',3,3',4,4'-Hexachlorobiphenyl 2,2',3,3',4,5-Hexachlorobiphenyl	128 129	2.00	2.00		=	2.00
2,2',3,4,4',5-Hexachlorobiphenyl	137	Ē.	2.00	E.		
2,2',3,4,4',5'-Hexachlorobiphenyl 2,2',3,4,5,5'-Hexachlorobiphenyl	138 141	2.00	2.00	2.00	Ξ	=
2,2',3,4',5',6-Hexachlorobiphenyl	149 151	2.00	-		2.00	=
2,2',3,5,5',6-Hexachlorobiphenyl 2,2',4,4',5,5'-Hexachlorobiphenyl	153	2.00 2.00	\equiv	2.00	2.00	
2,2',4,4',6,6'-Hexachlorobiphenyl 2,3,3',4,4',5-Hexachlorobiphenyl	155 156	2.00 2.00	Ξ	2.00	=	=
2,3,3',4,4',5'-Hexachlorobiphenyl	157	2.00	-	=	2.00	-
2,3,3',4,4',6-Hexachlorobiphenyl 2,3',4,4',5,5'-Hexachlorobiphenyl	158 167	2.00 2.00	=		2.00	Ξ
1,3',4,4',5',6-Hexachlorobiphenyl	168 169	2.00 2.00		=	2.00	=
2,2',3,3',4,4',5-Heptachlorobiphenyl	170	2.00	2		3	
2.2'.3.3'.4.4'.6-Heptachlorobiphenyl	171 177	2.00	=	2.00	2.00	Ξ
2,2',3,3',4',5,6-Heptachlorobiphenyl 2,2',3,3',5,5',6-Heptachlorobiphenyl	178	2.00 2.00	Ξ	2.00	Ξ	2.00
,2',3,4,4',5,5'-Heptachlorobiphenyl	180 183	2.00 2.00	=	2.00	Ξ	
2,2',3,4',5,5',6-Heptachlorobiphenyl	187	2.00	-	7.00	Ξ	-
2,2',3,4',5,6,6'-Heptachlorobiphenyl 2,3,3',4,4',5,5'-Heptachlorobiphenyl	188 189	2.00 2.00	Ξ	2.00	Ξ	=
2,3,3',4,4',5',6-Heptachlorobiphenyl 2,3,3',4',5,5',6-Heptachlorobiphenyl	191 193	2.00	2.00	=	=	
2.2'.3.3'.4.4'.5.5'-Octachlorobiphenyl	194	2.00	2.00			=
2,2',3,3',4,5,5',6'-Octachlorobiphenyl	199	2.00	-	2.00	-	-
2,2',3,3',4,5',6,6'-Octachlorobiphenyl 2,2',3,3',5,5',6,6'-Octachlorobiphenyl	201 202	2.00 2.00	=	2.00	Ξ	2.00
2,2',3,3',5,5',6,6'-Octachlorobiphenyl 2,2',3,4,4',5,5',6-Octachlorobiphenyl	203 205	2.00	2.00	=	-	_
2,3,3',4,4',5,5',6-Octachlorobiphenyl 2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	206	2.00				
2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	208	2.00	-	-	-	-
Decachlorobiphenyl	209	2.00	_	-	_	-

Congeners marked with an asterisk (*) are concentration-certified by direct comparison to the NRCC CLB-1 solutions.

Solution/Mixtures for the analysis of the Dutch 7 PCB Congeners.

Catalogue Number	Product (nonane solution)	Qty/Cond
BP-D7	Native PCB Congener Solution/Mixture	1.2 mL
MBP-D7	Mass-Labelled PCB Congener Solution/Mixture	1.2 mL
		BP-D7
NATIVE PCB CONGENERS	IUPAC	(µg/mL)
2,4,4'-Trichlorobiphenyl	28	10.0
2,2',5,5'-Tetrachlorobiphenyl	52	10.0
2,2',4,5,5'-Pentachlorobiphenyl	101	10.0
2,3',4,4',5-Pentachlorobiphenyl	118	10.0
2,2',3,4,4',5'-Hexachlorobiphenyl	138	10.0
2,2',4,4',5,5'-Hexachlorobiphenyl	153	10.0
2,2',3,4,4',5,5'-Heptachlorobiphenyl	180	10.0
		MBP-D7
MASS-LABELLED PCB CONGENERS	IUPAC	(µg/mL)
2,4,4'-Trichloro(¹³C ₁₂)biphenyl	28L	5.00
2,2',5,5'-Tetrachloro(¹³C ₁₂)biphenyl	52L	5.00
2,2',4,5,5'-Pentachloro(¹³C ₁₂)biphenyl	101L	5.00
2,3',4,4',5-Pentachloro(¹³C ₁₂)biphenyl	118L	5.00
2,2',3,4,4',5'-Hexachloro(13C ₁₂)biphenyl	138L	5.00
2,2',4,4',5,5'-Hexachloro(13C ₁₂)biphenyl	153L	5.00
2,2',3,4,4',5,5'-Heptachloro(13C,3)biphen	yl 180L	5.00



HRGC/LRMS Data: MBP-D7 on a 30 m DB-5 column.

MASS-LABELLED PCDDs/PCDFs/PCBs: SOLUTION/MIXTURES

These three solutions were designed and prepared as support solutions to be used with the following calibration sets: DF-CVS-A10 (see Page 44)
DF-CVS-B10 (see Page 46)

as well as:

PCB-CVS-A10

catalogue Hallibei	ue Number Product (nonane solution)			
OFP-LCS-A	Mass-Labelled PCDD	Mass-Labelled PCDD/PCDF/PCB Solution/Mixture		
MASS-LABELLED PCDDs				
2,3,7,8-Tetrachloro(13C,12)dibenzo	p-p-dioxin		10.0 ng/mL	
,2,3,7,8-Pentachloro(13C ₁₂)diber	nzo-p-dioxin		10.0 ng/mL	
,2,3,4,7,8-Hexachloro(13C,2)dibe	enzo-p-dioxin		10.0 ng/mL	
,2,3,6,7,8-Hexachloro(13C ₁₂)dibe	enzo-p-dioxin		10.0 ng/mL	
1,2,3,7,8,9-Hexachloro(13C ₃₂)dibe	enzo-p-dioxin		10.0 ng/mL	
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)d	ibenzo-p-aioxin		10.0 ng/mL	
Octachloro(13C ₁₂)dibenzo-p-diox	ın		20.0 ng/mL	
MASS-LABELLED PCDFs				
2,3,7,8-Tetrachloro(¹³C,,)dibenzo	ofuran		10.0 ng/mL	
1.2.3.7.8-Pentachloro(13C)diber	nzofuran		10.0 ng/mL	
2,3,4,7,8-Pentachloro(13C,2)diber 1,2,3,4,7,8-Hexachloro(13C,2)dibe	nzofuran		10.0 ng/mL	
1,2,3,4,7,8-Hexachloro(¹³C̈,¸)dibe	enzofuran		10.0 ng/mL	
1,2,3,6,7,8-Hexachloro(¹³C,₂)dibe	enzofuran		10.0 ng/mL	
1,2,3,7,8,9-Hexachloro(13C ₁₂)dibe	enzofuran		10.0 ng/mL	
2,3,4,6,7,8-Hexachloro(13C,3)dibe	enzofuran		10.0 ng/mL	
1,2,3,4,6,7,8-Heptachloro(13C ₁₂)d	ibenzofuran		10.0 ng/mL	
1,2,3,4,7,8,9-Heptachloro(13C,2)d	ibenzoturan		10.0 ng/mL	
Octachloro(13C,2)dibenzofuran			20.0 ng/mL	
WASS-LABELLED PCBs		IUPAC		
3,3',4,4'-Tetrachloro(¹³C ₁₂)bipher	nyl	77L	10.0 ng/mL	
3,4,4',5-Tetrachloro(¹³C, ¹)biphen 2,3,3',4,4'-Pentachloro(¹³C, ₂)biph	yl	81L	10.0 ng/mL	
2,3,3',4,4'-Pentachloro(¹³ C ₁₂)biph	nenyl	105L	10.0 ng/mL	
2,3,4,4',5-Pentachloro(13C,2)biph	enyl	114L	10.0 ng/mL	
2,3',4,4',5-Pentachloro(13C,2)biph	nenyl	118L	10.0 ng/mL	
2',3,4,4',5-Pentachloro(13C ₁₂)biph	nenyl	123L	10.0 ng/mL	
3,3',4,4',5-Pentachloro(13C ₁₂)biph	nenyl	126L	10.0 ng/mL	
2,3,3',4,4',5-Hexachloro(¹³C ₁₂)bip	henyl	156L	10.0 ng/mL	
2,3,3',4,4',5'-Hexachloro(13C ₁₂)bij	phenyl	157L	10.0 ng/mL	
2,3',4,4',5,5'-Hexachloro(¹³C _{,2})bij	phenyl	167L	10.0 ng/mL	
3,3',4,4',5,5'-Hexachloro(13C,2)bij	phenyl	169L	10.0 ng/mL	
2,2',3,3',4,4',5-Heptachloro(¹³ C ₁₂	biphenyl	170L	10.0 ng/mL	
2,2',3,4,4',5,5'-Heptachloro(13C,2		180L	10.0 ng/mL	
2,3,3',4,4',5,5'-Heptachloro('3C,2	bipnenyi	189L	10.0 ng/mL	
OFP-IS-A	Mass-Labelled PCDF	PCR Syringe Spike	1.2 mL	
	20,000,000,000,000,000	IUPAC	0.500.5	
2,3',4',5-Tetrachloro(13C,3)bipher	nvi	70L	10.0 ng/mL	
1,2,3,4,6,9-Hexachloro(13C,)dibe	enzofuran		10.0 ng/mL	
1,2,3,4,6,8,9-Heptachloro(13C ₁₂)d	ibenzofuran		10.0 ng/mL	
20.20		Aller Turk		
DFP-SS-A	Mass-Labelled PCDI	D/PCB Sampling Spike	1.2 mL	
		IUPAC		
		275777		
3,3',4,5'-Tetrachloro('³C,₂)bipher 1,2,3,4-Tetrachloro('³C,₂)dibenzo	nyl	79L	50.0 ng/mL 50.0 ng/mL	

PBDES & PBBS:

POLYBROMINATED DIPHENYL ETHERS (PBDES) & POLYBROMINATED BIPHENYLS (PBBS)

This section is primarily devoted to Polybrominated Diphenyl Ethers (PBDEs), but also includes native and ¹³C-labelled standards of Polybrominated Biphenyls (PBBs). PBDEs and PBBs are both additive flame retardants and were used in a variety of applications. As additive flame retardants, as opposed to reactive, they can leach out of the materials to which they were added and eventually contaminate the environment.

This section includes three sets of PBDE calibration solutions and their support solutions, namely:

BFR-CVS: Includes an extensive PBDE list and other brominated flame retardants (BFRs)

BDE-CVS-F: Contains PBDE congeners found in the industrial Penta- and Octa-BDE mixes.

BDE-CVS-G: Contains major components of Penta-, Octa- and Deca- PBDE industrial mixes and can be used for EPA Method 1614 and ISO 22032:2006.

Also included in this section are:

Individual native and mass-labelled PBDEs
Characterized PBDE industrial mixtures
Mass-labelled hydroxy-PBDEs
Native and mass-labelled methoxy-PBDEs
Individual native and mass-labelled PBBs
Characterized PBB industrial mixtures




Catalogue Number	Product (toluene solution)					Qty/Conc		
BFR-CVS	Polybrominated Diphenyl Ethers/Brominated Flame Retardants Calibration Solutions CS1-CS5 Individual Calibration Solutions					1 kit (5 ampoules)		
BFR-CS1, BFR-CS2, BFR-CS3, BFR-CS4, BFR-CS5						200 μL each		
NATIVE PBDEs/BFRs		BFR-CS1	BFR-CS2	BFR-CS3	BFR-CS4	BFR-C		
2-Bromodiphenyl ether	BDE-1	(ng/mL) 0.250	(ng/mL) 1.00	(ng/mL) 5.00	(ng/mL) 20.0	(ng/n 100		
B-Bromodiphenyl ether	BDE-2	0.250	1.00	5.00	20.0	100		
4-Bromodiphenyl ether	BDE-3	0.250	1.00	5.00	20.0	100		
2,4-Dibromodiphenyl ether	BDE-7	0.250	1.00	5.00	20.0	100		
2,6-Dibromodiphenyl ether	BDE-10	0.250	1.00	5.00	20.0	100		
1,4'-Dibromodiphenyl ether	BDE-15	0.250	1.00	5.00	20.0	100		
2,2',4-Tribromodiphenyl ether	BDE-17 (>96%)	0.240	0.960	4.80	19.0	96.		
2,4,4'-Tribromodiphenyl ether	BDE-28	0.250	1.00	5.00	20.0	100		
2,4,6-Tribromodiphenyl ether	BDE-30	0.250	1.00	5.00	20.0	100		
Pentabromoethylbenzene	PBEB	0.250	1.00	5.00	20.0	100		
Hexabromobenzene	HBBZ	0.250	1.00	5.00	20.0	100		
2,2',4,4'-Tetrabromodiphenyl ether	BDE-47	0.500	2.00	10.0	40.0	200		
2,2',4,5'-Tetrabromodiphenyl ether	BDE-49	0.500	2.00	10.0	40.0	200		
2,3',4,4'-Tetrabromodiphenyl ether	BDE-66	0.500	2.00	10.0	40.0	200		
2,3',4',6-Tetrabromodiphenyl ether	BDE-71	0.500	2.00	10.0	40.0	200		
3,3',4,4'-Tetrabromodiphenyl ether	BDE-77	0.500	2.00	10.0	40.0	200		
2,2',3,4,4'-Pentabromodiphenyl ether	BDE-85	0.500	2.00	10.0	40.0	200		
2,2',4,4',5-Pentabromodiphenyl ether	BDE-99	0.500	2.00	10.0	40.0	200		
2,2',4,4',6-Pentabromodiphenyl ether	BDE-100	0.500	2.00	10.0	40.0	200		
2,3',4,4',6-Pentabromodiphenyl ether	BDE-119	0.500	2.00	10.0	40.0	200		
3,3',4,4',5-Pentabromodiphenyl ether	BDE-126	0.500	2.00	10.0	40.0	200		
2,2',3,4,4',5'-Hexabromodiphenyl ether	BDE-138	0.500	2.00	10.0	40.0	200		
2,2',3,4,4',6-Hexabromodiphenyl ether	BDE-139	0.500	2.00	10.0	40.0	200		
2,2',3,4,4',6'-Hexabromodiphenyl ether	BDE-140	0.500	2.00	10.0	40.0	200		
2,2',4,4',5,5'-Hexabromodiphenyl ether	BDE-153	0.500	2.00	10.0	40.0	200		
2,2',4,4',5,6'-Hexabromodiphenyl ether	BDE-154	0.500	2.00	10.0	40.0	200		
2,3,3',4,4',5-Hexabromodiphenyl ether	BDE-156	0.500	2.00	10.0	40.0	200		
3,3',4,4',5,5'-Hexabromodiphenyl ether	BDE-169	0.500	2.00	10.0	40.0	200		
2,2',4,4',5,5'-Hexabromobiphenyl	BB-153	0.500	2.00	10.0	40.0	200		
1,2-Bis(2,4,6-tribromophenoxy)ethane	BTBPE	0.500	2.00	10.0	40.0	200		
2,2',3,3',4,4',6-Heptabromodiphenyl ether	BDE-171	1.00	4.00	20.0	80.0	400		
2,2',3,4,4',5,5'-Heptabromodiphenyl ether	BDE-180	1.00	4.00	20.0	80.0	400		
2,2',3,4,4',5',6-Heptabromodiphenyl ether	BDE-183	1.00	4.00	20.0	80.0	400		
2,2',3,4,4',6,6'-Heptabromodiphenyl ether	BDE-184	1.00	4.00	20.0	80.0	400		
2,3,3',4,4',5',6-Heptabromodiphenyl ether	BDE-191	1.00	4.00	20.0	80.0	400		
2,2',3,3',4,4',5,6'-Octabromodiphenyl ether	BDE-196	1.00	4.00	20.0	80.0	400		
2,2',3,3',4,4',6,6'-Octabromodiphenyl ether	BDE-197	1.00	4.00	20.0	80.0	400		
2,2',3,3',4,5',6,6'-Octabromodiphenyl ether	BDE-201	1.00	4.00	20.0	80.0	400		
2,2',3,4,4',5,5',6-Octabromodiphenyl ether	BDE-203	1.00	4.00	20.0	80.0	400		
2,2',3,4,4',5,6,6'-Octabromodiphenyl ether	BDE-204	1.00	4.00	20.0	80.0	400		
2,3,3',4,4',5,5',6-Octabromodiphenyl ether	BDE-205	1.00	4.00	20.0	80.0	40		
2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether	BDE-206	2.50	10.0	50.0	200	100		
2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether	BDE-207	2.50	10.0	50.0	200	100		
2,2',3,3',4,5,5',6,6'-Nonabromodiphenyl ether	BDE-208	2.50	10.0	50.0	200	100		
Decabromodiphenyl ether	BDE-209	2.50	10.0	50.0	200	100		
Decabromodiphenylethane	DBDPE	5.00	20.0	100	400	200		
MASS-LABELLED PBDEs/BFRs								
4-Bromo(13C ₁₂)diphenyl ether	MBDE-3	25.0	25.0	25.0	25.0	25.		
4,4'-Dibromo(¹³C ₁₂)diphenyl ether	MBDE-15	25.0	25.0	25.0	25.0	25.		
2,4,4'-Tribromo(¹³C ₁₂)diphenyl ether	MBDE-28	25.0	25.0	25.0	25.0	25.		
Hexabromo(13C _e)benzene	MHBBZ	25.0	25.0	25.0	25.0	25.		
2,2',4,4'-Tetrabromo(13C,2)diphenyl ether	MBDE-47	50.0	50.0	50.0	50.0	50.		
3,3',4,4'-Tetrabromo(13C ₁₂)diphenyl ether	MBDE-77	50.0	50.0	50.0	50.0	50.		
2,2',4,4',5-Pentabromo(¹³ C ₁₂)diphenyl ether	MBDE-99	50.0	50.0	50.0	50.0	50.		
2,2',4,4',6-Pentabromo(¹³C ₁₂)diphenyl ether	MBDE-100	50.0	50.0	50.0	50.0	50.		
3,3',4,4',5-Pentabromo(¹³C ₁₂)diphenyl ether	MBDE-126	50.0	50.0	50.0	50.0	50.		
2,2',4,4',5,5'-Hexabromo(¹³ C ₁₃)diphenyl ether	MBDE-153	50.0	50.0	50.0	50.0	50.		
2,2',4,4',5,6'-Hexabromo(12C ₁₂)diphenyl ether	MBDE-154	50.0	50.0	50.0	50.0	50.		
3,3',4,4',5,5'-Hexabromo('3C,2)diphenyl ether	MBDE-169	50.0	50.0	50.0	50.0	50.		
2,2',4,4',5,5'-Hexabromo(13C,)biphenyl	MBB-153	50.0	50.0	50.0	50.0	50.		
1,2-Bis[2,4,6-tribromo(13C ₆)phenoxy]ethane	MBTBPE	50.0	50.0	50.0	50.0	50.		
2,2',3,4,4',5',6-Heptabromo('3C,2)diphenyl ether	MBDE-183	100	100	100	100	100		
2,2',3,3',4,4',6,6'-Octabromo('3C,2)diphenyl ether	MBDE-197	100	100	100	100	100		
2,3,3',4,4',5,5',6-Octabromo('3C ₁₂)diphenyl ether	MBDE-205	100	100	100	100	10		
2,2',3,3',4,4',5,6,6'-Nonabromo("C,2)diphenyl ether	MBDE-207	250	250	250	250	25		
Decabromo(¹³C,₂)diphenyl ether	MBDE-209	250	250	250	250	25		
Decabromo(¹³C,,)diphenylethane	MDBDPE	500	500	500	500	50		
NTERNAL/INJECTION STANDARDS	The same of the sa		200	100	700			
3,3',4,5'-Tetrabromo(¹³C,₂)diphenyl ether	MBDE-79	50.0	50.0	50.0	50.0	50.		
2,2',3,4,4',6-Hexabromo('3C,2)diphenyl ether	MBDE-139	50.0	50.0	50.0	50.0	50.		
2,2',3,4,4',5,5'-Heptabromo(13C,2)diphenyl ether	MBDE-180	100	100	100	100	10		
	14007 200	250	250	250	250	25		
2,2',3,3',4,4',5,5',6-Nonabromo("C,)diphenyl ether	MBDE-206	250	250	230	250	25		

Catalogue Number	Product (toluene solution)					
BFR-LCS	Labelled Compounds Solution				1.2 mL	
BFR-ISS	Internal/Injection Standards				1.2 mL	
BFR-SCS	Sampling/Cleanup Standard				1.2 mL	
BFR-PAR	Native Compounds Stock Solution (nonane/toluene solution)					
NATIVE PBDEs/BFRs		BFR-LCS (ng/mL)	BFR-ISS (ng/mL)	BFR-SCS (ng/mL)	BFR-PAR (ng/mL)	
2-Bromodiphenyl ether	BDE-1		_	200	200	
-Bromodiphenyl ether	BDE-2	-	-	-	200	
-Bromodiphenyl ether	BDE-3	-	_	-	200	
,4-Dibromodiphenyl ether	BDE-7	-	-	-	200	
,6-Dibromodiphenyl ether	BDE-10	Ŧ	T	=	200	
,4'-Dibromodiphenyl ether	BDE-15	=	_	-	200	
2,2',4-Tribromodiphenyl ether	BDE-17 (>96%) BDE-28	-	=	Ξ	192 200	
2,4,4'-Tribromodiphenyl ether 2,4,6-Tribromodiphenyl ether	BDE-30				200	
Pentabromoethylbenzene	PBEB	_	_	_	200	
Hexabromobenzene	HBBZ	_	_	_	200	
2,2',4,4'-Tetrabromodiphenyl ether	BDE-47	-	-	_	400	
2,2',4,5'-Tetrabromodiphenyl ether	BDE-49	_	_	_	400	
2,3',4,4'-Tetrabromodiphenyl ether	BDE-66	-	-	-	400	
2,3',4',6-Tetrabromodiphenyl ether	BDE-71	-	-	-	400	
3,3',4,4'-Tetrabromodiphenyl ether	BDE-77	-	-	-	400	
2,2',3,4,4'-Pentabromodiphenyl ether	BDE-85	-	-	-	400	
2,2',4,4',5-Pentabromodiphenyl ether	BDE-99	-	-	-	400	
2,2',4,4',6-Pentabromodiphenyl ether	BDE-100	-	-	-	400	
2,3',4,4',6-Pentabromodiphenyl ether	BDE-119	E	-	7	400	
8,3',4,4',5-Pentabromodiphenyl ether	BDE-126	=	=	-	400	
2,2',3,4,4',5'-Hexabromodiphenyl ether 2,2',3,4,4',6-Hexabromodiphenyl ether	BDE-138 BDE-139	=	-	_	400 400	
2,2',3,4,4',6'-Hexabromodiphenyl ether	BDE-139			_	400	
2,2',4,4',5,5'-Hexabromodiphenyl ether	BDE-153	=	2	=	400	
2,2',4,4',5,6'-Hexabromodiphenyl ether	BDE-154	=	_	=	400	
2,3,3',4,4',5-Hexabromodiphenyl ether	BDE-156	=	_	=	400	
3,3',4,4',5,5'-Hexabromodiphenyl ether	BDE-169	_	_		400	
2,2',4,4',5,5'-Hexabromobiphenyl	BB-153	_	_		400	
1,2-Bis(2,4,6-tribromophenoxy)ethane	BTBPE	-	-	-	400	
2,2',3,3',4,4',6-Heptabromodiphenyl ether	BDE-171	-	_	-	800	
2,2',3,4,4',5,5'-Heptabromodiphenyl ether	BDE-180	-	-	-	800	
2,2',3,4,4',5',6-Heptabromodiphenyl ether	BDE-183	-	-	-	800	
2,2',3,4,4',6,6'-Heptabromodiphenyl ether	BDE-184	_	_	-	800	
2,3,3',4,4',5',6-Heptabromodiphenyl ether	BDE-191		_	_	800	
2,2',3,3',4,4',5,6'-Octabromodiphenyl ether	BDE-196	_	_	_	800	
2,2',3,3',4,4',6,6'-Octabromodiphenyl ether	BDE-197 BDE-201	-	=	2	800 800	
2,2',3,3',4,5',6,6'-Octabromodiphenyl ether 2,2',3,4,4',5,5',6-Octabromodiphenyl ether	BDE-203	0	=	=	800	
2,2',3,4,4',5,6,6'-Octabromodiphenyl ether	BDE-204	2		=======================================	800	
2,3,3',4,4',5,5',6-Octabromodiphenyl ether	BDE-205	=		=	800	
2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether	BDE-206	=	=	=	2000	
2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether	BDE-207	_	_		2000	
2,2',3,3',4,5,5',6,6'-Nonabromodiphenyl ether	BDE-208	2	_		2000	
Decabromodiphenyl ether	BDE-209	-	-	_	2000	
Decabromodiphenylethane	DBDPE	-	-	-	4000	
MASS-LABELLED PBDEs/BFRs	2427 277	697				
-Bromo(¹³C,,)diphenyl ether	MBDE-3	100	=	-	_	
1,4'-Dibromo(¹¹C,)diphenyl ether	MBDE-15	100	-	_	-	
2,4,4'-Tribromo(13C ₁₂)diphenyl ether	MBDE-28	100	T	-	=	
Hexabromo("3C,)benzene !,2',4,4'-Tetrabromo("3C,,)diphenyl ether	MHBBZ MBDE-47	100	- E	王	=	
2,2',4,4'-Tetrabromo("C,,)diphenyl ether 3,3',4,4'-Tetrabromo("C,,)diphenyl ether	MBDE-47 MBDE-77	200 200			=	
2,2',4,4',5-Pentabromo("C,3)diphenyl ether	MBDE-77 MBDE-99	200	Ξ.	E	=	
2,2',4,4',6-Pentabromo('3C,3)diphenyl ether	MBDE-100	200			Ξ	
3,3',4,4',5-Pentabromo(¹³C,)diphenyl ether	MBDE-126	200	1	=	=	
2,2',4,4',5,5'-Hexabromo('3C,)diphenyl ether	MBDE-153	200	_	-	_	
2,2',4,4',5,6'-Hexabromo('3C,2)diphenyl ether	MBDE-154	200	-	-	-	
3,3',4,4',5,5'-Hexabromo(¹³ C ₁₂)diphenyl ether	MBDE-169	200	-	-	-	
,2',4,4',5,5'-Hexabromo(' ³ C ₁₂)biphenyl	MBB-153	200	-	-	_	
,2-Bis[2,4,6-tribromo(13C ₆)phenoxy]ethane	MBTBPE	200	=	-	-	
2,2',3,4,4',5',6-Heptabromo('3C,2)diphenyl ether	MBDE-183	400	-	-	-	
2,2',3,3',4,4',6,6'-Octabromo("C,2)diphenyl ether	MBDE-197	400	-	-	_	
,3,3',4,4',5,5',6-Octabromo(¹³C,₂)diphenyl ether	MBDE-205	400	-	-	_	
2,2',3,3',4,4',5,6,6'-Nonabromo(¹³ C ₁₂)diphenyl ether		1000	_	7	_	
Decabromo(¹³C,₂)diphenyl ether	MBDE-209	1000	-	-	_	
Decabromo("C,,)diphenylethane NTERNAL/INJECTION STANDARDS	MDBDPE	2000	_	-		
	MBDE-79	-0	200			
3,3',4,5'-Tetrabromo(' ³ C, ₂)diphenyl ether 2,2',3,4,4',6-Hexabromo(' ³ C, ₂)diphenyl ether	MBDE-139		200			
2,2',3,4,4',5,5'-Heptabromo("C,,)diphenyl ether	MBDE-139	=	400	Ξ	Ξ	
2,2',3,3',4,4',5,5',6-Nonabromo(''C,,)diphenyl ether		_	1000	Ξ		
SAMPLING/CLEANUP STANDARD			1000			
2,2',3,4,4',5'-Hexabromo(12C,,)diphenyl ether	MBDE-138	-	-	400		

BDE-CVS-F

Catalogue Number	Product (toluene solution)	Qty/Conc	
BDE-CVS-F	BDE-CVS-F	1 kit	
	Calibration Solutions CS1-CS5	(5 ampoules)	
BDE-CS1-F	CS1	200 µL	
BDE-CS2-F	CS2	200 µL	
BDE-CS3-F	CS3	200 µL	
BDE-CS4-F	CS4	200 µL	
BDE-CS5-F	CS5	200 µL	


NATIVE PBDEs	IUPAC	BDE- CS1-F (ng/mL)	BDE- CS2-F (ng/mL)	BDE- CS3-F (ng/mL)	BDE- CS4-F (ng/mL)	BDE- CS5-F (ng/mL)
2,4,4'-Tribromodiphenyl ether	28	1.00	5.00	25.0	100	500
2,2',4,4'-Tetrabromodiphenyl ether	47	1.00	5.00	25.0	100	500
2,3',4,4'-Tetrabromodiphenyl ether	66	1.00	5.00	25.0	100	500
2,2',3,4,4'-Pentabromodiphenyl ether	85	1.00	5.00	25.0	100	500
2,2',4,4',5-Pentabromodiphenyl ether	99	1.00	5.00	25.0	100	500
2,2',4,4',6-Pentabromodiphenyl ether	100	1.00	5.00	25.0	100	500
2,2',4,4',5,5'-Hexabromodiphenyl ether	153	1.00	5.00	25.0	100	500
2,2',4,4',5,6'-Hexabromodiphenyl ether	154	1.00	5.00	25.0	100	500
2,2',3,4,4',5',6-Heptabromodiphenyl ether	183	1.00	5.00	25.0	100	500
SURROGATE STANDARDS						
2,4,4'-Tribromo(¹³C,₂)diphenyl ether	28L	20.0	20.0	20.0	20.0	20.0
2,2',4,4'-Tetrabromo(¹³C ₁₂)diphenyl ether	47L	20.0	20.0	20.0	20.0	20.0
2,2',4,4',5-Pentabromo(13C,)diphenyl ether	99L	20.0	20.0	20.0	20.0	20.0
2,2',4,4',6-Pentabromo(¹³C,)diphenyl ether	100L	20.0	20.0	20.0	20.0	20.0
2,2',4,4',5,5'-Hexabromo(13C ₁₂)diphenyl ether	153L	20.0	20.0	20.0	20.0	20.0
2,2',4,4',5,6'-Hexabromo(¹³C, diphenyl ether	154L	20.0	20.0	20.0	20.0	20.0
2,2',3,4,4',5',6-Heptabromo(¹³ C ₁₂)diphenyl ether	183L	20.0	20.0	20.0	20.0	20.0
RECOVERY STANDARDS						
3,3',4,4'-Tetrabromo(¹³C,,)diphenyl ether	77L	20.0	20.0	20.0	20.0	20.0
2,2',3,4,4',5'-Hexabromo('3C,,)diphenyl ether	138L	20.0	20.0	20.0	20.0	20.0



BDE-MXF; HRGC/LRMS Full Scan Chromatogram

Catalogue Number	Product (toluene solution)	Qty/Cond	
MBDE-MXFS	Mass-Labelled PBDE Surrogate Stock Solution	1.2 mL	
MBDE-MXFR	Mass-Labelled PBDE Recovery Stock Solution	1.2 mL	
BDE-MXF	Native PBDE Stock Solution/Mixture	1.2 mL	

NATIVE PBDEs	IUPAC	MBDE-MXFS (ng/mL)	MBDE-MXFR (ng/mL)	BDE-MXF (ng/mL)
2,4,4'-Tribromodiphenyl ether	28	_	-	2000
2,2',4,4'-Tetrabromodiphenyl ether	47	_	_	2000
2,3',4,4'-Tetrabromodiphenyl ether	66	-	-	2000
2,2',3,4,4'-Pentabromodiphenyl ether	85	_	_	2000
2,2',4,4',5-Pentabromodiphenyl ether	99	-	_	2000
2,2',4,4',6-Pentabromodiphenyl ether	100	_	_	2000
2,2',4,4',5,5'-Hexabromodiphenyl ether	153	-	-	2000
2,2',4,4',5,6'-Hexabromodiphenyl ether	154	_	_	2000
2,2',3,4,4',5',6-Heptabromodiphenyl ether	183	-	-	2000
SURROGATE STANDARDS				
2,4,4'-Tribromo(¹³C,₂)diphenyl ether	28L	2000	_	_
2,2',4,4'-Tetrabromo(¹³C,,)diphenyl ether	47L	2000	_	_
2,2',4,4',5-Pentabromo(13C,)diphenyl ether	99L	2000	-	-
2,2',4,4',6-Pentabromo(13C,3)diphenyl ether	100L	2000	-	-
2,2',4,4',5,5'-Hexabromo('3C,,)diphenyl ether	153L	2000	_	_
2,2',4,4',5,6'-Hexabromo(13C,,)diphenyl ether	154L	2000	-	
2,2',3,4,4',5',6-Heptabromo(¹³ C ₁₂)diphenyl ether	183L	2000	-	_
RECOVERY STANDARDS				
3,3',4,4'-Tetrabromo(¹³C,,)diphenyl ether	77L	(-1)	2000	-
2,2',3,4,4',5'-Hexabromo(13C,)diphenyl ether	138L	-	2000	_



MBDE-MXFS; HRGC/LRMS Full Scan Chromatogram.

BDE-CVS-G


Catalogue Number Pr	oduct (nonan	e/toluene	solution)		Qty	//Conc
BDE-CVS-G BD	E-CVS-G				11	
	ibration Solutions C	S1-CS5				ampoules
BDE-CS1-G CS1						0 µL
BDE-CS2-G CS2						0 μL
BDE-CS3-G						0 μL
BDE-CS4-G CS4 BDE-CS5-G CS5						0 μL 0 μL
NOTE: This set of calibration solutions		e used with BI	DE-MXE as th	ne native PB		
		BDE- CS1-G	BDE- CS2-G	BDE- CS3-G	BDE- CS4-G	BDE- CS5-G
NATIVE PBDEs	IUPAC	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL
NATIVE PODES	IOFAC	(ng/mil)	(lig/ilit)	(ng/mr)	(lig/lill)	(ng/mi
4-Bromodiphenyl ether	3	1.00	5.00	20.0	100	400
2,4-Dibromodiphenyl ether	7	1.00	5.00	20.0	100	400
4,4'-Dibromodiphenyl ether	15	1.00	5.00	20.0	100	400
2,2',4-Tribromodiphenyl ether	17	1.00	5.00	20.0	100	400
2,4,4'-Tribromodiphenyl ether	28	1.00	5.00	20.0	100	400
2,2',4,4'-Tetrabromodiphenyl ether	47	1.00	5.00	20.0	100	400
2,2',4,5'-Tetrabromodiphenyl ether	49	1.00	5.00	20.0	100	400
2,3',4,4'-Tetrabromodiphenyl ether	66	1.00	5.00	20.0	100	400
2,3',4',6-Tetrabromodiphenyl ether	71	1.00	5.00	20.0	100	400
3,3',4,4'-Tetrabromodiphenyl ether	77	1.00	5.00	20.0	100	400
2,2',3,4,4'-Pentabromodiphenyl ether	85	1.00	5.00	20.0	100	400
2,2',4,4',5-Pentabromodiphenyl ether	99	1.00	5.00	20.0	100	400
2,2',4,4',6-Pentabromodiphenyl ether	100	1.00	5.00	20.0	100	400
2,3',4,4',6-Pentabromodiphenyl ether	119	1.00	5.00	20.0	100	400
3,3',4,4',5-Pentabromodiphenyl ether	126	1.00	5.00	20.0	100	400
2,2',3,4,4',5'-Hexabromodiphenyl ether	138 153	2.00	10.0	40.0 40.0	200 200	800
2,2',4,4',5,5'-Hexabromodiphenyl ether 2,2',4,4',5,6'-Hexabromodiphenyl ether	154	2.00 2.00	10.0 10.0	40.0	200	800
2,3,3',4,4',5-Hexabromodiphenyl ether	156	2.00	10.0	40.0	200	800
2,2',3,4,4',5',6-Heptabromodiphenyl ether		2.00	10.0	40.0	200	800
2,2',3,4,4',6,6'-Heptabromodiphenyl ether		2.00	10.0	40.0	200	800
2,3,3',4,4',5',6-Heptabromodiphenyl ether		2.00	10.0	40.0	200	800
2,2',3,3',4,4',5,6'-Octabromodiphenyl ethe		2.00	10.0	40.0	200	800
2,2',3,3',4,4',6,6'-Octabromodiphenyl ethe		2.00	10.0	40.0	200	800
2,2',3,3',4,4',5,5',6-Nonabromodiphenyl et		5.00	25.0	100	500	2000
2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl et		5.00	25.0	100	500	2000
Decabromodiphenyl ether	209	5.00	25.0	100	500	2000
MASS-LABELLED PBDEs						
4-Bromo(¹³C,,)diphenyl ether	3L	100	100	100	100	100
4,4'-Dibromo(¹³C,₂)diphenyl ether	15L	100	100	100	100	100
2,4,4'-Tribromo(¹³C₁₂)diphenyl ether	28L	100	100	100	100	100
2,2',4,4'-Tetrabromo(13C,,)diphenyl ether	47L	100	100	100	100	100
2,2',4,4',5-Pentabromo(13C,2)diphenyl ethe	r <i>99L</i>	100	100	100	100	100
2,2',4,4',6-Pentabromo(13C,,)diphenyl ethe	r 100L	100	100	100	100	100
3,3',4,4',5-Pentabromo(13C ₁₂)diphenyl ethe		100	100	100	100	100
2,2',4,4',5,5'-Hexabromo(¹³C ₁₂)diphenyl eth		200	200	200	200	200
2,2',4,4',5,6'-Hexabromo(13C ₁₂)diphenyl eth	ner 154L	200	200	200	200	200
2,2',3,4,4',5',6-Heptabromo(¹³ C ₁₂)diphenyl		200	200	200	200	200
2,2',3,3',4,4',6,6'-Octabromo(¹³C,₂)dipheny		200	200	200	200	200
2,2',3,3',4,4',5,6,6'-Nonabromo(¹³C _{,2})diphe Decabromo(¹³C _{,2})diphenyl ether	nyl ether 207L 209L	500 500	500 500	500 500	500 500	500 500
INTERNAL STANDARDS				6.00		0.000
3,3',4,5'-Tetrabromo(¹³C,,)diphenyl ether	79L	100	100	100	100	100
2,2',3,4,4',5'-Hexabromo('3C,2)diphenyl eth		200	200	200	200	200
2,2',3,3',4,4',5,5',6-Nonabromo(' ³ C _{1,2})diphe		500	500	500	500	500

Catalogue Number	Product (nonane/toluene solution)	Qty/Conc
MBDE-MXG	Mass-Labelled PBDE Solution/Mixture	1.2 mL
MBDE-ISS-G	Mass-Labelled PBDE Internal Standard Solution/Mixture	1.2 mL
BDE-MXE	Native PBDE Solution/Mixture	1.2 mL

NATIVE PBDEs	IUPAC	MBDE-MXG (ng/mL)	MBDE-ISS-G (ng/mL)	BDE-MXE (ng/mL)
-Bromodiphenyl ether	3	_		1000
,4-Dibromodiphenyl ether	7		_	1000
,4'-Dibromodiphenyl ether	15		_	1000
,2',4'-Tribromodiphenyl ether	17		_	1000
,4,4'-Tribromodiphenyl ether	28			1000
,2',4,4'-Tetrabromodiphenyl ether	47		=	1000
,2',4,5'-Tetrabromodiphenyl ether	49		=	1000
,3',4,4'-Tetrabromodiphenyl ether	66	_	=	1000
,3',4',6-Tetrabromodiphenyl ether	71	_	_	1000
,3',4,4'-Tetrabromodiphenyl ether	77	_	_	1000
,2',3,4,4'-Pentabromodiphenyl ether	85	_	_	1000
,2',4,4',5-Pentabromodiphenyl ether	99	_	_	1000
,2',4,4',6-Pentabromodiphenyl ether	100	_	_	1000
,3',4,4',6-Pentabromodiphenyl ether	119	_	-	1000
,3',4,4',5-Pentabromodiphenyl ether	126	_	_	1000
,2',3,4,4',5'-Hexabromodiphenyl ether	138	_	_	2000
,2',4,4',5,5'-Hexabromodiphenyl ether	153	_	_	2000
,2',4,4',5,6'-Hexabromodiphenyl ether	154	_	-	2000
,3,3',4,4',5-Hexabromodiphenyl ether	156	_	_	2000
,2',3,4,4',5',6-Heptabromodiphenyl ether	183	_	_	2000
,2',3,4,4',6,6'-Heptabromodiphenyl ether	184	_	_	2000
,3,3',4,4',5',6-Heptabromodiphenyl ether	191	_	-	2000
,2',3,3',4,4',5,6'-Octabromodiphenyl ether	196	_	_	2000
,2',3,3',4,4',6,6'-Octabromodiphenyl ether	197	_	-	2000
,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether	206		_	5000
,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether	207	_	_	5000
Decabromodiphenyl ether	209	_	-	5000
MASS-LABELLED PBDEs				
-Bromo(¹³C ₁₂)diphenyl ether	3L	100	_	_
,4'-Dibromo(13C ₁₂)diphenyl ether	15L	100	_	_
,4,4'-Tribromo(¹³C ₁₂)diphenyl ether	28L	100	-	_
,2',4,4'-Tetrabromo(13C ₁₂)diphenyl ether	47L	100	-	_
,2',4,4',5-Pentabromo(¹³C ₁₂)diphenyl ether	99L	100	-	_
,2',4,4',6-Pentabromo(¹³C,2)diphenyl ether	100L	100	_	_
,3',4,4',5-Pentabromo(¹³C ₁₂)diphenyl ether	126L	100	-	_
,2',4,4',5,5'-Hexabromo(13C,2)diphenyl ether	153L	200	=	_
,2',4,4',5,6'-Hexabromo(13C ₁₂)diphenyl ether	154L	200	=	_
,2',3,4,4',5',6-Heptabromo(¹³C ₁₂)diphenyl ether	183L	200	_	_
,2',3,3',4,4',6,6'-Octabromo(¹³ C ₁₂)diphenyl ether	197L	200	-	_
,2',3,3',4,4',5,6,6'-Nonabromo(¹³ C ₁₂)diphenyl ether	207L	500	- -	-
Decabromo(13C ₁₂)diphenyl ether	209L	500	_	=
NTERNAL STANDARDS				
,3',4,5'-Tetrabromo(¹³C _{,2})diphenyl ether	79L	_	100	
,2',3,4,4',5'-Hexabromo(' ³ C _{1,2})diphenyl ether	138L	_	200	_
,2',3,3',4,4',5,5',6-Nonabromo('3C,)diphenyl ether	206L	12	500	

NATIVE POLYBROMINATED DIPHENYL ETHERS (PBDEs)

Catalogue Number	Product (nonane solution)	Qt	y/Conc
BDE-1	2-Bromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-2	3-Bromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-3	4-Bromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-7	2,4-Dibromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-10	2,6-Dibromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-15	4,4'-Dibromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-17	2,2',4-Tribromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-21	2,3,4-Tribromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-28	2,4,4'-Tribromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-30	2,4,6-Tribromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-37	3,4,4'-Tribromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-47	2,2',4,4'-Tetrabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-49	2,2',4,5'-Tetrabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-54	2,2',6,6'-Tetrabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-60	2,3,4,4'-Tetrabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-66	2,3',4,4'-Tetrabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-71	2,3',4',6-Tetrabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-77	3,3',4,4'-Tetrabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-82	2,2',3,3',4-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-85	2,2',3,4,4'-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-99	2,2',4,4',5-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-100	2,2',4,4',6-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-104	2,2',4,6,6'-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-105	2,3,3',4,4'-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-119	2,3',4,4',6-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-126	3,3',4,4',5-Pentabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-128	2,2',3,3',4,4'-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-138	2,2',3,4,4',5'-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-139	2,2',3,4,4',6-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-140	2,2',3,4,4',6'-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-149	2,2',3,4',5',6-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-153	2,2',4,4',5,5'-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-154	2,2',4,4',5,6'-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-155	2,2',4,4',6,6'-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL
BDE-156	2,3,3',4,4',5-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL



NATIVE POLYBROMINATED DIPHENYL ETHERS (PBDEs)

Catalogue Number	Product (nonane solution)	Qty/Conc		
BDE-169	3,3',4,4',5,5'-Hexabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-170	2,2',3,3',4,4',5-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-171	2,2',3,3',4,4',6-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-175	2,2',3,3',4,5',6-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-176	2,2',3,3',4,6,6'-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-177	2,2',3,3',4',5,6-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-179	2,2',3,3',5,6,6'-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-180	2,2',3,4,4',5,5'-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-181	2,2',3,4,4',5,6-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-182	2,2',3,4,4',5,6'-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-183	2,2',3,4,4',5',6-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-184	2,2',3,4,4',6,6'-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-188	2,2',3,4',5,6,6'-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-189	2,3,3',4,4',5,5'-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-191*	2,3,3',4,4',5',6-Heptabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-194*	2,2',3,3',4,4',5,5'-Octabromodiphenyl ether	1.2 mL	50.0 μg/ml	
BDE-195*	2,2',3,3',4,4',5,6-Octabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-196*	2,2',3,3',4,4',5,6'-Octabromodiphenyl ether 1.		50.0 μg/mL	
BDE-197*	2,2',3,3',4,4',6,6'-Octabromodiphenyl ether	1.2 mL	50.0 μg/ml	
BDE-198*	2,2',3,3',4,5,5',6,-Octabromodiphenyl ether		50.0 μg/mL	
BDE-199*	2,2',3,3',4,5,5',6'-Octabromodiphenyl ether 1.:		50.0 μg/mL	
BDE-200*	2,2',3,3',4,5,6,6'-Octabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-201*	2,2',3,3',4,5',6,6'-Octabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-202*	2,2',3,3',5,5',6,6'-Octabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-203*	2,2',3,4,4',5,5',6-Octabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-204*	2,2',3,4,4',5,6,6'-Octabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-205*	2,3,3',4,4',5,5',6-Octabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-206*	2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-207*	2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-208*	2,2',3,3',4,5,5',6,6'-Nonabromodiphenyl ether	1.2 mL	50.0 μg/mL	
BDE-209*	Decabromodiphenyl ether	1.2 mL	50.0 μg/mL	
4PC-BDE-208*	2,2',3,3',4,5,5',6,6'-Nonabromo-4'-chlorodiphenyl ether	1.2 ml	50.0 μg/ml	

4PC-BDE-208 may be useful as an internal or surrogate standard for HRGC/ECD, HRGC/FID, and/or HRGC/MS analyses.

^{*} Toluene solution

PBDE WINDOW DEFINING SOLUTION/MIXTURE


Catalogue Number	Product (nonane solution	1)	Qty/Conc
BDE-WD	PBDE Window Defining Solution/Mi for use with a J&W DB-5HT column	1.2 mL	
	FIRST ELUTER (IUPAC)	LAST ELUTER (IUPAC)	CONCENTRATION (µg/mL each)
Bromodiphenyl ethers	1	3	1.00
Dibromodiphenyl ethers	10	15	1.00
ribromodiphenyl ethers	30	37	1.00
etrabromodiphenyl ethers	54	60	1.00
Pentabromodiphenyl ethers	104	82	1.00
lexabromodiphenyl ethers	155	128	2.00
Heptabromodiphenyl ethers	188	170	2.00
Octabromodiphenyl ethers	202	195	2.00
Nonabromodiphenyl ethers	208	206	5.00
Decabromodiphenyl ether	2	09	5.00

NATIVE PBDEs: SOLUTION/MIXTURES

Catalogue Number	Product (n	onane solution)	Qty/Conc
BDE-MXA	Native PBDE So	101111111111111111111111111111111111111	1.2 mL
		IUPAC	
2,2',4,4'-Tetrabromodiphenyl e	ther	47	5.00 μg/mL
2,2',4,4',5-Pentabromodipheny	l ether	99	5.00 μg/mL
2,2',4,4',5,5'-Hexabromodipher	nyl ether	153	5.00 μg/mL
BDE-MXB	Native PBDE So	lution/Mixture	1.2 mL
		IUPAC	
2,4,4'-Tribromodiphenyl ether		28	5.00 μg/mL
2,2',4,4',5,6'-Hexabromodipher	nyl ether	154	5.00 μg/mL
2,2',3,4,4',5',6-Heptabromodip	henyl ether	183	5.00 μg/mL
BDE-MXD	Native PBDE So	lution/Mixture	1.2 mL
		IUPAC	
2,2',4-Tribromodiphenyl ether		17	5.00 μg/m
2,2',4,4'-Tetrabromodiphenyl e	ther	47	5.00 μg/m
2,3',4,4'-Tetrabromodiphenyl e	ther	66	5.00 μg/m
2,2',4,4',6-Pentabromodipheny	l ether	100	5.00 μg/m
2,2',4,4',5,5'-Hexabromodipher	nyl ether	153	5.00 µg/m
2,2',3,4,4',5',6-Heptabromodip	henyl ether	183	5.00 µg/ml
Decabromodiphenyl ether		209	10.0 μg/m

NATIVE PBDEs: SOLUTION/MIXTURE

Catalogue Number	Product (no	nane/toluene solution)	Qty/Conc
BDE-OND	Solution/Mixture	of Octa-, Nona-, and Deca-BDEs	1.2 mL
		IUPAC	
2,2',3,3',4,4',5,5'-Octabromodip	henyl ether	194	1.00 µg/mL
2,2',3,3',4,4',5,6-Octabromodiph	nenyl ether	195	1.00 µg/mL
2,2',3,3',4,4',5,6'-Octabromodip	henyl ether	196	1.00 μg/mL
2,2',3,3',4,4',6,6'-Octabromodip	henyl ether	197	1.00 µg/mL
2,2',3,3',4,5,5',6-Octabromodiph	nenyl ether	198	1.00 µg/mL
2,2',3,3',4,5,5',6'-Octabromodip	henyl ether	199	1.00 µg/mL
2,2',3,3',4,5,6,6'-Octabromodiph	nenyl ether	200	1.00 µg/mL
2,2',3,3',4,5',6,6'-Octabromodip	henyl ether	201	1.00 µg/mL
2,2',3,3',5,5',6,6'-Octabromodip	henyl ether	202	1.00 µg/mL
2,2',3,4,4',5,5',6-Octabromodiph	nenyl ether	203	1.00 µg/mL
2,2',3,4,4',5,6,6'-Octabromodiph	nenyl ether	204	1.00 µg/mL
2,3,3',4,4',5,5',6-Octabromodiph	nenyl ether	205	1.00 µg/mL
2,2',3,3',4,4',5,5',6-Nonabromod	liphenyl ether	206	2.50 µg/mL
2,2',3,3',4,4',5,6,6'-Nonabromod	liphenyl ether	207	2.50 µg/mL
2,2',3,3',4,5,5',6,6'-Nonabromod	liphenyl ether	208	2.50 µg/mL
Decabromodiphenyl ether		209	2.50 µg/mL



HRGC/HRMS Data for BDE-OND on a 15 m DB-5HT column.

MASS-LABELLED POLYBROMINATED DIPHENYL ETHERS (PBDEs)

Catalogue	Number	Product	
MBDE-3	$\left\langle \overline{^{13}c_{6}}\right\rangle$ 0 $\left\langle \overline{^{13}c_{6}}\right\rangle$ Br	4-Bromo(¹³C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBDE-15	Br — $\left(\frac{a_{C_6}}{a_{C_6}}\right)$ — 0 — $\left(\frac{a_{C_6}}{a_{C_6}}\right)$ — Br	4,4'-Dibromo(' ³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBDE-28	Br C_{6} C_{6} C_{6} C_{7}	2,4,4'-Tribromo(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBDE-47	Br Br Br Br Br Br	2,2',4,4'-Tetrabromo(13 C, $_{12}$)diphenyl ether 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in nonane	
MBDE-77	Br Br Br Br Br Br Br Br	3,3',4,4'-Tetrabromo(13 C $_{12}$)diphenyl ether 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in nonane	
MBDE-79	Br 32c ₆ Br	3,3',4,5'-Tetrabromo(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBDE-99	$Br \longrightarrow {}^{Br} C_{6} \longrightarrow 0 \longrightarrow {}^{Br} C_{6} \longrightarrow Br$	2,2',4,4',5-Pentabromo(' ³ C _{1,2})diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBDE-100	Br Br Br Br Br	2,2',4,4',6-Pentabromo(13 C $_{12}$)diphenyl ether 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in nonane	
MBDE-126	Br 3c ₆ Br Br	3,3',4,4',5-Pentabromo(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MBDE-138	Br Br Br Br Br	2,2',3,4,4',5'-Hexabromo(' ³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYBROMINATED DIPHENYL ETHERS (PBDEs)

Catalogue Number		Product
MBDE-139 Br—\(\frac{\text{ls}_{c_6}}{\text{.}}	Br Br Br	2,2',3,4,4',6-Hexabromo(13 C _{,2})diphenyl ether 1.2 mL; 50.0 μ g/mL (\pm 2.5 μ g/mL); in nonane
MBDE-153 Br——Br	Br Br Br Br Br	2,2',4,4',5,5'-Hexabromo(' ³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBDE-154 Br—— 15c ₆	Br Br Br Br	2,2',4,4',5,6'-Hexabromo(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
MBDE-169 8r 13c ₆	9r 0—13 _{C6} 8r Br	3,3',4,4',5,5'-Hexabromo($^{13}C_{12}$)diphenyl ether 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in nonane
MBDE-180 Br 55c 6	Br Br Br Br Br Br	2,2',3,4,4',5,5'-Heptabromo(13 C $_{12}$)diphenyl ether 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in nonane
MBDE-183 Br 00-6	Br Br Br Br Br Br Br	2,2',3,4,4',5',6-Heptabromo($^{13}C_{_{12}}$)diphenyl ether 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in nonane
MBDE-197 Br Br	Br Br Br Br Br Br	2,2',3,3',4,4',6,6'-Octabromo(13 C,2)diphenyl ether 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in toluene
MBDE-205 Br Br	Br Br Br	2,3,3',4,4',5,5',6-Octabromo(¹³C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MBDE-206 Br Br Br	Br Br Br Br	2,2',3,3',4,4',5,5',6-Nonabromo(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
MBDE-207 Br— 3c ₆	Br Br Br Br	2,2',3,3',4,4',5,6,6'-Nonabromo(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYBROMINATED DIPHENYL ETHERS (PBDEs)

Catalogue Number		Product	
MBDE-209	Br Br Br Br Br	Decabromo(¹³ C ₁₂)diphenyl ether 1.2 mL; 25.0 μg/mL (±1.2 μg/mL); in toluene	


^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.


MASS-LABELLED PBDEs: SOLUTION/MIXTURES


Catalogue Number	Product (no	nane solution)	Qty/Conc
MBDE-MXA	Mass-Labelled PB	DE Solution/Mixture	1.2 mL
		IUPAC	
2,2',4,4'-Tetrabromo(13C ₁₂)	diphenyl ether	47L	5.00 μg/mL
2,2',4,4',5-Pentabromo(13C)diphenyl ether	99L	5.00 μg/mL
2,2',4,4',5,5'-Hexabromo(1	³ C ₁₂)diphenyl ether	153L	5.00 μg/mL
MBDE-MXB	Mass-Labelled PB	DE Solution/Mixture	1.2 mL
		IUPAC	
2,4,4'-Tribromo(13C,2)diphe	nyl ether	28L	5.00 μg/mL
2,2',4,4',5,6'-Hexabromo(1	C ₁₂)diphenyl ether	154L	5.00 μg/mL
2,2',3,4,4',5',6-Heptabrom	o(¹³C ₁₂)diphenyl ether	183L	5.00 μg/mL
MBDE-MXC	Mass-Labelled PB	DE Solution/Mixture	1.2 mL
		IUPAC	
4-Bromo(13C ₁₂)diphenyl eth	ner	3L	5.00 μg/mL
4,4'-Dibromo(13C ₁₂)dipheny	l ether	15L	5.00 μg/mL
2,4,4'-Tribromo(13C ₁₂)diphe	nyl ether	28L	5.00 μg/mL
2,2',4,4'-Tetrabromo(13C ₁₂)	diphenyl ether	47L	5.00 μg/mL
2,2',4,4',5-Pentabromo(13C	,2)diphenyl ether	99L	5.00 μg/mL
2,2',4,4',5,5'-Hexabromo(1	C ₁₂)diphenyl ether	153L	5.00 μg/mL
2,2',4,4',5,6'-Hexabromo(1	C ₁₂)diphenyl ether	154L	5.00 μg/mL
2,2',3,4,4',5',6-Heptabrom	o(13C,)diphenyl ether	183L	5.00 μg/mL

POLYBROMINATED DIPHENYL ETHER TECHNICAL MIXTURES

Catalogue Number	Product (toluene solution)		Qty/Conc	
TBDE-71	Great Lakes Chemical DE-71™ Pentabromodiphenyl Oxide	1.2 mL	100 μg/mL	
TBDE-79	Great Lakes Chemical DE-79™ Octabromodiphenyl Oxide	1.2 mL	100 μg/mL	
TBDE-83R	Great Lakes Chemical DE-83R™ Decabromodiphenyl Oxide	1.2 mL	100 μg/mL	







NATIVE METHOXY-BROMODIPHENYL ETHERS (MeO-BDEs)

Catalogue	Number	Product
5MBDE47	Br Br Br OCH3	2,2',4,4'-Tetrabromo-5-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
6MBDE47	Br Br Br	2,2',4,4'-Tetrabromo-6-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
4PMBDE49	H ₃ CO Br Br Br	2,2',4',5-Tetrabromo-4-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
2PMBDE68	Br OCH3 Br Br	2',3,4',5-Tetrabromo-2-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
5PMBDE99	Br Br Br	2,2',4,4',5-Pentabromo-5'-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
5PMBDE100	Br Br Br	2,2',4,4',6'-Pentabromo-5-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
4PMBDE101	H ₃ co Br Br Br	2,2',4,5,5'-Pentabromo-4'-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane
4PMBDE103	H ₃ co Br Br Br	2,2',4',5,6'-Pentabromo-4-methoxydiphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane

NOTE: In order to emphasize their relationship to the corresponding PBDE, these compounds have been numbered based on the diphenyl ether as the parent molecule with bromines retaining their BDE numbers. The methoxy groups are treated as additional substituents and listed alphabetically.

METHOXY-BROMODIPHENYL ETHERS: SOLUTION/MIXTURE

Catalogue Number	Product (nonane solution)	Qty/Conc
MeOBDES	Methoxy-Bromodiphenyl Ethers Solution/Mixture	1.2 mL
2,2',4,4'-Tetrabromo-5-methoxy	diphenyl ether	5.00 μg/mL
2,2',4,4'-Tetrabromo-6-methoxy	diphenyl ether	5.00 μg/mL
2,2',4',5-Tetrabromo-4-methoxy	diphenyl ether	5.00 µg/mL
2',3,4',5-Tetrabromo-2-methoxy	5.00 µg/mL	
2,2',4,4',5-Pentabromo-5'-metho	oxydiphenyl ether	5.00 μg/mL
2,2',4,4',6'-Pentabromo-5-metho	oxydiphenyl ether	5.00 µg/mL
2,2',4,5,5'-Pentabromo-4'-metho	5.00 μg/mL	
2,2',4',5,6'-Pentabromo-4-metho	oxydiphenyl ether	5.00 µg/mL

MASS-LABELLED METHOXY-BROMODIPHENYL ETHERS

Catalogue Number		Product	
M6MBDE47	$Br \longrightarrow {}^{13}C_{6} \longrightarrow O \longrightarrow {}^{13}C_{6} \longrightarrow Br$ $H_{9}CC$	2,2',4,4'-Tetrabromo-6-methoxy(¹³C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
M6PMBDE100	Br Br Br OCH ₃ Br	2,2',4,4',6-Pentabromo-6'-methoxy(¹³C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED HYDROXY-BROMODIPHENYL ETHERS

Catalogue Number		Product
M6HBDE47	Br Br 13c ₆ Br	2,2',4,4'-Tetrabromo-6-hydroxy(¹³C _{,2})diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
M6PHBDE100	Br $13c_6$ OH Br $13c_6$ Br $13c_6$ Br	2,2',4,4',6-Pentabromo-6'-hydroxy(' ³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

NOTE: In order to emphasize their relationship to the corresponding PBDE, these compounds have been numbered based on the diphenyl ether as the parent molecule with bromines retaining their BDE numbers. The methoxy and hydroxy groups are treated as additional substituents and listed alphabetically.

NATIVE POLYBROMINATED BIPHENYLS (PBBs)

Catalogue Number	Product (nonane solution)	Qt	y/Conc
BB-1	2-Bromobiphenyl	1.2 mL	50.0 μg/ml
BB-2	3-Bromobiphenyl	1.2 mL	50.0 μg/ml
BB-3	4-Bromobiphenyl	1.2 mL	50.0 μg/ml
BB-4	2,2'-Dibromobiphenyl	1.2 mL	50.0 μg/ml
BB-7	2,4-Dibromobiphenyl	1.2 mL	50.0 μg/ml
BB-9	2,5-Dibromobiphenyl	1.2 mL	50.0 μg/ml
BB-10	2,6-Dibromobiphenyl	1.2 mL	50.0 μg/ml
BB-15	4,4'-Dibromobiphenyl	1.2 mL	50.0 μg/ml
BB-18	2,2',5-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-22	2,3,4'-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-26	2,3',5-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-29	2,4,5-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-30	2,4,6-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-31	2,4',5-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-37	3,4,4'-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-38	3,4,5-Tribromobiphenyl	1.2 mL	50.0 μg/ml
BB-49	2,2',4,5'-Tetrabromobiphenyl	1.2 mL	50.0 μg/ml
BB-52	2,2',5,5'-Tetrabromobiphenyl	1.2 mL	50.0 μg/ml
BB-53	2,2',5,6'-Tetrabromobiphenyl	1.2 mL	50.0 μg/ml
BB-56	2,3,3',4'-Tetrabromobiphenyl	1.2 mL	50.0 μg/ml
BB-75	2,4,4',6-Tetrabromobiphenyl	1.2 mL	50.0 μg/ml
BB-77	3,3',4,4'-Tetrabromobiphenyl	1.2 mL	50.0 μg/ml
BB-80	3,3',5,5'-Tetrabromobiphenyl	1.2 mL	50.0 μg/ml
BB-101	2,2',4,5,5'-Pentabromobiphenyl	1.2 mL	50.0 μg/ml
BB-103	2,2',4,5',6-Pentabromobiphenyl	1.2 mL	50.0 μg/ml
BB-153	2,2',4,4',5,5'-Hexabromobiphenyl	1.2 mL	50.0 μg/ml
BB-154	2,2',4,4',5,6'-Hexabromobiphenyl	1.2 mL	50.0 μg/ml
BB-155	2,2',4,4',6,6'-Hexabromobiphenyl	1.2 mL	50.0 μg/ml
BB-156	2,3,3',4,4',5-Hexabromobiphenyl	1.2 mL	50.0 μg/ml
BB-169	3,3',4,4',5,5'-Hexabromobiphenyl	1.2 mL	50.0 μg/ml
BB-180	2,2',3,4,4',5,5'-Heptabromobiphenyl	1.2 mL	50.0 μg/ml
BB-194	2,2',3,3',4,4',5,5'-Octabromobiphenyl	1.2 mL	50.0 μg/ml
BB-205	2,3,3',4,4',5,5',6-Octabromobiphenyl	1.2 mL	50.0 μg/ml
BB-206*	2,2',3,3',4,4',5,5',6-Nonabromobiphenyl	1.2 mL	50.0 μg/ml
BB-209*	Decabromobiphenyl	1.2 mL	50.0 μg/ml

^{* 50%} Nonane/50% Toluene Solution

NATIVE PBBs: SOLUTION/MIXTURE

Catalogue Number	Product (nonane solution)	Qty/Conc
РВВ-МХА	Native PBB Solution/Mixture	1.2 mL
	IUPAC	
4-Bromobiphenyl	3	1.00 µg/mL
4,4'-Dibromobiphenyl	15	1.00 µg/mL
2,2',5-Tribromobiphenyl	18	1.00 µg/mL
2,2',5,5'-Tetrabromobiphenyl	52	1.00 µg/mL
2,2',4,5,5'-Pentabromobiphenyl	101	2.00 μg/mL
2,2',4,4',5,5'-Hexabromobiphen	yl 153	2.00 µg/mL
2,2',3,4,4',5,5'-Heptabromobiph	enyl 180	2.00 μg/mL
2,2',3,3',4,4',5,5'-Octabromobip	henyl 194	2.00 μg/mL
2,2',3,3',4,4',5,5',6-Nonabromob	piphenyl 206	5.00 μg/mL
Decabromobiphenyl	209	5.00 μg/mL

POLYBROMINATED BIPHENYL TECHNICAL MIXTURES


Catalogue Number	Product (nonane solution)	Qty	/Conc
TBB-BP6	Great Lakes Chemical Firemaster BP-6™ Hexabromobiphenyl	1.2 mL	100 μg/mL
TBB-809D	Chemische Fabrik Kalk Bromkal80-9D™ Nonabromobiphenyl	1.2 mL	100 μg/mL

MASS-LABELLED POLYBROMINATED BIPHENYLS

Catalogue	Number	Product	
MBB-52	Br Br 13 _{C6}	2,2',5,5'-Tetrabromo(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane; isotopic purity 99% or greater	
MBB-153	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,2',4,4',5,5'-Hexabromo(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane; isotopic purity 99% or greater	
MBB-194	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,2',3,3',4,4',5,5'-Octabromo($^{13}C_{12}$)biphenyl 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in nonane; isotopic purity 99% or greater	
MBB-209	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Decabromo(13C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane; isotopic purity 99% or greater	

MASS-LABELLED PBBs: SOLUTION/MIXTURE

Catalogue Number	Product (nor	ane solution)	Qty/Conc
МВВ-МХА	Mass-Labelled PBB	Solution/Mixture	1.2 mL
		IUPAC	
2,2',5,5'-Tetrabromo(13C ₁₂)bipher	nyl	52L	1.00 µg/mL
2,2',4,4',5,5'-Hexabromo(¹³ C ₁₂)bi	phenyl	153L	2.00 μg/mL
2,2',3,3',4,4',5,5'-Octabromo(13C)biphenyl	194L	2.00 μg/mL
Decabromo(¹³C,,)biphenyl		209L	5.00 μg/mL



HRGC/LRMS Data for MBB-MXA on a 30 m DB-5 column.

	NOTES AND NEW PRODUCTS	
-	_	
-		
	3	
-		

In order to keep up-to-date on new releases from Wellington Laboratories Inc., please visit our website at www.well-labs.com.

New Products are announced in the Wellington Reporter.



Country Farmland Waterloo, Ontario

HALOGENATED FLAME RETARDANTS & RELATED COMPOUNDS

While PBDEs and PBBs have garnered the most attention, many other halogenated flame retartants (HFRs) were industrially produced in large quantities. In this section, we offer a wide selection of HFRs that have found varying levels of usage in certain applications. Mass-labelled analogues of most of them are also available.

- Hexabromocyclododecane (HBCD or HBCDD) is an HFR added in percent levels to polystyrene used in the construction industry.
- Tetrabromobisphenol-A (TBBPA) is a reactive HFR used in printed circuit boards and is also added to various types of polymers.
- Dechlorane Plus® is a high production volume, chlorinated flame retardant that is used to replace PBDEs.

As these HFRs are being phased out or stringently regulated, organophosphate flame retardants (OPFRs) are being produced in larger quantities and have found increased usage. OPFRs are also used as plasticizers and additives in lubricants. In this section, a large selection of OPFRs is offered along with some selected mass-labelled OPFRs.

Finally, this section also contains standards of compounds related to the use of HFRs, namely:

Native and Mass-labelled Brominated Dibenzo-p-dioxins (PBDDs)

Native Brominated Dibenzofurans (PBDFs)

Mixed Br/Cl Dibenzo-p-dioxins and Dibenzofurans



NATIVE HEXABROMOCYCLODODECANE ISOMERS (HBCDDs)


Catalogue Number	Product (toluene solution)	Qty/Conc	
aHBCD	rac-α-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
ЬНВCD	rac-β-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
gHBCD	rac-γ-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
dHBCD	δ -1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
eHBCD	ϵ -1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
zHBCD	ζ-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
etaHBCD	rac-η-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
tHBCD	θ -1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
IHBCD	rac-ı-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
KHBCD	rac-к-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL

NATIVE HBCDD ISOMERS: SOLUTION/MIXTURE

Catalogue Number	Product (toluene solution)	Qty/Conc
HBCD-MXA	Native HBCDD Isomer Solution/Mixture	1.2 mL
rac-α-1,2,5,6,9,10-Hexabrom	ocyclododecane	10.0 μg/mL
rac-β-1,2,5,6,9,10-Hexabrom	ocyclododecane	10.0 μg/mL
rac-γ-1,2,5,6,9,10-Hexabrome	ocyclododecane	10.0 μg/mL

NATIVE HBCDD ENANTIOMERS

Catalogue Number	Product (toluene solution)		y/Conc
(+)aHBCD	(+)- α -15,25,5 R ,65,95,10 R -Hexabromocyclododecane	1.2 mL	50.0 μg/mL
(-)aHBCD	(-)-α-1R,2R,5S,6R,9R,10S-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
(+)gHBCD	(+)-γ-1 <i>R</i> ,2 <i>R</i> ,5 <i>R</i> ,6 <i>S</i> ,9 <i>S</i> ,10 <i>R</i> -Hexabromocyclododecane	1.2 mL	50.0 μg/mL
(-)gHBCD	(-)-γ-15,25,55,6R,9R,10S-Hexabromocyclododecane	1.2 mL	50.0 μg/mL



13C-LABELLED HEXABROMOCYCLODODECANE ISOMERS

Catalogue Number	Product (toluene solution)		y/Conc
MaHBCD	rac-α-1,2,5,6,9,10-Hexabromo(¹³C ₁₂)cyclododecane	1.2 mL	50.0 μg/mL
мьнвср	rac-β-1,2,5,6,9,10-Hexabromo(¹³C ₁₂)cyclododecane	1.2 mL	50.0 μg/mL
MgHBCD	rac-γ-1,2,5,6,9,10-Hexabromo(¹³C ₁₂)cyclododecane	1.2 mL	50.0 μg/mL

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

DEUTERATED HEXABROMOCYCLODODECANE ISOMERS

Catalogue Number	Product (toluene solution)		//Conc
DaHBCD	d_{18} -rac- α -1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
DHHBCD	d ₁₈ -rac-β-1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL
DgHBCD	d_{18} -rac- γ -1,2,5,6,9,10-Hexabromocyclododecane	1.2 mL	50.0 μg/mL

^{*} Unless stated otherwise, isotopic purities of these compounds are 98%.

13C-LABELLED HBCDD ISOMERS: SOLUTION/MIXTURE

Catalogue Number	Product (toluene solution)	Qty/Conc
мнвсд-мха	Mass-Labelled HBCDD Isomer Solution/Mixture	1.2 mL
rac-α-1,2,5,6,9,10-Hexabrom	ocyclo(¹³C ₁₂)dodecane	10.0 μg/mL
rac-β-1,2,5,6,9,10-Hexabrom	ocyclo(¹³C ₁₂)dodecane	10.0 μg/mL
rac-γ-1,2,5,6,9,10-Hexabrom	ocyclo(¹³C _{1,2})dodecane	10.0 μg/mL

PENTABROMOCYCLODODECENE (PBCD)

Catalogue Number	Product (toluene solution)	Qt	y/Conc
PBCD	rac-(1,5R,6S,9S,10R)-pentabromocyclododecene	1.2 mL	50.0 μg/mL

TETRABROMOBISPHENOL-A (TBBPA)

Catalogue Number	Product (methanol solution)	Qty	/Conc
ТВВРА	3,3',5,5'-Tetrabromobisphenol-A	1.2 mL	50.0 μg/mL

MASS-LABELLED TETRABROMOBISPHENOL-A (MTBBPA)

Catalogue N	umber	Product
МТВВРА	HO O O O O O O O O O	3,3',5,5'-Tetrabromobisphenol-A (rings: ¹³ C ₁₂) 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; isotopic purity 99% or greater

DECABROMODIPHENYLETHANE (DBDPE)

Catalogue Number	Product (toluene solution)	Qt	y/Conc
DBDPE	1,2-Bis(pentabromophenyl)ethane	1.2 mL	25.0 μg/mL

MASS-LABELLED DECABROMODIPHENYLETHANE (MDBDPE)

Catalogue Nu	mber	Product
MDBDPE	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	13 C ₁₄ -1,2-Bis(pentabromophenyl)ethane 1.2 mL; 25.0 µg/mL (±1.2 µg/mL); in toluene; isotopic purity 99% or greater

1,2-BIS(2,4,6-TRIBROMOPHENOXY)ETHANE (BTBPE)

Catalogue Number	Product (toluene solution)	Qty/Conc
ВТВРЕ	1,2-Bis(2,4,6-tribromophenoxy)ethane	1.2 mL 50.0 μg/mL

MASS-LABELLED 1,2-BIS(2,4,6-TRIBROMOPHENOXY)ETHANE (MBTBPE)

Catalogue Number		Product
МВТВРЕ	Br 37C _s Br	1,2-Bis[2,4,6-tribromo(¹³C₀)phenoxy]ethane 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

HEXABROMOBENZENE (HBBZ)

Catalogue Number	Product (toluene solution)	Qt	y/Conc
нвви	Hexabromobenzene	1.2 mL	50.0 μg/mL

MASS-LABELLED HEXABROMOBENZENE (MHBBZ)

Catalogue Number		Product
МНВВZ	Br Br Br	Hexabromo(¹³ C ₆)benzene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

PENTABROMOBENZENE (PBBZ)

Catalogue Number	Product (toluene solution)	Qty/Conc
PBBZ	Pentabromobenzene	1.2 mL 50.0 μg/mL

MASS-LABELLED PENTABROMOBENZENE (MPBBZ)

Catalogue Number		Product
MPBBZ	Br Br Br	Pentabromo(¹³ C _e)benzene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

PENTABROMOETHYLBENZENE (PBEB)

Catalogue Number	Product (toluene solution)	Qty	/Conc
PBEB	Pentabromoethylbenzene	1.2 mL	50.0 μg/mL

PENTABROMOTOLUENE (PBT)


Catalogue Number	Product (toluene solution)	Qty/	Conc
PBT	Pentabromotoluene	1.2 mL	50.0 μg/mL

TETRABROMO-p-XYLENE (pTBX)

Catalogue Number	Product (toluene solution)	Qty/Conc	
рТВХ	2,3,5,6-Tetrabromo- <i>p</i> -xylene	1.2 mL 50.0	μg/mL



Pentabromoethylbenzene




Pentabromotoluene




2,3,5,6-Tetrabromo-p-xylene

1,2,5,6-TETRABROMOCYCLOOCTANE (TBCO)

Catalogue Number	Product (toluene solution)	Qty	y/Conc
атвсо	(1R,2R,5S,6S)-1,2,5,6-tetrabromocyclooctane	1.2 mL	50.0 μg/mL
ьтвсо	rac-(1R,2R,5R,6R)-1,2,5,6-tetrabromocyclooctane	1.2 mL	50.0 μg/mL






TETRABROMOETHYLCYCLOHEXANE (TBECH)


Catalogue Number	Product (toluene solution)	Qty	/Conc
ьтвесн	rac-(1R,2R)-1,2-dibromo-(4S)-4-[(1S)-1,2-dibromoethyl]cyclohexane	1.2 mL	50.0 μg/mL
gTBECH	rac-(1R,2R)-1,2-dibromo-(4R)-4-[(1R)-1,2-dibromoethyl]cyclohexane	1.2 mL	50.0 μg/mL

TETRABROMOETHYLCYCLOHEXANE ISOMERIC SOLUTION/MIXTURES


Catalogue Number	Product (toluene solution)	Qty/Conc
аЬТВЕСН	TBECH Isomeric Solution/Mixture	1.2 mL
аТВЕСН	rac-(1R,2R)-1,2-dibromo-(4S)-4-[(1R)-1,2-dibromoethyl]cyclohexane	50.0 μg/mL
ЬТВЕСН	rac-(1R,2R)-1,2-dibromo-(4S)-4-[(1S)-1,2-dibromoethyl]cyclohexane	50.0 μg/mL
gdTBECH	TBECH Isomeric Solution/Mixture	1.2 mL
gTBECH	rac-(1R,2R)-1,2-dibromo-(4R)-4-[(1R)-1,2-dibromoethyl]cyclohexane	50.0 μg/mL
dTBECH	rac-(1R,2R)-1,2-dibromo-(4R)-4-[(1S)-1,2-dibromoethyl]cyclohexane	50.0 μg/mL




 $a \mbox{TBECH} \\ \mbox{\it rac-}(1R,2R)-1,2-\mbox{\it dibromo-}(4S)-4-[(1R)-1,2-\mbox{\it dibromoethyl}] cyclohexane \\ \mbox{\it dibromo-}(4S)-4-[(1R)-1,2-\mbox{\it dibromoethyl}] cyclohexane \\ \mbox{\it dibromo-}(4S)-4-[(1R)-1,2-\mbox{\it dibromoethyl}] cyclohexane \\ \mbox{\it dibromoethyl} cyclohexane \\ \$



 $b TBECH \\ \emph{rac-}(1R,2R)-1,2-dibromo-(4S)-4-[(1S)-1,2-dibromoethyl] cyclohexane \\$



 $\label{eq:gtbch} gTBECH $$ rac-(1R,2R)-1,2-dibromo-(4R)-4-[(1R)-1,2-dibromoethyl]cyclohexane $$ $$$




dTBECH

rac-(1R,2R)-1,2-dibromo-(4R)-4-[(1S)-1,2-dibromoethyl]cyclohexane

OCTABROMOTRIMETHYLPHENYLINDANE (OBIND)

Catalogue	Number	Product (toluene solution)	Qt	y/Conc
OBIND	4,5,6,7-Tet	rabromo-1,1,3-trimethyl-3-(2,3,4,5-tetrabromophenyl)indane	1.2 mL	50.0 μg/mL



BIS(2-ETHYLHEXYL) TETRABROMOPHTHALATE (BEHTBP)

Catalogue Number	Product (toluene solution)	Qty/Conc	
ВЕНТВР	Bis(2-ethylhexyl) tetrabromophthalate	1.2 mL 50.0 μg/mL	

BIS(2-ETHYLHEXYL-d₁₇) TETRABROMO(¹³C₆)PHTHALATE (MBEHTBP)

Catalogue Number		Product	
	Br O CO2COCO2CO2CO3	Bis(2-ethylhexyl-d ₁₇) tetrabromo(¹³C₀)phthalate	
МВЕНТВР	B UC ₆	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;	
	Br	isotopic purity 99% or greater ($^{13}C_6$), 98% or greater ($^{2}H_{_{34}}$)	

2-ETHYLHEXYL 2,3,4,5-TETRABROMOBENZOATE (EHTBB)

Catalogue Number	Product (toluene solution)	Qty/Conc	
ЕНТВВ	2-Ethylhexyl 2,3,4,5-tetrabromobenzoate	1.2 mL 50.0 μg/mL	

2-ETHYLHEXYL-d₁₇ 2,3,4,5-TETRABROMO(¹³C₆)BENZOATE (MEHTBB)

Catalogue Number		Product	
МЕНТВВ	B/	2-Ethylhexyl-d ₁₇ 2,3,4,5-tetrabromo(¹³ C ₆)benzoate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;	
	Br Br	isotopic purity 99% or greater (¹³C ₆), 98% or greater (²H ₁ ,)	

HEXACHLOROCYCLOPENTENYL-DIBROMOCYCLOOCTANE (HCDBCO)

Catalogue Number	Product (toluene solution)		Qty/Conc	
нсрвсо	rac-(1R,2R,5R,6R,9S,10S)-5,6-dibromo-1,10,11,12,13,13- hexachlorotricyclo[8.2.1.0².9]tridec-11-ene	1.2 mL	50.0 μg/mL	

TETRABROMO-O-CHLOROTOLUENE (TBCT)


Catalogue Number	Product (toluene solution)	Qty/Conc	
твст	Tetrabromo-o-chlorotoluene	1.2 mL	50.0 μg/mL

PENTABROMOBENZYL ACRYLATE (PBBA)

Catalogue Number		Product	
PBBA	By St. On	Pentabromobenzyl acrylate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene	

2,4,6-TRIBROMOPHENYL ETHERS

Catalogue Number	Product (toluene solution)	Qty/Conc	
ATE	Allyl 2,4,6-tribromophenyl ether	1.2 mL	50.0 μg/mL
DPTE	2,3-Dibromopropyl 2,4,6-tribromophenyl ether	1.2 mL	50.0 μg/mL
BATE	2-Bromoallyl 2,4,6-tribromophenyl ether	1.2 mL	50.0 μg/mL









DECHLORANE PLUS®

Catalogue Number	Product (toluene solution)	Qty/Conc	
s-DP	syn-Dechlorane Plus®	1.2 mL	50.0 μg/mL
a-DP	anti-Dechlorane Plus®	1.2 mL	50.0 μg/mL



syn-Dechlorane Plus®



anti-Dechlorane Plus®

MASS-LABELLED DECHLORANE PLUS®

Catalogue Num	ber	Product
Ma-DP	Q	anti-(13C ₁₀)Dechlorane Plus® 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

DECHLORINATED DECHLORANE PLUS®

Catalogue Number	Product (toluene solution)	Qty/Conc	
aCI10DP	anti-Cl10-Dechlorane Plus®	1.2 mL	50.0 μg/mL
axxCl10DP	exo-exo-anti-Cl10-Dechlorane Plus®	1.2 mL	50.0 μg/mL
aCI11DP	anti-Cl11-Dechlorane Plus®	1.2 mL	50.0 μg/mL
axCl11DP	exo-anti-Cl11-Dechlorane Plus®	1.2 mL	50.0 μg/mL

DECHLORANE PLUS® MONO ADDUCTS


Catalogue Number	Product (toluene solution)	Qty/Conc	
DPMA	Dechlorane Plus® Mono adduct	1.2 mL	50.0 μg/mL
1,3-DPMA	1,3-Dechlorane Plus® Mono adduct	1.2 mL	50.0 μg/mL


EXPERIMENTAL FLAME RETARDANTS (EFRs)

Catalogue Number	Product (toluene solution)	Qty/Conc	
DBCD	Dibromochlordene	1.2 mL	50.0 μg/mL
Dec-601	Dechlorane 601	1.2 mL	50.0 μg/mL
Dec-602	Dechlorane 602	1.2 mL	50.0 μg/mL
Dec-603	Dechlorane 603	1.2 mL	50.0 μg/mL
Dec-604	Dechlorane 604	1.2 mL	50.0 μg/mL
Dec-604CB	Dechlorane 604 Component B	1.2 mL	50.0 μg/mL
CPlus	Chlordene Plus	1.2 mL	50.0 μg/mL
DBALD	Dibromoaldrin	1.2 mL	50.0 μg/mL
HCPN	Hexachloro(phenyl)norbornene	1.2 mL	50.0 μg/mL

























TRIS(2,3-DIBROMOPROPYL)ISOCYANURATE (T23BPIC)

Catalogue I	Number	Product
T23BPIC		Tris(2,3-dibromopropyl)isocyanurate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

2,3,4,5-TETRABROMOBENZOIC ACID (TBBA)

Catalogue Number	Product (methanol solution)	Qt	y/Conc
ТВВА	2,3,4,5-Tetrabromobenzoic acid	1.2 mL	50.0 μg/mL

MASS-LABELLED 2,3,4,5-TETRABROMOBENZOIC ACID (MTBBA)

Catalogue Number		Product
мтвва	Br OH Br Br	2,3,4,5-Tetrabromobenzoic acid ($^{13}C_6$ -ring) 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in methanol; isotopic purity 99% or greater

METHYL-2,3,4,5-TETRABROMOBENZOATE (MeTBBA)

Catalogue Number		Product
Метвва	Br O CH ₃	Methyl-2,3,4,5-tetrabromobenzoate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

TETRABROMOPHTHALIC ANHYDRIDE (TBPAn)

Catalogue Number	Product (toluene solution)	Qty/Conc
ТВРАп	Tetrabromophthalic anhydride	1.2 mL 50.0 μg/mL

MASS-LABELLED TETRABROMOPHTHALIC ANHYDRIDE (MTBPAn)


Catalogue Number		Product
MTBPAn	Br 13C ₆	Tetrabromo(¹³C _e)phthalic anhydride 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

Catalogue I	Number	Product
ТРР		Triphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
тотр		Tri-o-tolyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
тмтр		Tri-m-tolyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
ТРТР		Tri-p-tolyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
B2tBPPP		Bis(2- <i>tert</i> -butylphenyl) phenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
ВЗ1ВРРР		Bis(3- <i>tert</i> -butylphenyl) phenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
84tBPPP	$\rightarrow \bigcirc$	Bis(4- <i>tert</i> -butylphenyl) phenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
2tBPDPP		2- <i>tert</i> -Butylphenyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
BtBPDPP		3- <i>tert</i> -Butylphenyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
1tBPDPP		4-tert-Butylphenyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

Catalogue I	Number	Product
ТЗІВРР	**************************************	Tris(3- <i>tert</i> -butylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
T4tBPP	+O+O+	Tris(4- <i>tert</i> -butylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
T24DtBPP	+4.+	Tris(2,4-di- <i>tert</i> -butylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
TZIPPP		Tris(2-isopropylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
ТЗІРРР	249	Tris(3-isopropylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
T4IPPP	>	Tris(4-isopropylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
T34DMPP	→ → → →	Tris(3,4-dimethylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
T35DMPP		Tris(3,5-dimethylphenyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
B24DIPPPP	>	Bis(2,4-diisopropylphenyl) phenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
В2ІРРРР		Bis(4-isopropylphenyl) phenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

Catalogue N	umber	Product
331PPPP		Bis(3-isopropylphenyl) phenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
41PPPP		Bis(4-isopropylphenyl) phenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
IPPDPP		2-Isopropylphenyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
IPPDPP		3-Isopropylphenyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
IPPDPP		4-Isopropylphenyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
4DIPPDPP		2,4-Diisopropylphenyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
EP	MONE OHON,	Triethyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
PrP	workers or orient	Tri-n-propyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
ВР	workarate	Tri-n-butyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
	HOHOHOHOHO	Tris(2-butoxyethyl) phosphate

Catalogue	Number	Product	
ТОВРР		Tris(2,3-dibromopropyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene	
EHDP		2-Ethylhexyl diphenyl phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene	
ТЕНР	>+<	Tris(2-ethylhexyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene	
ТСЕР		Tris(2-chloroethyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene	
ТСРР		Tris[(2 <i>R</i>)-1-chloro-2-propyl] phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene	
BDCP	a of a	Bis(1,3-dichloro-2-propyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in acetonitrile	
TDCPP		Tris(1,3-dichloro-2-propyl) phosphate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene	



HRGC/LRMS EI+ Spectra Data for EHDP on a 15 m DB-5HT column.

MASS-LABELLED ORGANOPHOSPHORUS COMPOUNDS


Catalogue Number	Product
رابر الم	(¹³C,₀)Triphenyl phosphate
ИТРР	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
Ye,	isotopic purity 99% or greater (13C,8)
(ds) -0 -0	Triphenyl phosphate-d ₁₅
ITPP	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
	isotopic purity 98% or greater (2H ₁₅)
B,CD,C.	Triethyl phosphate-d ₁₅
ITEP	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
D/co/c	isotopic purity 98% or greater (2H ₁₅)
,,ao,,ao,c	Tri-n-propyl phosphate-d ₂₁
ITPrP	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
عارته العار	isotopic purity 98% or greater (2H ₂₁)
ال معرض معرف	Tri-n-butyl phosphate-d ₂₇
ITBP	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
ه برهم بهم بد	isotopic purity 98% or greater (2H ₂₇)
HAHAHAHAM "OH"C.	Tris[2-butoxy(¹³C₂)ethyl] phosphate
ЛЕТВЕР	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
HZOHZOHZOH, MOH, MC	isotopic purity 99% or greater (13C ₆)
0,-0,	Tris(2-chloroethyl) phosphate-d ₁₂
ITCEP	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
, ,	isotopic purity 98% or greater (2H ₁₂)
o, o,	Bis(1,3-dichloro-2-propyl) phosphate-d ₁₀
IBDCP a,-co	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); în acetonitrile ;
ОН	isotopic purity 98% or greater (²H ₁₀)
	Tris(1,3-dichloro-2-propyl) phosphate-d _{1s}
ITDCPP	1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene;
a 2 - co	isotopic purity 98% or greater (2H,,)

NATIVE BROMINATED DIBENZO-p-DIOXINS (PBDDs)

Catalogue Number	Product (toluene solution)	Qty/Conc	
BDD-1	1-Bromodibenzo-p-dioxin	1.2 mL	50.0 μg/mL
BDD-27/28	2,7/2,8-Dibromodibenzo-p-dioxin mix	1.2 mL	50.0 μg/mL
BDD-237	2,3,7-Tribromodibenzo-p-dioxin	1.2 mL	50.0 μg/mL
BDD-1234	1,2,3,4-Tetrabromodibenzo-p-dioxin	1.2 mL	50.0 μg/mL
BDD-1378	1,3,7,8-Tetrabromodibenzo-p-dioxin	1.2 mL	50.0 μg/mL
BDD-2378	2,3,7,8-Tetrabromodibenzo-p-dioxin	1.2 mL	50.0 μg/mL
BDD-12378	1,2,3,7,8-Pentabromodibenzo-p-dioxin	1.2 mL	50.0 μg/mL
BDD-12478	1,2,4,7,8-Pentabromodibenzo-p-dioxin	1.2 mL	50.0 μg/mL
BDD-1234678	1,2,3,4,6,7,8-Heptabromodibenzo-p-dioxin	1.2 mL	25.0 μg/mL
BDD-12346789	Octabromodibenzo-p-dioxin	1.2 mL	10.0 µg/mL

MASS-LABELLED BROMINATED DIBENZO-p-DIOXIN

Catalogue Number		Product	
MBDD-2378	Br O O O Br	2,3,7,8-Tetrabromo(¹³ C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater	



HRGC/LRMS EI+ Spectra Data for MBDD-2378 on a 15 m DB-5HT column.

NATIVE BROMINATED DIBENZOFURANS (PBDFs)

Catalogue Number	Product (toluene solution)	Qty/Conc	
BDF-4	4-Bromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-24	2,4-Dibromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-28	2,8-Dibromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-138	1,3,8-Tribromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-234	2,3,4-Tribromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-238	2,3,8-Tribromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-247	2,4,7-Tribromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-1278	1,2,7,8-Tetrabromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-2378	2,3,7,8-Tetrabromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-12378	1,2,3,7,8-Pentabromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-23478	2,3,4,7,8-Pentabromodibenzofuran	1.2 mL	50.0 μg/mL
BDF-1234678	1,2,3,4,6,7,8-Heptabromodibenzofuran	1.2 mL	25.0 μg/mL
BDF-12346789	Octabromodibenzofuran	1.2 mL	25.0 μg/mL

NATIVE BROMO/CHLORO DIBENZO-p-DIOXINS

Catalogue Number	Product (toluene solution)	Qty/Conc	
7-B-23-CDD	7-Bromo-2,3-dichlorodibenzo-p-dioxin (97%)	1.2 mL	48.5 μg/mL
2-B-378-CDD	2-Bromo-3,7,8-trichlorodibenzo-p-dioxin (95%)	1.2 mL	47.5 μg/mL
2-B-1378-CDD	2-Bromo-1,3,7,8-tetrachlorodibenzo-p-dioxin (95%)	1.2 mL	47.5 μg/mL
23-B-78-CDD	2,3-Dibromo-7,8-dichlorodibenzo-p-dioxin	1.2 mL	50.0 µg/mL

MASS-LABELLED BROMO/CHLORO DIBENZO-p-DIOXIN

Catalogue Number		Product	
M23-B-78-CDD	CI 32C ₈ Br	2,3-Dibromo-7,8-dichloro(¹³C ₁₂)dibenzo- <i>p</i> -dioxin 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater	

NATIVE BROMO/CHLORO DIBENZOFURANS

Catalogue Number	Product (toluene solution)	Qt	y/Conc
8-B-23-CDF	8-Bromo-2,3-dichlorodibenzofuran	1.2 mL	50.0 μg/mL
3-B-278-CDF	3-Bromo-2,7,8-trichlorodibenzofuran	1.2 mL	50.0 μg/mL
8-B-234-CDF	8-Bromo-2,3,4-trichlorodibenzofuran	1.2 mL	50.0 μg/mL
4-B-2378-CDF	4-Bromo-2,3,7,8-tetrachlorodibenzofuran	1.2 mL	50.0 μg/mL
12-B-78-CDF	1,2-Dibromo-7,8-dichlorodibenzofuran	1.2 mL	50.0 μg/mL
23-B-78-CDF	2,3-Dibromo-7,8-dichlorodibenzofuran	1.2 mL	50.0 μg/mL
13-B-278-CDF	1,3-Dibromo-2,7,8-trichlorodibenzofuran	1.2 mL	50.0 μg/mL

MASS-LABELLED BROMO/CHLORO DIBENZOFURANS

Catalogue N	Number	Product
M8-B-23-CDF	Br 13C ₈ 13C ₈ Cl	8-Bromo-2,3-dichloro(¹³C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M3-B-278-CDF	CI 13C ₈ CI Br	3-Bromo-2,7,8-trichloro(¹³ C ₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M4-B-2378-CDF	CI 13C ₆ CI Br	4-Bromo-2,3,7,8-tetrachloro(¹³C₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M23-B-78-CDF	CI 13C ₈ Br	2,3-Dibromo-7,8-dichloro(¹³C₁₂)dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M13-B-278-CDF	CI 13C ₈ CI Br	1,3-Dibromo-2,7,8-trichloro(¹³ C _{1,2})dibenzofuran 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

PER- & POLYFLUOROALKYL SUBSTANCES (PFAS)

Wellington started the synthesis of PFAS reference standards in 2004. Since then, primarily due to reports in the literature and client requests, we have regularly added new native and mass-labelled standards to our inventory. Included in our inventory, which is continually expanding, are the following:

Perfluoroalkanesulfonates (PFSA)

Perfluoroethylcyclohexanesulfonate (PFECHS)

Perfluoroalkylcarboxylic acids (PFCA)

Perfluoroalkanesulfonamides (FASA)

Perfluoroalkanesulfonamidoethanols (N-MeFASE and N-EtFASE)

Perfluorooctanesulfonamidoacetic Acids (FOSAA)

Fluorotelomer Alcohols (X:2FTOH)

Fluorotelomer Carboxylic Acids and Sulfonates (FTCA and X:2FTS)

Fluorotelomer Unsaturated Carboxylic Acids (FTUCA)

Chloroperfluoroalkyl Ether Sulfonates (CI-PFESA)

Per- and Polyfluoroalkyl Ether Carboxylic Acids (PFECA)

Perfluoroalkyl Ether Sulfonate (PFESA)

Perfluoroalkylphosphonic Acids (PFAPA)

Perfluoroalkylphosphinic Acids (X:XPFPi)

Polyfluoroalkyl Phosphate Esters (PAP, diPAP, and SAmPAP)

Fluorotelomer Acrylates and Acetates (X:2FTAcr and X:2FTOAc)

We have also continued to add new PFAS standards as they are confirmed to be present in AFFF mixtures, introduced as replacements for PFOS or PFOA (e.g. GenX), or produced for other applications. We also offer several solution/mixtures of native and mass-labelled PFAS to be used according to prescribed methods such as EPA Methods 533 and 537. However, it is highly possible that new methods will be developed with expanded lists of target analytes. Thus, our inventory of PFAS will continue to grow and we urge you to visit our website for announcements of new products.



PFC-CVS-C

Catalogue Number	Product	(methano	l solutio	n)		Qty	/Conc
PFC-CVS-C	PFC-CVS-C					1 k	it
	Calibration	Solutions CS1-0	CS5			(5	ampoules
PFC-C-CS1	CS1					20	0 µL
PFC-C-CS2	CS2					20	0 µL
PFC-C-CS3	CS3					20	0 μL
PFC-C-CS4	CS4					20	0 μL
PFC-C-CS5	CS5						0 µL
			PFC-C-	PFC-C-	PFC-C-	PFC-C-	PFC-C-
			CS1	CS2	CS3	CS4	CS5
NATIVE PFCs			(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
Perfluoro-n-butanoic acid		PFBA	2.00	10.0	50.0	200	1000
Perfluoro-n-pentanoic acid		PFPeA	2.00	10.0	50.0	200	1000
Perfluoro-n-hexanoic acid		PFHxA	2.00	10.0	50.0	200	1000
Perfluoro-n-heptanoic acid		PFHpA	2.00	10.0	50.0	200	1000
Perfluoro-n-octanoic acid		PFOA	2.00	10.0	50.0	200	1000
Perfluoro-n-nonanoic acid		PFNA	2.00	10.0	50.0	200	1000
Perfluoro-n-decanoic acid		PFDA	2.00	10.0	50.0	200	1000
Perfluoro-n-undecanoic acid		PFUdA	2.00	10.0	50.0	200	1000
Perfluoro-n-dodecanoic acid		PFDoA	2.00	10.0	50.0	200	1000
Perfluoro-n-tridecanoic acid		PFTrDA	2.00	10.0	50.0	200	1000
Perfluoro-n-tetradecanoic acid		PFTeDA	2.00	10.0	50.0	200	1000
Perfluoro-n-hexadecanoic acid		PFHxDA	2.00	10.0	50.0	200	1000
Perfluoro-n-octadecanoic acid		PFODA	2.00	10.0	50.0	200	1000
Potassium perfluoro-1-butanesulfo	onate	L-PFBS	2.00	10.0	50.0	200	1000
Sodium perfluoro-1-pentanesulfon		L-PFPeS	2.00	10.0	50.0	200	1000
Sodium perfluoro-1-hexanesulfona		L-PFHxS	2.00	10.0	50.0	200	1000
Sodium perfluoro-1-heptanesulfon		L-PFHpS	2.00	10.0	50.0	200	1000
Sodium perfluoro-1-octanesulfona		L-PFOS	2.00	10.0	50.0	200	1000
Sodium perfluoro-1-nonanesulfona		L-PFNS	2.00	10.0	50.0	200	1000
Sodium perfluoro-1-decanesulfona		L-PFDS	2.00	10.0	50.0	200	1000
Sodium perfluoro-1-dodecanesulfo		L-PFDoS	2.00	10.0	50.0	200	1000
MASS-LABELLED PFC EXTRACTION	ON STANDARD		22.01	22.00	22.3	12.0	2002
Perfluoro-n-(¹³C₄)butanoic acid		MPFBA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(¹³C¸)pentanoic acid		M5PFPeA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2,3,4,6-13C _s)hexanoic	acid	M5PFHxA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2,3,4-13C,)heptanoic	acid	M4PFHpA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(13C ₈)octanoic acid		M8PFOA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(¹³C₀)nonanoic acid	D. July	M9PFNA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2,3,4,5,6-13C ₆)decano	oic acid	M6PFDA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2,3,4,5,6,7-13°C ₇)unde	canoic acid	M7PFUdA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2-13C ₂)dodecanoic ac	id	MPFDoA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2-13C ₂)tetradecanoic	acid	M2PFTeDA	50.0	50.0	50.0	50.0	50.0
odium perfluoro-1-(2,3,4-13C3)buta	nesulfonate	M3PFBS	50.0	50.0	50.0	50.0	50.0
Sodium perfluoro-1-(1,2,3-13C ₃)hexa		M3PFHxS	50.0	50.0	50.0	50.0	50.0
Sodium perfluoro-1-(¹³C _g)octanesul	fonate	M8PFOS	50.0	50.0	50.0	50.0	50.0
MASS-LABELLED PFC INJECTION		112222	23.5	42.5	22.2	22.5	58/5
Perfluoro-n-(2,3,4-13C ₃)butanoic aci	d	M3PFBA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2-13C ₂)octanoic acid		M2PFOA	50.0	50.0	50.0	50.0	50.0
Onefluera a /1 2 13C Idecannic acid		MPFDA	50.0	50.0	50.0	50.0	50.0
Perfluoro-n-(1,2-13C ₂)decanoic acid			20.0		17,677		

Catalogue Number	Product (methanol	solution)		Qty/Conc
MPFAC-C-ES	Mass-Labelled PFAS Extract	ion Standards Solutio	on	1.2 mL
MPFAC-C-IS	Mass-Labelled PFAS Injection	1.2 mL		
PFAC-MXC	Native PFAS Stock Solution			1.2 mL
		MPFAC-C-ES	MPFAC-C-IS	PFAC-MXC
NATIVE PFCs	2524	(ng/mL)	(ng/mL)	(ng/mL)
Perfluoro-n-butanoic acid	PFBA	_	-	2000
Perfluoro-n-pentanoic acid	PFPeA	_	_	2000
Perfluoro-n-hexanoic acid	PFHxA	_	_	2000
Perfluoro-n-heptanoic acid	PFHpA	_	_	2000
Perfluoro-n-octanoic acid	PFOA	_		2000
Perfluoro-n-nonanoic acid	PFNA	-	7	2000
Perfluoro-n-decanoic acid	PFDA	_	-	2000
Perfluoro-n-undecanoic acid	PFUdA	_	_	2000
Perfluoro-n-dodecanoic acid	PFDoA	_	-	2000
Perfluoro-n-tridecanoic acid	PFTrDA	_	Ξ	2000
Perfluoro-n-tetradecanoic acid	PFTeDA	_	7.	2000
Perfluoro-n-hexadecanoic acid	PFHxDA	-	7	2000
Perfluoro-n-octadecanoic acid	PFODA	_	_	2000
Potassium perfluoro-1-butanesulfonate	e L-PFBS	_	_	2000
Sodium perfluoro-1-pentanesulfonate	L-PFPeS	-	_	2000
Sodium perfluoro-1-hexanesulfonate	L-PFHxS	_	-	2000
Sodium perfluoro-1-heptanesulfonate	L-PFHpS	_	-	2000
Sodium perfluoro-1-octanesulfonate	L-PFOS	-	-	2000
Sodium perfluoro-1-nonanesulfonate	L-PFNS	-	-	2000
Sodium perfluoro-1-decanesulfonate	L-PFDS	-	_	2000
Sodium perfluoro-1-dodecanesulfonato	e L-PFDoS	-	-	2000
MASS-LABELLED PFC EXTRACTION S	STANDARDS			
Perfluoro-n-(¹³C₄)butanoic acid	MPFBA	2000	12/	
Perfluoro-n-(13C,)pentanoic acid	M5PFPeA	2000	100	<u>=</u>
Perfluoro-n-(1,2,3,4,6-13C))hexanoic acid		2000		
Perfluoro-n-(1,2,3,4-¹³C₃)heptanoic acid		2000		
Partition of (1,2,5,4 C ₄ /neptanoic acid	MARRICA	2000		

M8PFOA

M9PFNA

M6PFDA

M7PFUdA

MPFDoA

M2PFTeDA

M3PFBS

M3PFHxS

M8PFOS

M3PFBA M2PFOA

MPFDA

MPFOS

2000

2000

2000

2000

2000

2000

2000

2000

NOTE: Listed concentrations for the perfluoroalkanesulfonates are reported as the salt.

Perfluoro-n-(1,2,3,4-1-C,)neptanoic acid
Perfluoro-n-(13C,)nonanoic acid
Perfluoro-n-(1,2,3,4,5,6-13C,)decanoic acid
Perfluoro-n-(1,2,3,4,5,6,7-13C,)undecanoic acid
Perfluoro-n-(1,2-13C,)dodecanoic acid
Perfluoro-n-(1,2-13C,)tetradecanoic acid

Sodium perfluoro-1-(2,3,4-13C₃)butanesulfonate Sodium perfluoro-1-(1,2,3-13C₃)hexanesulfonate Sodium perfluoro-1-(13C₈)octanesulfonate

MASS-LABELLED PFC INJECTION STANDARDS

Sodium perfluoro-1-(1,2,3,4-13C,)octanesulfonate

Perfluoro-n-(2,3,4-13C₃)butanoic acid Perfluoro-n-(1,2-13C₂)octanoic acid

Perfluoro-n-(1,2-13C2) decanoic acid

2000

2000

2000

2000

NATIVE LINEAR PERFLUOROALKANESULFONATES (PFSA)


Catalogue Number	Product (methanol solution)	Qt	Qty/Conc	
L-PFPrS	Sodium perfluoro-1-propanesulfonate	1.2 mL	50.0 μg/mL	
L-PFBS	Potassium perfluoro-1-butanesulfonate	1.2 mL	50.0 μg/mL	
L-PFPeS	Sodium perfluoro-1-pentanesulfonate	1.2 mL	50.0 μg/mL	
L-PFHxS	Sodium perfluoro-1-hexanesulfonate	1.2 mL	50.0 μg/mL	
L-PFHpS	Sodium perfluoro-1-heptanesulfonate	1.2 mL	50.0 μg/mL	
L-PFOS	Sodium perfluoro-1-octanesulfonate	1.2 mL	50.0 μg/mL	
L-PFOSK	Potassium perfluoro-1-octanesulfonate	1.2 mL	50.0 μg/mL	
L-PFNS	Sodium perfluoro-1-nonanesulfonate	1.2 mL	50.0 μg/mL	
L-PFDS	Sodium perfluoro-1-decanesulfonate	1.2 mL	50.0 μg/mL	
L-PFUdS	Sodium perfluoro-1-undecanesulfonate	1.2 mL	50.0 μg/mL	
L-PFDoS	Sodium perfluoro-1-dodecanesulfonate	1.2 mL	50.0 μg/mL	
L-PFTrDS	Sodium perfluoro-1-tridecanesulfonate	1,2 mL	50.0 μg/mL	

NATIVE PERFLUOROALKANESULFONATES: SOLUTION/MIXTURE

Catalogue Number	Product (methanol	solution)	Qty/Conc
PFS-MXA	Native PFAS Solution/Mixtu	ire	1.2 mL
Potassium perfluoro-1-butaness	ulfonate	L-PFBS	2.00 μg/mL
Sodium perfluoro-1-hexanesulf	onate	L-PFHxS	2.00 μg/mL
Sodium perfluoro-1-heptanesul	fonate	L-PFHpS	2.00 μg/mL
Sodium perfluoro-1-octanesulfo	onate	L-PFOS	2.00 μg/mL
Sodium perfluoro-1-decanesulf	onate	L-PFDS	2.00 µg/mL

NATIVE PERFLUOROETHYLCYCLOHEXANESULFONATE (PFECHS)

Catalogue Number	Product (methanol solution)	Qt	y/Conc
PFECHS	Perfluoro-4-ethylcyclohexanesulfonate (isomeric mixture)	1.2 mL	50.0 μg/mL



LC/MS Data for PFS-MXA on an Acquity UPLC BEH Shield RP, 8 column.

NATIVE CHLORO-PERFLUOROALKANESULFONATE

Catalogue N	umber	Product
8CI-PFOS	CI F F F F F F F F F F F F F F F F F F F	Sodium 8-chloroperfluoro-1-octanesulfonate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol

NATIVE BRANCHED PERFLUOROALKANESULFONATES

Catalogue Number	Product (methanol solution)		Qty/Conc	
br-PFHxSK	L-PFHxS with branched isomers (Potassium Salt)	1.2 mL	50.0 μg/mL	
br-PFOSK	L-PFOSK with branched isomers (Potassium Salt)	1.2 mL	50.0 μg/mL	
T-PFOS	Potassium perfluorooctanesulfonate (Technical Grade)	1.2 mL	50.0 μg/mL	
NaP3MHpS	Sodium perfluoro-3-methylheptanesulfonate	1.2 mL	50.0 μg/mL	
NaP6MHpS	Sodium perfluoro-6-methylheptanesulfonate	1.2 mL	50.0 μg/mL	
IPPFNS	Sodium perfluoro-7-methyloctanesulfonate	1.2 mL	50.0 μg/mL	

MASS-LABELLED PERFLUOROALKANESULFONATES

Catalogue I	Number	Product
мзргвѕ	F F F F F SO ₃ Na*	Sodium perfluoro-1-(2,3,4- 13 C ₃)butanesulfonate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% linear; >99% 2,3,4- 13 C ₃
MPFHxS	F F F F F F F	Sodium perfluoro-1-hexane($^{18}O_2$)sulfonate 1.2 mL; 50.0 µg/mL (± 2.5 µg/mL); in methanol; >99% linear; 94% $^{18}O_2$
M3PFHxS	F F F F F F	Sodium perfluoro-1-(1,2,3- 13 C ₃)hexanesulfonate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% linear; >99% 1,2,3- 13 C ₃
MPFOS	F F F F F F F F F	Sodium perfluoro-1- $(1,2,3,4^{-13}C_4)$ octanesulfonate 1.2 mL; 50.0 μ g/mL (\pm 2.5 μ g/mL); in methanol; >99% linear; >99% 1,2,3,4- $^{13}C_4$
M8PFOS	F F F F F F F F F F F F F F F F F F F	Sodium perfluoro-1-($^{13}C_8$)octanesulfonate 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in methanol; >99% linear; >99% $^{13}C_8$

NATIVE LINEAR PERFLUOROALKYLCARBOXYLIC ACIDS (PFCA)

Catalogue Number	Product (methanol solution)	Qt	Qty/Conc		
PFBA	Perfluoro-n-butanoic acid	1.2 mL	50.0 μg/mL		
PFPeA	Perfluoro-n-pentanoic acid	1.2 mL	50.0 μg/mL		
PFHxA	Perfluoro-n-hexanoic acid	1.2 mL	50.0 μg/mL		
PFHpA	Perfluoro-n-heptanoic acid	1.2 mL	50.0 μg/mL		
PFOA	Perfluoro-n-octanoic acid	1.2 mL	50.0 μg/mL		
PFNA	Perfluoro-n-nonanoic acid	1.2 mL	50.0 μg/mL		
PFDA	Perfluoro-n-decanoic acid	1.2 mL	50.0 μg/mL		
PFUdA	Perfluoro-n-undecanoic acid	1.2 mL	50.0 μg/mL		
PFDoA	Perfluoro-n-dodecanoic acid	1.2 mL	50.0 μg/mL		
PFTrDA	Perfluoro-n-tridecanoic acid	1.2 mL	50.0 μg/mL		
PFTeDA	Perfluoro-n-tetradecanoic acid	1.2 mL	50.0 μg/mL		
PFHxDA	Perfluoro-n-hexadecanoic acid	1.2 mL	50.0 μg/mL		
PFODA	Perfluoro-n-octadecanoic acid	1.2 mL	50.0 μg/mL		

NATIVE PERFLUOROALKYLCARBOXYLIC ACIDS: SOLUTION/MIXTURE

Catalogue Number	Product (methanol solution)	Qty/Conc
PFC-MXA	Native PFCA Solution/Mixture	1.2 mL
Perfluoro-n-butanoic acid	PFBA	2.00 µg/mL
Perfluoro-n-pentanoic acid	PFPeA	2.00 μg/mL
Perfluoro-n-hexanoic acid	PFHxA	2.00 μg/mL
Perfluoro-n-heptanoic acid	PFHpA	2.00 μg/mL
Perfluoro-n-octanoic acid	PFOA	2.00 μg/mL
Perfluoro-n-nonanoic acid	PFNA	2.00 μg/mL
Perfluoro-n-decanoic acid	PFDA	2.00 μg/mL
Perfluoro-n-undecanoic acid	PFUdA	2.00 μg/mL
Perfluoro-n-dodecanoic acid	PFDoA	2.00 μg/mL
Perfluoro-n-tridecanoic acid	PFTrDA	2.00 μg/mL
Perfluoro-n-tetradecanoic acid	PFTeDA	2.00 µg/mL

NATIVE BRANCHED PERFLUOROALKYLCARBOXYLIC ACIDS

Catalogue Number	Product (methanol solution)	Qty/Conc		
T-PFOA	Ammonium perfluorooctanoate (Technical Grade)	1.2 mL	50.0 μg/mL	
РЗМНрА	Perfluoro-3-methylheptanoic acid	1.2 mL	50.0 μg/mL	
P4MOA	Perfluoro-4-methyloctanoic acid	1.2 mL	50.0 μg/mL	
ipPFNA	Perfluoro-7-methyloctanoic acid	1.2 mL	50.0 μg/mL	
P355TMHxA	Perfluoro-3,5,5-trimethylhexanoic acid	1.2 mL	50.0 μg/mL	
P37DMOA	Perfluoro-3,7-dimethyloctanoic acid	1.2 mL	50.0 μg/mL	

MASS-LABELLED PERFLUOROALKYLCARBOXYLIC ACIDS

Catalogue Nu	mber	Product
мзрғва	F 18 C 13 C OH	Perfluoro-n-(2,3,4- ¹³ C ₃)butanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 2,3,4- ¹³ C ₃
ИРГВА	F 18 19C 18 13C OH	Perfluoro-n-($^{13}C_4$)butanoic acid 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% linear; >99% $^{13}C_4$
13РFРеА	F TSC 13 13 CC COH	Perfluoro-n- $(3,4,5^{-13}C_3)$ pentanoic acid 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% linear; >99% 3,4,5- $^{13}C_3$
I5PFPeA	F 13C 13 13C OH	Perfluoro-n-($^{13}C_{\rm s}$)pentanoic acid 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in methanol; >99% linear; >99% $^{13}C_{\rm s}$
PFHxA	F F F F O OH	Perfluoro-n-(1,2- ¹³ C ₂)hexanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2- ¹³ C ₂
I5РFНхA	F 13 C 13 13 C OH	Perfluoro-n-(1,2,3,4,6- ¹³ C _s)hexanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2,3,4,6- ¹³ C _s
14РЕНрА	F F F F F F OH	Perfluoro-n-(1,2,3,4- ¹³ C ₄)heptanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2,3,4- ¹³ C ₄
IZPFOA	F F F F F F O	Perfluoro-n-(1,2- ¹³ C ₂)octanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2- ¹³ C ₂
IPFOA	F F F F F F OOH	Perfluoro-n-(1,2,3,4- ¹³ C ₄)octanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2,3,4- ¹³ C ₄
ISPFOA	F 13 13 13 13 13 13 OH	Perfluoro-n-($^{13}C_8$)octanoic acid 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in methanol; >99% linear; >98% $^{13}C_8$ and 1.0% $^{13}C_4$
IPFNA	F F F F F F F F F F F F F F F F F F F	Perfluoro-n-(1,2,3,4,5- ¹³ C _s)nonanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2,3,4,5- ¹³ C _s

MASS-LABELLED PERFLUOROALKYLCARBOXYLIC ACIDS

Catalogue	Number	Product
M9PFNA	F F F F F F F F F	Perfluoro-n-($^{13}C_{9}$)nonanoic acid 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% linear; >99% $^{13}C_{9}$
MPFDA	F F F F F F F F F F	Perfluoro-n-(1,2- ¹³ C ₂)decanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2- ¹³ C ₂
M6PFDA	F F F F F F F F F F F F F F F F F F F	Perfluoro-n-(1,2,3,4,5,6- ¹³ C ₆)decanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2,3,4,5,6- ¹³ C ₆
MPFUdA	F F F F F F F F F F F F F F F F F F F	Perfluoro-n-(1,2- ¹³ C ₂)undecanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2- ¹³ C ₂
M7PFUdA	F F F F F F F F F F F F F F F F F F F	Perfluoro-n-(1,2,3,4,5,6,7- ¹³ C ₇)undecanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2,3,4,5,6,7- ¹³ C ₇
MPFDoA	F F F F F F F F F F F F F F F F F F F	Perfluoro-n-(1,2- 13 C ₂)dodecanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2- 13 C ₂
M2PFTeDA	F F F F F F F F F F F F F F F F F F F	Perfluoro-n-(1,2- 13 C ₂)tetradecanoic acid 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% linear; >99% 1,2- 13 C ₂
M2PFHxDA	F F F F F F F F F F F F F F F F F F F	Perfluoro-n-(1,2- ¹³ C ₂)hexadecanoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; >99% 1,2- ¹³ C ₂

MIXED NATIVE PFAS: SOLUTION/MIXTURES

Catalogue Number	Product (methanol solution)		Qty/Conc
PFAC-MXA	Native PFCA and PFSA Solution/Mixture		1.2 mL
Perfluoro-n-butanoic acid		PFBA	5.00 μg/mL
Perfluoro-n-pentanoic acid		PFPeA	5.00 µg/mL
Perfluoro-n-hexanoic acid		PFHxA	5.00 µg/mL
Perfluoro-n-heptanoic acid		PFHpA	5.00 µg/mL
Perfluoro-n-octanoic acid		PFOA	5.00 µg/mL
Perfluoro-n-nonanoic acid		PFNA	5.00 µg/mL
Perfluoro-n-decanoic acid		PFDA	5.00 µg/mL
Potassium perfluoro-1-butanesul	Ifonate	L-PFBS	5.00 µg/mL
Sodium perfluoro-1-hexanesulfo	nate	L-PFHxS	5.00 µg/mL
Sodium perfluoro-1-octanesulfor		L-PFOS	5.00 μg/mL
PFAC-MXB	Native PFCA and PFSA Solution/Mixture		1.2 mL
Perfluoro-n-butanoic acid		PFBA	2000 ng/m
Perfluoro-n-pentanoic acid		PFPeA	2000 ng/ml
Perfluoro-n-hexanoic acid		PFHxA	2000 ng/m
Perfluoro-n-heptanoic acid		PFHpA	2000 ng/m
Perfluoro-n-octanoic acid		PFOA	2000 ng/m
Perfluoro-n-nonanoic acid		PFNA	2000 ng/m
Perfluoro-n-decanoic acid		PFDA	2000 ng/m
Perfluoro-n-undecanoic acid		PFUdA	2000 ng/m
Perfluoro-n-dodecanoic acid		PFDoA	2000 ng/m
Perfluoro-n-tridecanoic acid		PFTrDA	2000 ng/m
Perfluoro-n-tetradecanoic acid		PFTeDA	2000 ng/m
Perfluoro-n-hexadecanoic acid		PFHxDA	2000 ng/m
Perfluoro-n-octadecanoic acid		PFODA	2000 ng/m
Potassium perfluoro-1-butanesul	lfonate	L-PFBS	2000 ng/m
Sodium perfluoro-1-hexanesulfo	nate	L-PFHxS	2000 ng/m
Sodium perfluoro-1-octanesulfor	nate	L-PFOS	2000 ng/m
Sodium perfluoro-1-decanesulfo	nate	L-PFDS	2000 ng/ml
PFAC-MXF	Native Replacement PFAS Solution/Mixtu	re	1.2 mL
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,	3-heptafluoroproproxy)propanoic acid	HFPO-DA	2000 ng/m
Sodium dodecafluoro-3H-4,8-dio		NaDONA	2000 ng/m
Potassium 9-chlorohexadecafluo		9CI-PF3ONS	2000 ng/m
Potassium 11-chloroeicosafluoro		11CI-PF3OUdS	2000 ng/m
PFAC-MXG Nati	ve Perfluoroalkyl Ether Carboxylic Acids and S	ulfonate Solution/Mixture	1.2 mL
Perfluoro-4-oxapentanoic acid		PF4OPeA	2000 ng/m
Perfluoro-5-oxahexanoic acid		PF5OHxA	2000 ng/m
Perfluoro-3,6-dioxaheptanoic aci	id	3,6-OPFHpA	2000 ng/m
Potassium perfluoro(2-ethoxyeth		PFEESA	2000 ng/ml

MIXED NATIVE PFAS: SOLUTION/MIXTURES

Catalogue Number	Product (methanol solution)		Qty/Conc
PFAC-MXH	Native PFAS Solution/Mixture	1	1.2 mL
Perfluoro-n-butanoic acid		PFBA	4000 ng/ml
Perfluoro-n-pentanoic acid		PFPeA	2000 ng/ml
Perfluoro-n-hexanoic acid		PFHxA	1000 ng/ml
Perfluoro-n-heptanoic acid		PFHpA	1000 ng/ml
Perfluoro-n-octanoic acid		PFOA	1000 ng/ml
Perfluoro-n-nonanoic acid		PFNA	1000 ng/ml
Perfluoro-n-decanoic acid		PFDA	1000 ng/ml
Perfluoro-n-undecanoic acid		PFUdA	1000 ng/ml
Perfluoro-n-dodecanoic acid		PFDoA	1000 ng/ml
Perfluoro-n-tridecanoic acid		PFTrDA	1000 ng/mi
Perfluoro-n-tetradecanoic acid		PFTeDA	1000 ng/ml
Perfluoro-1-octanesulfonamide		FOSA	1000 ng/ml
N-methylperfluorooctanesulfor	namidoacetic acid (linear and branched isomers)	br-NMeFOSAA	1000 ng/ml
N-ethylperfluorooctanesulfona	midoacetic acid (linear and branched isomers)	br-NEtFOSAA	1000 ng/ml
Potassium perfluoro-1-butanesulfonate		L-PFBS	1000 ng/ml
Sodium perfluoro-1-pentanesulfonate		L-PFPeS	1000 ng/mi
Potassium perfluorohexanesulf	onate (linear and branched isomers)	br-PFHxSK	1000 ng/ml
Sodium perfluoro-1-heptanesulfonate		L-PFHpS	1000 ng/mi
Potassium perfluorooctanesulfo	onate (linear and branched isomers)	br-PFOSK	1000 ng/ml
Sodium perfluoro-1-nonanesul	fonate	L-PFNS	1000 ng/ml
Sodium perfluoro-1-decanesulf		L-PFDS	1000 ng/ml
Sodium perfluoro-1-dodecanes		L-PFDoS	1000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro		4:2FTS	4000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro		6:2FTS	4000 ng/mi
Sodium 1H,1H,2H,2H-perfluoro		8:2FTS	4000 ng/ml
FAC-MXI	Native N-Me/EtFOSA & N-Me/EtFOSE Solution	on/Mixture	1.2 mL
N-methylperfluoro-1-octanesul	fonamide	N-MeFOSA	1.00 µg/mL
N-ethylperfluoro-1-octanesulfo	namide	N-EtFOSA	1.00 µg/mL
2-(N-methylperfluoro-1-octanesulfonamido)ethanol		N-MeFOSE	10.0 μg/mL
2-(N-ethylperfluoro-1-octanesu	lfonamido)ethanol	N-EtFOSE	10.0 μg/mL
FAC-MXJ	Native X:3 Fluorotelomer Carboxylic Acid So	olution/Mixture	1.2 mL
3-Perfluoropropyl propanoic ac	id	FPrPA	4.00 µg/mL
3-Perfluoropentyl propanoic ac	id	FPePA	20.0 μg/mL
3-Perfluoroheptyl propanoic ac	rid	FHpPA	20.0 µg/mL

MIXED MASS-LABELLED PFAS: SOLUTION/MIXTURES

Catalogue Number	Product (methanol solution)		Qty/Conc
MPFAC-HIF-ES	Mass-Labelled PFAS Extraction Standard	Solution/Mixture	1.2 mL
Perfluoro-n-(¹³C₄)butanoic acid		MPFBA	2000 ng/ml
Perfluoro-n-(13C ₅)pentanoic acid	t .	M5PFPeA	1000 ng/ml
Perfluoro-n-(1,2,3,4,6-13C ₅)hexar	noic acid	M5PFHxA	500 ng/ml
Perfluoro-n-(1,2,3,4-13C4)heptan	oic acid	M4PFHpA	500 ng/ml
Perfluoro-n-(13C ₈)octanoic acid		M8PFOA	500 ng/ml
Perfluoro-n-(13C ₉)nonanoic acid		M9PFNA	250 ng/ml
Perfluoro-n-(1,2,3,4,5,6-13C ₆)dec	anoic acid	M6PFDA	250 ng/ml
Perfluoro-n-(1,2,3,4,5,6,7-13C,)ur	ndecanoic acid	M7PFUdA	250 ng/ml
Perfluoro-n-(1,2-13C2)dodecanoid	c acid	MPFDoA	250 ng/ml
Perfluoro-n-(1,2-13C ₂)tetradecan	oic acid	M2PFTeDA	250 ng/ml
Perfluoro-1-(13C ₈)octanesulfonar	mide	M8FOSA	500 ng/ml
N-methyl-d ₃ -perfluoro-1-octane	esulfonamide	d-N-MeFOSA	500 ng/ml
N-ethyl-d _s -perfluoro-1-octanesu	ulfonamide	d-N-EtFOSA	500 ng/ml
N-methyl-d ₃ -perfluoro-1-octane	sulfonamidoacetic acid	d3-N-MeFOSAA	1000 ng/ml
N-ethyl-d _s -perfluoro-1-octanesu	ulfonamidoacetic acid	d5-N-EtFOSAA	1000 ng/ml
2-(N-methyl-d ₃ -perfluoro-1-octa	anesulfonamido) ethan-d ₄ -ol	d7-N-MeFOSE	5000 ng/ml
2-(N-ethyl-d _s -perfluoro-1-octano	esulfonamido)ethan-d ₄ -ol	d9-N-EtFOSE	5000 ng/ml
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3	3,3-heptafluoropropoxy)(¹³C₃)propanoic acid	M3HFPO-DA	2000 ng/ml
Sodium perfluoro-1-(2,3,4-13C ₃)b	outanesulfonate	M3PFBS	500 ng/ml
Sodium perfluoro-1-(1,2,3-13C ₃)h	nexanesulfonate	M3PFHxS	500 ng/ml
Sodium perfluoro-1-(13C8)octane	esulfonate	M8PFOS	500 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	(1,2-13C ₂)hexanesulfonate	M2-4:2FTS	1000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	(1,2-13C ₂)octanesulfonate	M2-6:2FTS	1000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	(1,2-13C ₂)decanesulfonate	M2-8:2FTS	1000 ng/ml

Product (methanol solution)		Qty/Conc
Mass-Labelled PFAS Injection Standard Solution	on/Mixture	1.2 mL
cid N	ИЗРГВА	1000 ng/mL
d	MPFHxA	500 ng/mL
acid	мрғоA	500 ng/mL
pic acid	MPFNA	250 ng/mL
d b	MPFDA	250 ng/mL
sulfonate	MPFHxS	500 ng/mL
octanesulfonate	MPFOS	500 ng/mL
	Mass-Labelled PFAS Injection Standard Solution id Mass-Labelled PFAS Injection Standard Injection id Mass-Labelled PFAS Injection id Mass-Labell	Mass-Labelled PFAS Injection Standard Solution/Mixture cid M3PFBA d MPFHxA acid MPFOA bic acid MPFNA d MPFDA sulfonate MPFHxS

MIXED NATIVE PFAS: SOLUTION/MIXTURE

Catalogue Number	Product (meth	anol solution)	Qty/Conc
EU-5813-NSS	5813/20 PFAS Native	Solution/Mixture	1.2 mL
Perfluoro-n-butanoic acid		PFBA	2000 ng/mL
Perfluoro-n-pentanoic acid		PFPeA	2000 ng/mL
Perfluoro-n-hexanoic acid		PFHxA	2000 ng/mL
Perfluoro-n-heptanoic acid		PFHpA	2000 ng/mL
Perfluoro-n-octanoic acid		PFOA	2000 ng/mL
Perfluoro-n-nonanoic acid		PFNA	2000 ng/mL
Perfluoro-n-decanoic acid		PFDA	2000 ng/ml
Perfluoro-n-undecanoic acid		PFUdA	2000 ng/ml
Perfluoro-n-dodecanoic acid		PFDoA	2000 ng/ml
Perfluoro-n-tridecanoic acid		PFTrDA	2000 ng/ml
Potassium perfluoro-1-butanesu	ılfonate	L-PFBS	2000 ng/ml
Sodium perfluoro-1-pentanesul	fonate	L-PFPeS	2000 ng/ml
Sodium perfluoro-1-hexanesulfo	onate	L-PFHxS	2000 ng/mL
Sodium perfluoro-1-heptanesul	fonate	L-PFHpS	2000 ng/mL
Sodium perfluoro-1-octanesulfo	onate	L-PFOS	2000 ng/mL
Sodium perfluoro-1-nonanesulf	onate	L-PFNS	2000 ng/mL
Sodium perfluoro-1-decanesulfo	onate	L-PFDS	2000 ng/mL
Sodium perfluoro-1-undecanesu	ulfonate	L-PFUdS	2000 ng/mL
Sodium perfluoro-1-dodecanes	ulfonate	L-PFDoS	2000 ng/mL
Sodium perfluoro-1-tridecanesu	Ifonate	L-PFTrDS	2000 ng/mL

MIXED MASS-LABELLED PFAS: SOLUTION/MIXTURE

Catalogue Number	Product (methanol	solution)	Qty/Conc
MPFAC-MXA	Mass-Labelled PFCA and PF	SA Solution/Mixture	1.2 mL
Perfluoro-n-(13C ₄)butanoic acid		MPFBA	2000 ng/mL
Perfluoro-n-(1,2-13C2)hexanoic ac	id	MPFHxA	2000 ng/ml
Perfluoro-n-(1,2,3,4-13C ₄)octanoid	acid	MPFOA	2000 ng/ml
Perfluoro-n-(1,2,3,4,5-13C _s)nonan	oic acid	MPFNA	2000 ng/mL
Perfluoro-n-(1,2-13C2)decanoic ac	id	MPFDA	2000 ng/mL
Perfluoro-n-(1,2-13C2)undecanoic	acid	MPFUdA	2000 ng/ml
Perfluoro-n-(1,2-13C ₂)dodecanoic	acid	MPFDoA	2000 ng/ml
Sodium perfluoro-1-hexane(180)	sulfonate	MPFHxS	2000 ng/mL
Sodium perfluoro-1-(1,2,3,4-13C ₄)	octanesulfonate	MPFOS	2000 ng/mL

MIXED NATIVE PFAS: SOLUTION/MIXTURE

Catalogue Number	Product (methanol solution	on)	Qty/Conc
PFAC-24PAR	Native PFAS Precision and Recovery S	tandard Solution	1.2 mL
Perfluoro-n-butanoic acid		PFBA	2000 ng/mL
Perfluoro-n-pentanoic acid		PFPeA	2000 ng/mL
Perfluoro-n-hexanoic acid		PFHxA	2000 ng/mL
Perfluoro-n-heptanoic acid		PFHpA	2000 ng/ml
Perfluoro-n-octanoic acid		PFOA	2000 ng/mL
Perfluoro-n-nonanoic acid		PFNA	2000 ng/mL
Perfluoro-n-decanoic acid		PFDA	2000 ng/mL
Perfluoro-n-undecanoic acid		PFUdA	2000 ng/mL
Perfluoro-n-dodecanoic acid		PFDoA	2000 ng/ml
Perfluoro-n-tridecanoic acid		PFTrDA	2000 ng/ml
Perfluoro-n-tetradecanoic acid		PFTeDA	2000 ng/ml
Perfluoro-1-octanesulfonamide		FOSA	2000 ng/ml
N-methylperfluoro-1-octanesul	fonamidoacetic acid	N-MeFOSAA	2000 ng/ml
N-ethylperfluoro-1-octanesulfo	namidoacetic acid	N-EtFOSAA	2000 ng/ml
Potassium perfluoro-1-butanes	ulfonate	L-PFBS	2000 ng/ml
Sodium perfluoro-1-pentanesul	fonate	L-PFPeS	2000 ng/ml
Potassium perfluorohexanesulf	onate (linear and branched isomers)	br-PFHxSK	2000 ng/ml
Sodium perfluoro-1-heptanesul	fonate	L-PFHpS	2000 ng/mL
Potassium perfluorooctanesulfo	onate (linear and branched isomers)	br-PFOSK	2000 ng/ml
Sodium perfluoro-1-nonanesult	fonate	L-PFNS	2000 ng/ml
Sodium perfluoro-1-decanesulf	onate	L-PFDS	2000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	hexanesulfonate	4:2FTS	2000 ng/mL
Sodium 1H,1H,2H,2H-perfluoro	octanesulfonate	6:2FTS	2000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	decanesulfonate	8:2FTS	2000 ng/ml

MIXED MASS-LABELLED PFAS: SOLUTION/MIXTURE

Catalogue Number	Product (methanol so	lution)	Qty/Conc
MPFAC-24ES	Mass-Labelled PFAS Extraction S	itandard Solution	1.2 mL
Perfluoro-n-(13C ₄)butanoic acid		MPFBA	1000 ng/mL
Perfluoro-n-(13C _s)pentanoic acid		M5PFPeA	1000 ng/mL
Perfluoro-n-(1,2,3,4,6-13C _s)hexan	oic acid	M5PFHxA	1000 ng/mL
Perfluoro-n-(1,2,3,4-13Ca)heptano	oic acid	M4PFHpA	1000 ng/mL
Perfluoro-n-(13C ₈)octanoic acid		M8PFOA	1000 ng/mL
Perfluoro-n-(13C ₉)nonanoic acid		M9PFNA	1000 ng/mL
Perfluoro-n-(1,2,3,4,5,6-13C ₆)deca	anoic acid	M6PFDA	1000 ng/mL
Perfluoro-n-(1,2,3,4,5,6,7-13C,)un	decanoic acid	M7PFUdA	1000 ng/mL
Perfluoro-n-(1,2-13C2)dodecanoic	acid	MPFDoA	1000 ng/mL
Perfluoro-n-(1,2-13C ₂)tetradecanoic acid		M2PFTeDA	1000 ng/mL
Perfluoro-1-(13C _a)octanesulfonamide		M8FOSA	1000 ng/mL
N-methyl-d ₃ -perfluoro-1-octanes	sulfonamidoacetic acid	d3-N-MeFOSAA	1000 ng/mL
N-ethyl-d _s -perfluoro-1-octanesu	Ifonamidoacetic acid	d5-N-EtFOSAA	1000 ng/mL
Sodium perfluoro-1-(2,3,4-13C ₃)b	utanesulfonate	M3PFBS	1000 ng/mL
Sodium perfluoro-1-(1,2,3-13C ₃)h	exanesulfonate	M3PFHxS	1000 ng/mL
Sodium perfluoro-1-(13C8)octane	sulfonate	M8PFOS	1000 ng/mL
Sodium 1H,1H,2H,2H-perfluoro((1,2-13C ₂)hexanesulfonate	M2-4:2FTS	1000 ng/mL
Sodium 1H,1H,2H,2H-perfluoro((1,2-13C ₂)octanesulfonate	M2-6:2FTS	1000 ng/mL
Sodium 1H,1H,2H,2H-perfluoro((1,2-13C ₃)decanesulfonate	M2-8:2FTS	1000 ng/mL

MIXED NATIVE PFAS: SOLUTION/MIXTURE

Catalogue Number	Product (methanol solution)		Qty/Conc
PFAC30PAR	Native PFAS Precision and Recovery Standard	Solution	1.2 mL
Perfluoro-n-butanoic acid		PFBA	1000 ng/ml
Perfluoro-n-pentanoic acid		PFPeA	1000 ng/m
Perfluoro-n-hexanoic acid		PFHxA	1000 ng/ml
Perfluoro-n-heptanoic acid		PFHpA	1000 ng/ml
Perfluoro-n-octanoic acid		PFOA	1000 ng/ml
Perfluoro-n-nonanoic acid		PFNA	1000 ng/ml
Perfluoro-n-decanoic acid		PFDA	1000 ng/ml
Perfluoro-n-undecanoic acid		PFUdA	1000 ng/ml
Perfluoro-n-dodecanoic acid		PFDoA	1000 ng/ml
Perfluoro-n-tridecanoic acid		PFTrDA	1000 ng/ml
Perfluoro-n-tetradecanoic acid		PFTeDA	1000 ng/ml
Perfluoro-1-butanesulfonamide		FBSA	1000 ng/ml
Perfluoro-1-hexanesulfonamide		FHxSA	1000 ng/m
Perfluoro-1-octane sulfonamide		FOSA	1000 ng/m
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)propanoic acid		HFPO-DA	1000 ng/m
N-methylperfluorooctanesulfonamidoacetic acid (linear and branched isomers)		br-NMeFOSAA	1000 ng/m
N-ethylperfluorooctanesulfona	midoacetic acid (linear and branched isomers)	br-NEtFOSAA	1000 ng/ml
Potassium perfluoro-1-butanes	ulfonate	L-PFBS	1000 ng/ml
Sodium perfluoro-1-pentanesul	fonate	L-PFPeS	1000 ng/m
Potassium perfluorohexanesulf	onate (linear and branched isomers)	br-PFHxSK	1000 ng/m
Sodium perfluoro-1-heptanesul	fonate	L-PFHpS	1000 ng/m
Potassium perfluorooctanesulfo	onate (linear and branched isomers)	br-PFOSK	1000 ng/ml
Sodium perfluoro-1-nonanesulf	onate	L-PFNS	1000 ng/ml
Sodium perfluoro-1-decanesulf	onate	L-PFDS	1000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	hexanesulfonate	4:2FTS	1000 ng/m
Sodium 1H,1H,2H,2H-perfluoro	octanesulfonate	6:2FTS	1000 ng/m
Sodium 1H,1H,2H,2H-perfluoro	decanesulfonate	8:2FTS	1000 ng/m
Sodium dodecafluoro-3H-4,8-di	oxanonanoate	NaDONA	1000 ng/m
Potassium 9-chlorohexadecaflu	oro-3-oxanonane-1-sulfonate	9CI-PF3ONS	1000 ng/ml
Potassium 11-chloroeicosafluor	o-3-oxaundecane-1-sulfonate	11CI-PF3OUdS	1000 ng/ml

EPA METHOD 537.1 SOLUTION/MIXTURES

Catalogue Number	Product (methanol solution)		Qty/Conc
EPA-537SS-R1	EPA Method 537.1 Surrogate Primary Dilution Sta	ndard (SUR PDS)	1.2 mL
Perfluoro-n-(1,2-13C2)hexano	pic acid	MPFHxA	1000 ng/mL
Perfluoro-n-(1,2-13C ₂)decand	pic acid	MPFDA	1000 ng/ml
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(13C ₃)propanoic acid		M3HFPO-DA	1000 ng/ml
N-ethyl-d _s -perfluoro-1-octanesulfonamidoacetic acid		d5-N-EtFOSAA	4000 ng/ml
EPA-537IS	EPA Method 537.1 Internal Standard Primary Dilu	tion Standard (IS PDS)	1.2 mL
Perfluoro-n-(1,2-13C2)octano	ic acid	M2PFOA	1000 ng/ml
N-methyl-d ₃ -perfluoro-1-oc	tanesulfonamidoacetic acid	d3-N-MeFOSAA	4000 ng/ml
Sodium perfluoro-1-(1,2,3,4	1-13C ₄) octanesulfonate	MPFOS	3000 ng/mL

EPA METHOD 537.1 SOLUTION/MIXTURES

Catalogue Number	Product (methanol solution)		Qty/Conc
EPA-537PDS-R1 EPA I	Method 537.1 Analyte Primary Dilution Standard	(branched/linear mix)	1.2 mL
Perfluoro-n-hexanoic acid		PFHxA	2000 ng/m
Perfluoro-n-heptanoic acid		PFHpA	2000 ng/m
Perfluoro-n-octanoic acid		PFOA	2000 ng/m
Perfluoro-n-nonanoic acid		PFNA	2000 ng/m
Perfluoro-n-decanoic acid		PFDA	2000 ng/m
Perfluoro-n-undecanoic acid		PFUdA	2000 ng/m
Perfluoro-n-dodecanoic acid		PFDoA	2000 ng/m
Perfluoro-n-tridecanoic acid		PFTrDA	2000 ng/m
Perfluoro-n-tetradecanoic acid		PFTeDA	2000 ng/m
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3	3-heptafluoroproproxy)propanoic acid	HFPO-DA	2000 ng/m
N-methylperfluorooctanesulfona	midoacetic acid (linear and branched isomers)	br-NMeFOSAA	2000 ng/m
N-ethylperfluorooctanesulfonam	doacetic acid (linear and branched isomers)	br-NEtFOSAA	2000 ng/m
Potassium perfluoro-1-butanesult	onate	L-PFBS	2000 ng/m
Potassium perfluorohexanesulfor	ate (linear and branched isomers)	br-PFHxSK	2000 ng/m
Potassium perfluorooctanesulfon	ate (linear and branched isomers)	br-PFOSK	2000 ng/m
Sodium dodecafluoro-3H-4,8-diox	kanonanoate	NaDONA	2000 ng/m
Potassium 9-chlorohexadecafluor	o-3-oxanonane-1-sulfonate	9CI-PF3ONS	2000 ng/m
Potassium 11-chloroeicosafluoro-	3-oxaundecane-1-sulfonate	11CI-PF3OUdS	2000 ng/m
PA-537PDSL-R1 EPA I	Method 537.1 Analyte Primary Dilution Standard	(linear isomers only)	1.2 mL
Perfluoro-n-hexanoic acid		PFHxA	2000 ng/m
Perfluoro-n-heptanoic acid		PFHpA	2000 ng/m
Perfluoro-n-octanoic acid		PFOA	2000 ng/m
Perfluoro-n-nonanoic acid		PFNA	2000 ng/m
Perfluoro-n-decanoic acid		PFDA	2000 ng/m
Perfluoro-n-undecanoic acid		PFUdA	2000 ng/m
Perfluoro-n-dodecanoic acid		PFDoA	2000 ng/m
Perfluoro-n-tridecanoic acid		PFTrDA	2000 ng/m
Perfluoro-n-tetradecanoic acid		PFTeDA	2000 ng/m
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,	3-heptafluoroproproxy)propanoic acid	HFPO-DA	2000 ng/m
N-methylperfluoro-1-octanesulfo		N-MeFOSAA	2000 ng/m
N-ethylperfluoro-1-octanesulfona		N-EtFOSAA	2000 ng/m
Potassium perfluoro-1-butanesulf	onate	L-PFBS	2000 ng/m
Sodium perfluoro-1-hexanesulfor	nate	L-PFHxS	2000 ng/m
Sodium perfluoro-1-octanesulfon	ate	L-PFOS	2000 ng/m
Sodium dodecafluoro-3H-4,8-diox	canonanoate	NaDONA	2000 ng/m
Potassium 9-chlorohexadecafluor	o-3-oxanonane-1-sulfonate	9CI-PF3ONS	2000 ng/m
Potassium 11-chloroeicosafluoro-	3-oxaundecane-1-sulfonate	11CI-PF3OUdS	2000 ng/m

ISO 21675:2019 SOLUTION/MIXTURES

Catalogue Number	Product (methanol solution)		Qty/Cond
ISO 21675-NSS	ISO 21675:2019 Native Stock Solution	5.7.5	1.2 mL
Perfluoro-n-butanoic acid		PFBA	100 ng/ml
Perfluoro-n-pentanoic acid		PFPeA	100 ng/ml
Perfluoro-n-hexanoic acid		PFHxA	100 ng/ml
Perfluoro-n-heptanoic acid		PFHpA	100 ng/ml
Perfluoro-n-octanoic acid		PFOA	100 ng/ml
Perfluoro-n-nonanoic acid		PFNA	100 ng/ml
Perfluoro-n-decanoic acid		PFDA	100 ng/ml
Perfluoro-n-undecanoic acid		PFUdA	100 ng/ml
Perfluoro-n-dodecanoic acid		PFDoA	100 ng/ml
Perfluoro-n-tridecanoic acid		PFTrDA	100 ng/ml
Perfluoro-n-tetradecanoic acid		PFTeDA	100 ng/ml
Perfluoro-n-hexadecanoic acid		PFHxDA	100 ng/ml
Perfluoro-n-octadecanoic acid		PFODA	100 ng/ml
Perfluoro-1-octanesulfonamide		FOSA	100 ng/ml
N-methylperfluoro-1-octanesulfo	onamide	N-MeFOSA	100 ng/ml
N-ethylperfluoro-1-octanesulfonamide		N-EtFOSA	100 ng/ml
N-methylperfluoro-1-octanesulfonamidoacetic acid		N-MeFOSAA	100 ng/ml
N-ethylperfluoro-1-octanesulfon	amidoacetic acid	N-EtFOSAA	100 ng/ml
2H-Perfluoro-2-decenoic acid		FOUEA	100 ng/ml
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,	3-heptafluoroproproxy)propanoic acid	HFPO-DA	100 ng/ml
Potassium perfluoro-1-butanesu	fonate	L-PFBS	100 ng/ml
Sodium perfluoro-1-hexanesulfo	nate	L-PFHxS	100 ng/ml
Sodium perfluoro-1-heptanesulf	onate	L-PFHpS	100 ng/ml
Sodium perfluoro-1-octanesulfor	nate	L-PFOS	100 ng/ml
Sodium perfluoro-1-decanesulfo	nate	L-PFDS	100 ng/ml
Sodium 1H,1H,2H,2H-perfluoroo	ctanesulfonate	6:2FTS	100 ng/ml
Sodium 1H,1H,2H,2H-perfluorod	ecanesulfonate	8:2FTS	100 ng/ml
Sodium dodecafluoro-3H-4,8-dio	xanonanoate	NaDONA	100 ng/ml
Potassium 9-chlorohexadecafluo	ro-3-oxanonane-1-sulfonate	9CI-PF3ONS	100 ng/ml
Sodium bis(1H,1H,2H,2H-perfluo	rodecyl) phosphate	8:2diPAP	100 ng/ml

ISO 21675:2019 SOLUTION/MIXTURES


Catalogue Number	Product (methanol solution)		Qty/Conc
ISO 21675-LSS	ISO 21675:2019 Labelled Stock Solution		1.2 mL
Perfluoro-n-(13C ₄)butanoic acid		MPFBA	100 ng/ml
Perfluoro-n-(13C _s)pentanoic acid		M5PFPeA	100 ng/ml
Perfluoro-n-(1,2,3,4,6-13C,)hexan	oic acid	M5PFHxA	100 ng/ml
Perfluoro-n-(1,2,3,4-13C4)heptano	pic acid	M4PFHpA	100 ng/ml
Perfluoro-n-(13C ₈)octanoic acid		M8PFOA	100 ng/ml
Perfluoro-n-(13C _o)nonanoic acid		M9PFNA	100 ng/ml
Perfluoro-n-(1,2,3,4,5,6-13C ₆)deca	anoic acid	M6PFDA	100 ng/ml
Perfluoro-n-(1,2,3,4,5,6,7-13C ₇)ur		M7PFUdA	100 ng/ml
Perfluoro-n-(1,2-13C,)dodecanoid	acid acid	MPFDoA	100 ng/ml
Perfluoro-n-(1,2-13C2)tetradecand	oic acid	M2PFTeDA	100 ng/ml
Perfluoro-n-(1,2-13C2)hexadecand	pic acid	M2PFHxDA	100 ng/ml
Perfluoro-1-(13Cg)octanesulfonar	nide	M8FOSA	100 ng/ml
N-methyl-d ₃ -perfluoro-1-octanesulfonamide		d-N-MeFOSA	100 ng/ml
N-ethyl-d _s -perfluoro-1-octanesulfonamide		d-N-EtFOSA	100 ng/ml
N-methyl-d ₃ -perfluoro-1-octane	sulfonamidoacetic acid	d3-N-MeFOSAA	100 ng/ml
N-ethyl-d _s -perfluoro-1-octanesu	Ifonamidoacetic acid	d5-N-EtFOSAA	100 ng/ml
2H-Perfluoro-(1,2-13C2)-2-deceno	ic acid	MFOUEA	100 ng/ml
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3	3,3-heptafluoroproproxy)(¹³C₃)propanoic acid	M3HFPO-DA	100 ng/ml
Sodium perfluoro-1-(2,3,4-13C ₃)b	utanesulfonate	M3PFBS	100 ng/ml
Sodium perfluoro-1-(1,2,3-13C ₃)h	exanesulfonate	M3PFHxS	100 ng/ml
Sodium perfluoro-1-(13C8)octane	sulfonate	M8PFOS	100 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	(1,2-13C ₂) octane sulfonate	M2-6:2FTS	100 ng/ml
Sodium 1H,1H,2H,2H-perfluoro	(1,2-13C ₂) decanesul fonate	M2-8:2FTS	100 ng/ml
Sodium bis[1H,1H,2H,2H-(1,2-13C))perfluorodecyl] phosphate	M4-8:2diPAP	100 ng/ml

EPA METHOD 533 SOLUTION/MIXTURES

PA-533ES EPA Method 533 Isotope Dilution Standard PDS Perfluoro-n-(¹³C₀)butanoic acid Perfluoro-n-(¹³C₀)pentanoic acid Perfluoro-n-(1,2,3,4,6-¹³C₀)hexanoic acid Perfluoro-n-(1,2,3,4-³°C₀)heptanoic acid Perfluoro-n-(¹³C₀)cotanoic acid Perfluoro-n-(¹³C₀)ononanoic acid Perfluoro-n-(¹,2,3,4,5,6-³²C₀)decanoic acid Perfluoro-n-(1,2,3,4,5,6,7-³²C₀)undecanoic acid Perfluoro-n-(1,2,3,4,5,6,7-³²C₀)undecanoic acid Perfluoro-n-(1,2-³°C₀)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(¹³C₀)propanoic acid Sodium perfluoro-1-(2,3,4-³²C₀)butanesulfonate Sodium perfluoro-1-(1,2,3-³²C₀)hexanesulfonate Sodium perfluoro-1-(¹³C₀)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³²C₀)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³²C₀)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³²C₀)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³²C₀)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³²C₀)decanesulfonate Sodium perfluoro-n-(2,3,4-³²C₀)butanoic acid Perfluoro-n-(1,2-³²C₀)octanoic acid Sodium perfluoro-1-(1,2,3,4-³²C₀)octanesulfonate EPA-533PAR EPA Method 533 Native Analyte Primary Dilution Stand Perfluoro-n-butanoic acid	MPFBA M5PFPeA M5PFPeA M4PFHPA M8PFOA M9PFNA M6PFDA M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS S) M3PFBA M2PFOA	1.2 mL 500 ng/mL 2000 ng/mL 2000 ng/mL 2000 ng/mL
Perfluoro-n-(¹³C¸)pentanoic acid Perfluoro-n-(1,2,3,4,6-¹³C¸)hexanoic acid Perfluoro-n-(¹,2,3,4-¹³C¸)heptanoic acid Perfluoro-n-(¹³C¸)octanoic acid Perfluoro-n-(¹³C¸)nonanoic acid Perfluoro-n-(¹,2,3,4,5,6-¹³C¸)decanoic acid Perfluoro-n-(1,2,3,4,5,6,7-¹³C¸)undecanoic acid Perfluoro-n-(1,2-¹³C¸)dodecanoic acid Perfluoro-n-(1,2-¹³C¸)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(¹³C¸)propanoic acid Sodium perfluoro-1-(2,3,4-¹³C¸)butanesulfonate Sodium perfluoro-1-(1,2,3-¹³C¸)hexanesulfonate Sodium perfluoro-1-(¹³C¸)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C¸)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C¸)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C¸)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³C¸)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³C¸)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³C¸)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-³C¸)decanesulfonate EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-¹³C¸)butanoic acid Sodium perfluoro-1-(1,2,3,4-¹³C¸)octanesulfonate EPA Method 533 Native Analyte Primary Dilution Standard EPA-533PAR EPA Method 533 Native Analyte Primary Dilution Standard	M5PFPeA M5PFHxA M4PFHpA M8PFOA M9PFNA M6PFDA M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml
Perfluoro-n-(1,2,3,4,6-13C ₃)hexanoic acid Perfluoro-n-(1,2,3,4-13C ₃)heptanoic acid Perfluoro-n-(13C ₃)nonanoic acid Perfluoro-n-(13C ₃)nonanoic acid Perfluoro-n-(1,2,3,4,5,6-13C ₃)decanoic acid Perfluoro-n-(1,2,3,4,5,6,7-13C ₃)undecanoic acid Perfluoro-n-(1,2-13C ₂)dodecanoic acid Perfluoro-n-(1,2-13C ₂)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(13C ₃)propanoic acid Sodium perfluoro-1-(2,3,4-13C ₃)butanesulfonate Sodium perfluoro-1-(1,2,3-13C ₃)hexanesulfonate Sodium perfluoro-1-(13C ₄)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)decanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(1,2-13C ₂)octanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₃)octanesulfonate	M5PFHxA M4PFHpA M8PFOA M9PFNA M6PFDA M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml
Perfluoro-n-(1,2,3,4-13C ₃)heptanoic acid Perfluoro-n-(13C ₃)octanoic acid Perfluoro-n-(13C ₃)nonanoic acid Perfluoro-n-(1,2,3,4,5,6-13C ₆)decanoic acid Perfluoro-n-(1,2,3,4,5,6,7-13C ₆)undecanoic acid Perfluoro-n-(1,2-13C ₂)dodecanoic acid Perfluoro-n-(1,2-13C ₂)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(13C ₃)propanoic acid Sodium perfluoro-1-(2,3,4-13C ₃)butanesulfonate Sodium perfluoro-1-(1,2,3-13C ₃)hexanesulfonate Sodium perfluoro-1-(1,2,3-13C ₃)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₃)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₃)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₃)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-13C ₃)octanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₃)octanesulfonate	M4PFHpA M8PFOA M9PFNA M6PFDA M7PFUdA M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS S) M3PFBA	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml
Perfluoro-n-(¹²C₂) nonanoic acid Perfluoro-n-(¹²C₂) nonanoic acid Perfluoro-n-(¹,2,3,4,5,6,⁻¹²C₂) decanoic acid Perfluoro-n-(1,2,3,4,5,6,⁻¹²C₂) undecanoic acid Perfluoro-n-(1,2-¹³C₂) dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(¹³C₃) propanoic acid Sodium perfluoro-1-(²,3,4-¹²C₃) butanesulfonate Sodium perfluoro-1-(¹³C₂) octanesulfonate Sodium perfluoro-1-(¹³C₂) octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂) hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂) octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂) decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS) Perfluoro-n-(2,3,4-¹³C₃) butanoic acid Perfluoro-n-(1,2-¹³C₂) octanoic acid Sodium perfluoro-1-(1,2,3,4-¹³C₄) octanesulfonate	M8PFOA M9PFNA M6PFDA M7PFUdA M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml
Perfluoro-n-(¹²C₃)nonanoic acid Perfluoro-n-(1,2,3,4,5,6-¹³C₅)decanoic acid Perfluoro-n-(1,2,3,4,5,6,7-³C₂)dodecanoic acid Perfluoro-n-(1,2-¹³C₂)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(¹³C₃)propanoic acid Sodium perfluoro-1-(2,3,4-¹³C₃)butanesulfonate Sodium perfluoro-1-(¹1,2,3-¹³C₃)hexanesulfonate Sodium perfluoro-1-(¹3C₃)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-¹³C₃)butanoic acid Perfluoro-n-(1,2-¹³C₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-¹³C₄)octanesulfonate	M9PFNA M6PFDA M7PFUdA M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml
Perfluoro-n-(1,2,3,4,5,6-13C _p)decanoic acid Perfluoro-n-(1,2-13C _p)dodecanoic acid Perfluoro-n-(1,2-13C _p)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(13C _p)propanoic acid Sodium perfluoro-1-(2,3,4-13C _p)butanesulfonate Sodium perfluoro-1-(1,2,3-13C _p)hexanesulfonate Sodium perfluoro-1-(13C _p)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C _p)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C _p)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C _p)decanesulfonate FPA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-13C _p)butanoic acid Perfluoro-n-(1,2-13C _p)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C _p)octanesulfonate EPA Method 533 Native Analyte Primary Dilution Standard	M6PFDA M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS S) M3PFBA	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml 2000 ng/ml
Perfluoro-n-(1,2,3,4,5,6,7-13C ₂)undecanoic acid Perfluoro-n-(1,2-13C ₂)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(13C ₃)propanoic acid Sodium perfluoro-1-(2,3,4-13C ₃)butanesulfonate Sodium perfluoro-1-(1,2,3-13C ₃)hexanesulfonate Sodium perfluoro-1-(13C ₈)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-13C ₃)butanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₄)octanesulfonate EPA Method 533 Native Analyte Primary Dilution Standard	M7PFUdA MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS S) M3PFBA	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml 2000 ng/ml
Perfluoro-n-(1,2-1³C ₂)dodecanoic acid 2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(¹³C ₃)propanoic acid Sodium perfluoro-1-(2,3,4-¹³C ₃)butanesulfonate Sodium perfluoro-1-(¹,2,3-¹³C ₃)hexanesulfonate Sodium perfluoro-1-(¹³C ₈)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C ₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C ₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-¹³C ₃)butanoic acid Perfluoro-n-(1,2-¹³C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-¹³C ₄)octanesulfonate	MPFDoA M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml 2000 ng/ml
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)(\(^3\text{C}_3\)propanoic acid Sodium perfluoro-1-(2,3,4-\(^3\text{C}_3\)butanesulfonate Sodium perfluoro-1-(\(^1,2,3\)-\(^3\text{C}_3\))becanesulfonate Sodium perfluoro-1-(\(^3\text{C}_3\))octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-\(^3\text{C}_2\))octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-\(^3\text{C}_2\))octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-\(^3\text{C}_2\))decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-\(^3\text{C}_3\))butanoic acid Perfluoro-n-(1,2-\(^3\text{C}_2\))octanoic acid Sodium perfluoro-1-(1,2,3,4-\(^3\text{C}_4\))octanesulfonate EPA Method 533 Native Analyte Primary Dilution Standard	M3HFPO-DA M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS S) M3PFBA	500 ng/ml 500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml
Sodium perfluoro-1-(2,3,4-¹³C₃)butanesulfonate Sodium perfluoro-1-(1,2,3-¹³C₃)hexanesulfonate Sodium perfluoro-1-(¹³C₅)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-¹³C₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-¹³C₃)butanoic acid Perfluoro-n-(1,2-¹³C₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-¹³C₄)octanesulfonate PA-533PAR EPA Method 533 Native Analyte Primary Dilution Standard	M3PFBS M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS	500 ng/ml 500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml 2000 ng/ml
Sodium perfluoro-1-(1,2,3-13C ₃)hexanesulfonate Sodium perfluoro-1-(13C ₃)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-13C ₃)butanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₄)octanesulfonate PA-533PAR EPA Method 533 Native Analyte Primary Dilution Standard	M3PFHxS M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS	500 ng/ml 500 ng/ml 2000 ng/ml 2000 ng/ml 2000 ng/ml
Sodium perfluoro-1-(13C ₈)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2-13C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-13C ₂)butanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₄)octanesulfonate PA-533PAR EPA Method 533 Native Analyte Primary Dilution Standard	M8PFOS M2-4:2FTS M2-6:2FTS M2-8:2FTS S) M3PFBA	500 ng/ml 2000 ng/ml 2000 ng/ml 2000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro(1,2- ¹³ C ₂)hexanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2- ¹³ C ₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2- ¹³ C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4- ¹³ C ₃)butanoic acid Perfluoro-n-(1,2- ¹³ C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4- ¹³ C ₄)octanesulfonate PA-533PAR EPA Method 533 Native Analyte Primary Dilution Standard	M2-4:2FTS M2-6:2FTS M2-8:2FTS S) M3PFBA	2000 ng/ml 2000 ng/ml 2000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro(1,2- ¹³ C ₂)octanesulfonate Sodium 1H,1H,2H,2H-perfluoro(1,2- ¹³ C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4- ¹³ C ₂)butanoic acid Perfluoro-n-(1,2- ¹³ C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4- ¹³ C ₄)octanesulfonate EPA Method 533 Native Analyte Primary Dilution Standard	M2-6:2FTS M2-8:2FTS S) M3PFBA	2000 ng/ml 2000 ng/ml
Sodium 1H,1H,2H,2H-perfluoro(1,2- ¹³ C ₂)decanesulfonate PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4- ¹³ C ₃)butanoic acid Perfluoro-n-(1,2- ¹³ C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4- ¹³ C ₄)octanesulfonate PA-533PAR EPA Method 533 Native Analyte Primary Dilution Standard	M2-8:2FTS S) M3PFBA	2000 ng/ml
PA-533IS EPA Method 533 Isotope Performance Standard (IS PDS Perfluoro-n-(2,3,4-13C ₃)butanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₄)octanesulfonate EPA Method 533 Native Analyte Primary Dilution Standard	S) M3PFBA	
Perfluoro-n-(2,3,4-13C ₃)butanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₄)octanesulfonate EPA-533PAR EPA Method 533 Native Analyte Primary Dilution Stand	МЗРГВА	1.2 mL
Perfluoro-n-(2,3,4-13C ₃)butanoic acid Perfluoro-n-(1,2-13C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-13C ₄)octanesulfonate PA-533PAR EPA Method 533 Native Analyte Primary Dilution Stand	МЗРГВА	
Perfluoro-n-(1,2-1 ³ C ₂)octanoic acid Sodium perfluoro-1-(1,2,3,4-1 ³ C ₄)octanesulfonate PA-533PAR EPA Method 533 Native Analyte Primary Dilution Stand	M2PFOA	1000 ng/mL
PA-533PAR EPA Method 533 Native Analyte Primary Dilution Stand		1000 ng/ml
	MPFOS	3000 ng/mL
	dard (br/linear mix)	1.2 mL
	PFBA	500 ng/mL
Perfluoro-n-pentanoic acid	PFPeA	500 ng/ml
Perfluoro-n-hexanoic acid	PFHxA	500 ng/mL
Perfluoro-n-heptanoic acid	PFHpA	500 ng/mL
Perfluoro-n-octanoic acid	PFOA	500 ng/mL
Perfluoro-n-nonanoic acid	PFNA	500 ng/mL
Perfluoro-n-decanoic acid	PFDA	500 ng/ml
Perfluoro-n-undecanoic acid	PFUdA	500 ng/ml
Perfluoro-n-dodecanoic acid	PFDoA	500 ng/mL
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoroproproxy)propanoic acid	HFPO-DA	500 ng/mL
Perfluoro-4-oxapentanoic acid	PF4OPeA	500 ng/mL
Perfluoro-5-oxahexanoic acid	PF5OHxA	500 ng/mL
Perfluoro-3,6-dioxaheptanoic acid	3,6-OPFHpA	500 ng/ml
Potassium perfluoro-1-butanesulfonate	L-PFBS	500 ng/mL
Sodium perfluoro-1-pentanesulfonate	L-PFPeS	500 ng/ml
Potassium perfluorohexanesulfonate (linear and branched isomers)	br-PFHxSK	500 ng/ml
Sodium perfluoro-1-heptanesulfonate	L-PFHpS	500 ng/ml
Potassium perfluorooctanesulfonate (linear and branched isomers)	br-PFOSK	500 ng/mL
Sodium 1H,1H,2H,2H-perfluorohexanesulfonate	4:2FTS	500 ng/ml
Sodium 1H,1H,2H,2H-perfluorooctanesulfonate	6:2FTS	500 ng/ml
Sodium 1H,1H,2H,2H-perfluorodecanesulfonate	8:2FTS	500 ng/ml
Sodium dodecafluoro-3H-4,8-dioxanonanoate	NaDONA	500 ng/ml
Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate	9CI-PF3ONS	500 ng/mL
Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate Potassium perfluoro(2-ethoxyethane)sulfonate	11Cl-PF3OUdS PFEESA	500 ng/ml 500 ng/ml

PFOS/PFOA ISOMERS

Catalogue Number	Product (methanol solution)	Qty/A	nion Conc
P1MHpS	Sodium Perfluoro-1-methylheptanesulfonate	200 µL	1.00 µg/mL
DOMU-C	Sodium Perfluoro-3-methylheptanesulfonate	200 µL	1.00 µg/mL
РЗМНрЅ	Perfluoro-3-methylheptanoic acid		1.90 µg/mL
DAMES C	Sodium Perfluoro-4-methylheptanesulfonate	200 µL	1.00 µg/mL
Р4МНрЅ	Perfluoro-4-methylheptanoic acid		2.20 µg/mL
2000	Sodium Perfluoro-5-methylheptanesulfonate	200 µL	1.00 µg/mL
P5MHpS	Perfluoro-5-methylheptanoic acid		1.96 µg/mL
norm-c	Sodium Perfluoro-6-methylheptanesulfonate	200 µL	1.00 µg/mL
P6MHpS	Perfluoro-6-methylheptanoic acid		3.10 µg/mL
nernau.c	Sodium Perfluoro-5,5-dimethylhexanesulfonate	200 µL	1.00 µg/mL
P55DMHxS	Perfluoro-5,5-dimethylhexanoic acid		1.95 μg/mL
	Sodium Perfluoro-4,5-dimethylhexanesulfonate	200 µL	1.00 µg/mL
P45DMHxS	Perfluoro-4,5-dimethylhexanoic acid		1.22 µg/mL
r43Dmnx3	Sodium Perfluoro-3,5-dimethylhexanesulfonate		0.50 μg/mL
	Perfluoro-3,5-dimethylhexanoic acid		0.60 µg/mL



NOTE: $R = CO_2^-$ and $CF_2SO_3^ R' = SO_3^-$ only

Perfluoro-4,5-dimethyl-

Perfluoro-5,5-dimethyl-

Perfluoro-3,5-dimethyl-

NATIVE PERFLUOROALKANESULFONAMIDES (FASA)

Catalogue Number	Product (methanol solution)	Qty/Conc	
FBSA-I	Perfluoro-1-butanesulfonamide (in isopropanol)	1.2 mL	50.0 μg/mL
FHxSA-I	Perfluoro-1-hexanesulfonamide (in isopropanol)	1.2 mL	50.0 μg/mL
FHpSA-I	Perfluoro-1-heptanesulfonamide (in isopropanol)	1.2 mL	50.0 μg/mL
FOSA-I	Perfluoro-1-octanesulfonamide (in isopropanol)	1.2 mL	50.0 μg/mL
FDSA-I	Perfluoro-1-decanesulfonamide (in isopropanol)	1.2 mL	50.0 μg/mL
N-MeFBSA-M	N-methylperfluoro-1-butanesulfonamide	1.2 mL	50.0 μg/mL
N-MeFOSA-M	N-methylperfluoro-1-octanesulfonamide	1.2 mL	50.0 μg/mL
N,N-Me2FOSA-M	N,N-dimethylperfluoro-1-octanesulfonamide	1.2 mL	50.0 μg/mL
N-EtFOSA-M	N-ethylperfluoro-1-octanesulfonamide	1.2 mL	50.0 μg/mL

MASS-LABELLED PERFLUOROALKANESULFONAMIDES

Catalogue N	umber	Product
M8FOSA-I	F F F F F F F F F F F F F F F F F F F	Perfluoro-1-($^{13}C_8$)octanesulfonamide 1.2 mL; 50.0 µg/mL (± 2.5 µg/mL); in isopropanol; >99% linear; >99% $^{13}C_8$
d-N-MeFOSA-M	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	N-methyl-d $_3$ -perfluoro-1-octanesulfonamide 1.2 mL; 50.0 μ g/mL (\pm 2.5 μ g/mL); in methanol; >99% linear; 98% 2 H $_3$
d-N-EtFOSA-M	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	N-ethyl-d $_{\rm s}$ -perfluoro-1-octanesulfonamide 1.2 mL; 50.0 μ g/mL (\pm 2.5 μ g/mL); in methanol; >99% linear; 98% 2 H $_{\rm s}$

NATIVE PERFLUOROALKANESULFONAMIDOETHANOLS (N-MeFASE and N-EtFASE)

Catalogue Number	Product (methanol solution)		y/Conc
N-MeFBSE-M	2-(N-methylperfluoro-1-butanesulfonamido)ethanol	1.2 mL	50.0 μg/mL
N-MeFOSE-M	2-(N-methylperfluoro-1-octanesulfonamido)ethanol	1.2 mL	50.0 μg/mL
N-EtFOSE-M	2-(N-ethylperfluoro-1-octanesulfonamido)ethanol	1.2 mL	50.0 μg/mL

MASS-LABELLED PERFLUOROALKANESULFONAMIDOETHANOLS

Catalogue Number	Product
d7-N-MeFOSE-M $_{F}$	2-(N-methyl- d_3 -perfluoro-1-octane- sulfonamido)ethan- d_4 -ol 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in methanol; >99% linear; 98% 2 H $_7$
d9-N-EtFOSE-M F	2-(N-ethyl-d $_5$ -perfluoro-1-octane-sulfonamido)ethan-d $_4$ -ol 1.2 mL; 50.0 μ g/mL (\pm 2.5 μ g/mL); in methanol; >99% linear; 98% 2 H $_9$

NATIVE PERFLUOROOCTANESULFONAMIDOACETIC ACIDS (FOSAA)

Catalogue Number	Product (methanol solution)		Qty/Conc	
FOSAA	Perfluoro-1-octanesulfonamidoacetic acid	1.2 mL	50.0 μg/mL	
N-MeFOSAA	N-methylperfluoro-1-octanesulfonamidoacetic acid	1.2 mL	50.0 μg/mL	
N-EtFOSAA	N-ethylperfluoro-1-octanesulfonamidoacetic acid	1.2 mL	50.0 μg/mL	
br-NMeFOSAA	N-methylperfluorooctanesulfonamidoacetic acid isomeric mix	1.2 mL	50.0 μg/mL	
br-NEtFOSAA	N-ethylperfluorooctanesulfonamidoacetic acid isomeric mix	1.2 mL	50.0 μg/mL	

MASS-LABELLED PERFLUOROOCTANESULFONAMIDOACETIC ACIDS

Catalogue Number		Product	
d3-N-MeFOSAA	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	N-methyl-d ₃ -perfluoro-1-octane- sulfonamidoacetic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% linear; 98% ² H ₃	
d5-N-EtFOSAA	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	N-ethyl-d ₅ -perfluoro-1-octane- sulfonamidoacetic acid 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% linear; 98% ² H ₅	

NATIVE FLUOROTELOMER ALCOHOLS (X:2FTOH)

Catalogue Number	Product (methanol solution)	Qt	y/Conc
FBET	2-Perfluorobutyl ethanol (4:2)	1.2 mL	50.0 μg/mL
5:2sFTOH	1-Perfluoropentyl ethanol (5:2 secondary)	1.2 mL	50.0 μg/mL
FHET	2-Perfluorohexyl ethanol (6:2)	1.2 mL	50.0 μg/mL
7:2sFTOH	1-Perfluoroheptyl ethanol (7:2 secondary)	1.2 mL	50.0 μg/mL
FOET	2-Perfluorooctyl ethanol (8:2)	1.2 mL	50.0 μg/mL
FDET	2-Perfluorodecyl ethanol (10:2)	1.2 mL	50.0 μg/mL

MASS-LABELLED FLUOROTELOMER ALCOHOLS

Catalogu	e Number	Product
MFBET	F F F D D	2-Perfluorobutyl (1,1,2,2- 2 H ₄)ethanol (>97%) 1.2 mL; 48.5 µg/mL (±2.4 µg/mL); in methanol; 98% 1,1,2,2- 2 H ₄
MFHET	F F F F F D D	2-Perfluorohexyl $(1,1^{-2}H_{2},1,2^{-13}C_{2})$ ethanol 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; 98% $1,1^{-2}H_{2}$, >99% $1,2^{-13}C_{2}$
M2FHET	F F F F F H H	2-Perfluorohexyl (1,2- 13 C ₂)ethanol 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% 1,2- 13 C ₂
MFOET	F F F F F F D D	2-Perfluorooctyl $(1,1^{-2}H_2,1,2^{-13}C_2)$ ethanol 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; 98% $1,1^{-2}H_2$, >99% $1,2^{-13}C_2$
M2FOET	F F F F F F H H	2-Perfluorooctyl (1,2- 13 C ₂)ethanol 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% 1,2- 13 C ₂
MFDET	F F F F F F F F F F F F F F F F F F F	2-Perfluorodecyl $(1,1^{-2}H_{2'},1,2^{-13}C_{2})$ ethanol 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; 98% $1,1^{-2}H_{2'}$ >99% $1,2^{-13}C_{2}$

NATIVE FLUOROTELOMER CARBOXYLIC ACIDS (FTCA)

Catalogue Number	Product (isopropanol solution)	Qty/Conc	
FHEA	2-Perfluorohexyl ethanoic acid (6:2)	1.2 mL	50.0 μg/mL
FOEA	2-Perfluorooctyl ethanoic acid (8:2)	1.2 mL	50.0 μg/mL
FDEA	2-Perfluorodecyl ethanoic acid (10:2)	1.2 mL	50.0 μg/mL
FPrPA	3-Perfluoropropyl propanoic acid (3:3)	1.2 mL	50.0 μg/mL
FPePA	3-Perfluoropentyl propanoic acid (5:3)	1.2 mL	50.0 μg/mL
FHpPA	3-Perfluoroheptyl propanoic acid (7:3)	1.2 mL	50.0 μg/mL

NATIVE FLUOROTELOMER CARBOXYLIC ACIDS: SOLUTION/MIXTURE


Catalogue Number	Product (isopro	panol solution)	Qty/Conc
FTA-MXA	Native FTA Solution/Mi	xture	1.2 mL
2-Perfluorohexyl ethanoic ad	cid (6:2)	FHEA	2.00 μg/mL
2-Perfluorooctyl ethanoic ac	id (8:2)	FOEA	2.00 µg/mL
2-Perfluorodecyl ethanoic ac	cid (10:2)	FDEA	2.00 µg/mL

MASS-LABELLED FLUOROTELOMER CARBOXYLIC ACIDS

Catalogue	Number Number	Product
МҒНЕА	F F F F F H H	2-Perfluorohexyl (1,2- 13 C ₂)ethanoic acid 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in isopropanol; >99% 13 C ₂
MFOEA	F F F F F F H H	2-Perfluorooctyl $(1,2^{-13}C_2)$ ethanoic acid 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in isopropanol; >99% $^{13}C_2$
MFDEA	F F F F F F F F H H	2-Perfluorodecyl (1,2- 13 C ₂)ethanoic acid 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in isopropanol; >99% 13 C ₂

MASS-LABELLED FLUOROTELOMER CARBOXYLIC ACIDS: SOLUTION/MIXTURE

Catalogue Number	Product (isoprop	anol solution)	Qty/Conc	
MFTA-MXA	Mass-Labelled FTA Solution/Mixture		1.2 mL	
2-Perfluorohexyl (1,2- ¹³ C ₂)ethan	noic acid (6:2)	MFHEA	2.00 μg/mL	
2-Perfluorooctyl (1,2-13C ₂)ethan	noic acid (8:2)	MFOEA	2.00 μg/mL	
2-Perfluorodecyl (1,2-13C2)ethan	noic acid (10:2)	MFDEA	2.00 μg/mL	



LC/MS Data for MFTA-MXA on an Acquity UPLC BEH Shield $\ensuremath{\mathsf{RP}_{\scriptscriptstyle{18}}}$ column.

NATIVE FLUOROTELOMER UNSATURATED CARBOXYLIC ACIDS (FTUCA)

Catalogue Number	Product (isopropanol solution)	Qt	y/Conc
FHUEA	2H-Perfluoro-2-octenoic acid (6:2)	1.2 mL	50.0 μg/mL
FOUEA	2H-Perfluoro-2-decenoic acid (8:2)	1.2 mL	50.0 μg/mL
FDUEA	2H-Perfluoro-2-dodecenoic acid (10:2)	1.2 mL	50.0 μg/mL

MASS-LABELLED FLUOROTELOMER UNSATURATED CARBOXYLIC ACIDS

Catalogue	e Number	Product
MFHUEA	F F F F F F O	2H-Perfluoro-(1,2- 13 C ₂)-2-octenoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in isopropanol; >99% 13 C ₂
MFOUEA	F F F F F F F F F F F F F F F F F F F	2H-Perfluoro-(1,2- 13 C ₂)-2-decenoic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in isopropanol; >99% 13 C ₂
MFDUEA	F F F F F F F F F F F F F F F F F F F	2H-Perfluoro- $(1,2^{-13}C_2)$ -2-dodecenoic acid 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in isopropanol; >99% $^{13}C_2$

NATIVE CHLOROPERFLUOROALKYL ETHER SULFONATES (CI-PFESA)

Catalogue Number	Product (methanol solution)	Qty/Conc
9CI-PF3ONS	Potassium 9-chlorohexadecafluoro-3-oxanonane-1-sulfonate	1.2 mL 50.0 µg/mL
11CI-PF3OUdS	Potassium 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate	1.2 mL 50.0 µg/mL

NOTE: Listed concentrations are reported as the salt.

NATIVE PER- AND POLYFLUOROALKYL ETHER CARBOXYLIC ACIDS (PFECA)

Catalogue Number	Product (methanol solution)	Qt	y/Conc
NaDONA *	Sodium dodecafluoro-3H-4,8-dioxanonanoate	1.2 mL	50.0 μg/mL
PF40PeA	Perfluoro-4-oxapentanoic acid (PFMPA)	1.2 mL	50.0 μg/mL
PF50HxA	Perfluoro-5-oxahexanoic acid (PFMBA)	1.2 mL	50.0 μg/mL
3,6-OPFHpA	Perfluoro-3,6-dioxaheptanoic acid (NFDHA)	1.2 mL	50.0 μg/mL

*NOTE: Listed concentration is reported as the salt.

NATIVE PERFLUOROALKYL ETHER SULFONATES (PFESA)

Catalogue Number	Product (methanol solution)	Qt	y/Conc
PFEESA	Potassium perfluoro(2-ethoxyethane)sulfonate	1.2 mL	50.0 μg/mL

NOTE: Listed concentration is reported as the salt.

NATIVE HEXAFLUOROPROPYLENE OXIDE DIMER ACID (HFPO-DA)

Catalogue Number	Product (methanol solution)	Qt	y/Conc
HFPO-DA	2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)- propanoic acid (GenX)	1.2 mL	50.0 μg/mL

MASS-LABELLED HEXAFLUOROPROPYLENE OXIDE DIMER ACID

Catalogue Nu	mber	Product
	F F 9	2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-
5 N	heptafluoropropoxy)(¹³ C ₃)propanoic acid	
МЗНГРО-DA	C C OH	1.2 mL; 50.0 μg/mL (±2.5 μg/mL);
	F F F F 13CF3	in methanol; > 99% ¹³ C ₃

NATIVE FLUOROTELOMER SULFONATES (X:2FTS)

Catalogue Number	Product (methanol solution)	Qty/Conc
4:2FTS	Sodium 1H,1H,2H,2H-perfluorohexanesulfonate (4:2)	1.2 mL 50.0 µg/mL
6:2FTS	Sodium 1H,1H,2H,2H-perfluorooctanesulfonate (6:2)	1.2 mL 50.0 µg/mL
8:2FTS	Sodium 1H,1H,2H,2H-perfluorodecanesulfonate (8:2)	1.2 mL 50.0 µg/mL
10:2FTS	Sodium 1H,1H,2H,2H-perfluorododecanesulfonate (10:2)	1.2 mL 50.0 µg/mL

NOTE: Listed concentrations are reported as the salt.

MASS-LABELLED FLUOROTELOMER SULFONATES

Product
Sodium 1H,1H,2H,2H-perfluoro(1,2- $^{13}C_2$)hexanesulfonate (4:2) 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% $^{13}C_2$
Sodium 1H,1H,2H,2H-perfluoro(1,2- $^{13}C_2$)octanesulfonate (6:2) 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% $^{13}C_2$
Sodium 1H,1H,2H,2H-perfluoro(1,2- ¹³ C ₂)decanesulfonate (8:2) 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; >99% ¹³ C ₂

NOTE: Listed concentrations are reported as the salt.

NATIVE PERFLUOROALKYLPHOSPHONIC ACIDS (PFAPA)

Catalogue	Number	Product
РЕНХРА	F F F F F OH	Perfluorohexylphosphonic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
PFOPA	F F F F F F OH OH	Perfluorooctylphosphonic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
PFDPA	F F F F F F F F F OH OH	Perfluorodecylphosphonic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
CI-PFHxPA	CI F F F F OH OH	6-Chloroperfluorohexylphosphonic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
CI-PFOPA	CI F F F F F F OH OH	8-Chloroperfluorooctylphosphonic acid 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol

NATIVE SODIUM PERFLUOROALKYL PHOSPHINATES (X:XPFPi)

Catalogu	ie Number	Product
6:6PFPi	F ₃ CF ₂ CF ₂ CF ₂ CF ₂ CF ₂ CV ₂ OV ₂ ON ₂ ON ₂ ON ₂ ON ₂ ON ₂ OF ₂ CF ₂ CF ₂ CF ₂ CF ₂ CF ₂ CF ₃ ON ₂	Sodium bis(perfluorohexyl)phosphinate 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
6:8PFPi	$F_3CF_2CF_2CF_2CF_2CF_2C^{NPM} \int\limits_{ONa^*}^{N} CF_2CF_2CF_2CF_2CF_2CF_2CF_2CF_3$	Sodium perfluorohexylperfluorooctylphosphinate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol
8:8PFPi	$ \begin{array}{c} 0 \\ \\ \downarrow \\ \\ \text{F}_{3}\text{CF}_{2}$	Sodium bis(perfluorooctyl)phosphinate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol

NATIVE POLYFLUOROALKYL PHOSPHATE MONO-ESTERS (PAP)

Catalogue Number	Product (methanol solution) Qty/Cond		y/Conc
6:2PAP	Sodium 1H,1H,2H,2H-perfluorooctyl phosphate	1.2 mL	50.0 μg/mL
8:2PAP	Sodium 1H,1H,2H,2H-perfluorodecyl phosphate	1.2 mL	50.0 μg/mL

NATIVE POLYFLUOROALKYL PHOSPHATE DI-ESTERS (diPAP)

Catalogue Number	Product (methanol solution)	Qt	y/Conc
6:2diPAP	Sodium bis(1H,1H,2H,2H-perfluorooctyl) phosphate	1.2 mL	50.0 μg/mL
6:2/8:2diPAP	Sodium (1H,1H,2H,2H-perfluorooctyl-1H,1H,2H,2H-perfluorodecyl) phosphate	1.2 mL	50.0 μg/mL
8:2diPAP	Sodium bis(1H,1H,2H,2H-perfluorodecyl) phosphate	1.2 mL	50.0 μg/mL

MASS-LABELLED POLYFLUOROALKYL PHOSPHATE MONO-ESTERS

Catalogue Number		Product
M2-6:2PAP	CF ₃ (CF ₂) ₅ ¹³ CH ₂ ¹³ CH ₂ O O O O O O O O O O	Sodium 1H,1H,2H,2H-(1,2- 13 C ₂)perfluorooctyl phosphate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% 13 C ₂
M2-8:2PAP	CF ₃ (CF ₂) ₇ ¹³ CH ₂ ¹³ CH ₂ O Na ONa	Sodium 1H,1H,2H,2H-(1,2- 13 C ₂)perfluorodecyl phosphate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% 13 C ₂

MASS-LABELLED POLYFLUOROALKYL PHOSPHATE DI-ESTERS

Catalogue Number		Product
M4-6:2diPAP	CF ₃ (CF ₂) ₅ ¹³ CH ₂ ¹³ CH ₂ O Na 13CH ₂ ¹³ CH ₂ (CF ₂) ₅ CF ₃	Sodium bis[1H,1H,2H,2H-(1,2- 13 C ₂)perfluorooctyl] phosphate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% 13 C ₄
M4-8:2diPAP	CF ₃ (CF ₂) ₇ ¹³ CH ₂ ¹³ CH ₂ O Na CF ₃ (CF ₂) ₇ CF ₃	Sodium bis[1H,1H,2H,2H-(1,2- 13 C ₂)perfluorodecyl] phosphate 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in methanol; >99% 13 C ₄

NATIVE POLYFLUOROALKYL PHOSPHATE ESTERS (SAMPAP)

Catalogue Number		alogue Number Product (methanol solution)		Qty/Conc	
SAMPAP	Sodium 2-(N-ethylperfluorooctane-1-sulfonamido)ethyl phosphate	1.2 mL	50.0 μg/mL	
diSAmPAP	Sodium bis	[2-(N-ethylperfluorooctane-1-sulfonamido)ethyl] phosphate	1.2 mL	50.0 μg/mL	

NATIVE FLUOROTELOMER ACRYLATES (X:2FTAcr)

Catalogue Number	Product (isooctane solution)	Qty/Conc	
8:2FTAcr	1H,1H,2H,2H-Perfluorodecyl acrylate	1.2 mL	50.0 μg/mL
10:2FTAcr	1H,1H,2H,2H-Perfluorododecyl acrylate (>95%)	1.2 mL	47.9 µg/mL

NATIVE FLUOROTELOMER ACETATES (X:2FTOAc)

Catalogue Number	Product (isooctane solution)	Qty/Conc
8:2FTOAc	1H,1H,2H,2H-Perfluorodecyl acetate (>97%)	1.2 mL 48.5 μg/mL
10:2FTOAc	1H,1H,2H,2H-Perfluorododecyl acetate	1.2 mL 50.0 µg/mL

8:2FTAcr

10:2FTAcr

8:2FTOAc

10:2FTOAc


NATIVE CATIONIC/ZWITTERIONIC PFAS

er Product (methanol solution)		Qty/Conc	
N-(3-dimethylaminopropan-1-yl)perfluoro-1-hexanesulfonamide	1.2 mL	50.0 μg/mL	
N-[3-(perfluoro-1-hexanesulfonamido)propan-1-yl]-	1.2 mL	50.0 μg/mL	
N,N,N-trimethylammonium			
N-(carboxymethyl)-N,N-dimethyl-N-[3-(1H,1H,2H,2H-	1.2 mL	50.0 μg/mL	
perfluoro-1-octanesulfonamido)propan-1-yl]ammonium (6:2FTAB)			
2-[(4,4,5,5,6,6,7,7,8,8,8-Undecafluorooctyl)dimethylammonio]	1.2 mL	50.0 μg/mL	
acetate			
2-[(3,4,4,5,5,6,6,7,7,8,8,8-Dodecafluorooctyl)dimethylammonio]	1.2 mL	50.0 μg/mL	
acetate			
	N-(3-dimethylaminopropan-1-yl)perfluoro-1-hexanesulfonamide N-[3-(perfluoro-1-hexanesulfonamido)propan-1-yl]- N,N,N-trimethylammonium N-(carboxymethyl)-N,N-dimethyl-N-[3-(1H,1H,2H,2H-perfluoro-1-octanesulfonamido)propan-1-yl]ammonium (6:2FTAB) 2-[(4,4,5,5,6,6,7,7,8,8,8-Undecafluorooctyl)dimethylammonio] acetate 2-[(3,4,4,5,5,6,6,7,7,8,8,8-Dodecafluorooctyl)dimethylammonio]	N-(3-dimethylaminopropan-1-yl)perfluoro-1-hexanesulfonamide 1.2 mL N-[3-(perfluoro-1-hexanesulfonamido)propan-1-yl]- 1.2 mL N,N,N-trimethylammonium N-(carboxymethyl)-N,N-dimethyl-N-[3-(1H,1H,2H,2H- 1.2 mL perfluoro-1-octanesulfonamido)propan-1-yl]ammonium (6:2FTAB) 2-[(4,4,5,5,6,6,7,7,8,8,8-Undecafluorooctyl)dimethylammonio] 1.2 mL acetate 2-[(3,4,4,5,5,6,6,7,7,8,8,8-Dodecafluorooctyl)dimethylammonio] 1.2 mL	


NOTE: The charge of these compounds will depend on pH.

5:3FTB

5:1:2FTB



ORGANOCHLORINE PESTICIDES (OCPS)



These OCPs were mostly used as insecticides in agriculture or forestry to control such things as termites, fire ants, grasshoppers, grubs, and mosquitos. Some also found use as rodenticides and pesticides. Most of their production and use has been banned due to their persistence in the environment and the resulting detrimental effects. Almost all are listed in the Stockholm Convention.

Some OCPs are still in use as there are no effective alternatives available. For example, DDT is used for mosquito control to prevent malaria, and Lindane (γ -HCH) is used in lice/scabies medication.

The OCP standards and solution/mixtures that are currently available from Wellington are given in the following section.



NATIVE ORGANOCHLORINE PESTICIDES (OCPs)

Catalogue Number	Product (nonane solution)	Qty	//Conc
PeCB	Pentachlorobenzene	1.2 mL	100 μg/ml
НхСВ	Hexachlorobenzene	1.2 mL	100 µg/ml
аНСН	α -1,2,3,4,5,6-Hexachlorocyclohexane	1.2 mL	100 μg/ml
ьнсн	β-1,2,3,4,5,6-Hexachlorocyclohexane	1.2 mL	100 μg/ml
дНСН	γ-1,2,3,4,5,6-Hexachlorocyclohexane	1.2 mL	100 μg/ml
dнсн	δ -1,2,3,4,5,6-Hexachlorocyclohexane	1.2 mL	100 μg/ml
24P-DMDT	o,p'-Methoxychlor	1.2 mL	100 μg/ml
44P-DMDT	p,p'-Methoxychlor	1.2 mL	100 μg/ml
24P-DDD	1,1-Dichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethane	1.2 mL	100 μg/ml
44P-DDD	1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane	1.2 mL	100 μg/ml
24P-DDE	1,1-Dichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethene	1.2 mL	100 μg/ml
44P-DDE	1,1-Dichloro-2,2-bis(4-chlorophenyl)ethene	1.2 mL	100 μg/ml
24P-DDT	1,1,1-Trichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethane	1.2 mL	100 μg/ml
44P-DDT	1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane	1.2 mL	100 μg/ml
HxChlor	Chlordene	1.2 mL	100 μg/ml
1H-HxChlor	1-Hydroxychlordene	1.2 mL	100 μg/ml
HpChlor	Heptachlor	1.2 mL	100 μg/ml
HpChlor-nEp	Heptachlor-endo-epoxide (isomer A)	1.2 mL	100 μg/ml
HpChlor-xEp	Heptachlor-exo-epoxide (isomer B)	1.2 mL	100 μg/ml
cChlorD	cis -Chlordane (α)	1.2 mL	100 µg/ml
tChlorD	trans-Chlordane (γ)	1.2 mL	100 μg/ml
OxyChlorD	Oxychlordane	1.2 mL	100 μg/ml
cNChlor	cis-Nonachlor	1.2 mL	100 μg/ml
tNChlor	trans-Nonachlor	1.2 mL	100 μg/ml
ALD	Aldrin	1.2 mL	100 μg/ml
ISOD	Isodrin	1.2 mL	100 μg/ml
DELD	Dieldrin	1.2 mL	100 μg/ml
END	Endrin	1.2 mL	100 μg/ml
END-Ald	Endrin Aldehyde	1.2 mL	100 μg/ml
END-Ket	Endrin Ketone	1.2 mL	100 μg/ml
KEP	Kepone	1.2 mL	100 μg/ml
MRX	Mirex	1.2 mL	100 μg/ml
aENDOS	Endosulfan I (α)	1.2 mL	100 μg/ml
bENDOS	Endosulfan II (β)	1.2 mL	100 μg/ml
ENDOS-S	Endosulfan Sulfate	1.2 mL	100 µg/ml

NATIVE ORGANOCHLORINE PESTICIDE SOLUTION/MIXTURE

Catalogue Number	Product (nonane solution)	Qty/Conc
ОСР-МХА	Native OCP Solution/Mixture	1.2 mL
Pentachlorobenzene	PeCB	2.00 µg/mL
Hexachlorobenzene	НхСВ	2.00 µg/mL
o,p'-Methoxychlor	24P-DMDT	2.00 µg/mL
p,p'-Methoxychlor	44P-DMDT	2.00 µg/mL
Chlordene	HxChlor	2.00 μg/mL
1-Hydroxychlordene	1H-HxChlor	2.00 µg/mL
Heptachlor	HpChlor	2.00 µg/mL
cis-Chlordane (α)	cChlorD	2.00 µg/mL
trans-Chlordane (γ)	tChlorD	2.00 µg/mL
Aldrin	ALD	2.00 µg/mL
Isodrin	ISOD	2.00 μg/mL
Dieldrin	DELD	2.00 µg/mL
Endrin	END	2.00 µg/mL
Endrin Aldehyde	END-Ald	2.00 µg/mL
Endrin Ketone	END-Ket	2.00 µg/mL
Kepone	KEP	2.00 μg/mL
Mirex	MRX	2.00 µg/mL

NATIVE DDT & RELATED COMPOUNDS SOLUTION/MIXTURE

Catalogue Number	Product (nonane sol	ution)	Qty/Conc
DET-MXA	Native DDT & Related Compound Solution/Mixture		1.2 mL
1,1-Dichloro-2-(2-chlorophenyl)	-2-(4-chlorophenyl)ethane	24P-DDD	2.00 μg/mL
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane		44P-DDD	2.00 μg/mL
1,1-Dichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethene		24P-DDE	2.00 µg/mL
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethene		44P-DDE	2.00 μg/mL
1,1,1-Trichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethane		24P-DDT	2.00 µg/mL
1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane		44P-DDT	2.00 µg/mL

NATIVE HCH SOLUTION/MIXTURE

Catalogue Number	Product (nonane solutio	n)	Qty/Conc
нсн-мха	Native HCH Solution/Mixture		1.2 mL
α -1,2,3,4,5,6-Hexachlorocyclohe	xane	аНСН	2.00 µg/mL
β -1,2,3,4,5,6-Hexachlorocyclohe	xane	ьнсн	2.00 μg/mL
γ-1,2,3,4,5,6-Hexachlorocyclohe	kane	gHCH	2.00 μg/mL
δ-1,2,3,4,5,6-Hexachlorocyclohe	xane	dHCH	2.00 µg/mL

MASS-LABELLED ORGANOCHLORINE PESTICIDES

Catalogue Number	Product (nonane solution)	Qty	//Conc
MPeCB	Pentachloro(¹³C ₆)benzene	1.2 mL	100 μg/ml
МНхСВ	Hexachloro(13C6)benzene	1.2 mL	100 μg/ml
Мансн	α -1,2,3,4,5,6-Hexachloro($^{13}C_6$)cyclohexane	1.2 mL	100 μg/ml
мьнсн	β -1,2,3,4,5,6-Hexachloro($^{13}C_6$)cyclohexane	1.2 mL	100 μg/ml
МдНСН	γ -1,2,3,4,5,6-Hexachloro(13 C $_{_6}$)cyclohexane	1.2 mL	100 μg/ml
MdHCH	δ -1,2,3,4,5,6-Hexachloro(13 C $_{_6}$)cyclohexane	1.2 mL	100 μg/ml
M44P-DMDT	p,p' -($^{13}C_{12}$)Methoxychlor	1.2 mL	100 μg/mL
M24P-DDD	1,1-Dichloro-2-[2-chloro(13C ₆)phenyl]-2-[4-chloro(13C ₆)phenyl]ethane	1.2 mL	100 μg/ml
M44P-DDD	1,1-Dichloro-2,2-bis[4-chloro(13C ₆)phenyl]ethane	1.2 mL	100 µg/mL
M24P-DDE	1,1-Dichloro-2-[2-chloro(13C ₆)phenyl]-2-[4-chloro(13C ₆)phenyl]ethene	1.2 mL	100 μg/mL
M44P-DDE	1,1-Dichloro-2,2-bis[4-chloro(13C ₆)phenyl]ethene	1.2 mL	100 μg/ml
M24P-DDT	1,1,1-Trichloro-2-[2-chloro(¹³Cg)phenyl]-2-[4-chloro(¹³Cg)phenyl]ethane	1.2 mL	100 µg/ml
M44P-DDT	1,1,1-Trichloro-2,2-bis[4-chloro(12C6)phenyl]ethane	1.2 mL	100 μg/ml
MHxChlor	(¹³C ₁₀)Chlordene	1.2 mL	100 μg/ml
MHpChlor	(¹³C ₁₀)Heptachlor	1.2 mL	100 µg/ml
McChlorD	cis-(¹³C ₁₀)Chlordane (α)	1.2 mL	100 μg/ml
MtChlorD	trans-(¹³C ₁₀)Chlordane (γ)	1.2 mL	100 μg/ml
McNChlor	cis-(¹³C ₁₀)Nonachlor	1.2 mL	100 μg/ml
MALD	(¹³C ₁₂)Aldrin	1.2 mL	100 μg/ml
MISOD	(¹³C ₁₂)Isodrin	1.2 mL	100 μg/ml
MDELD	(¹³C ₁₂)Dieldrin	1.2 mL	100 µg/ml
MEND	(¹³C ₁₂)Endrin	1.2 mL	100 μg/ml
MKEP	(¹³C ₁₀)Kepone	1.2 mL	100 μg/ml
MMRX	(¹³C ₁₀)Mirex	1.2 mL	100 µg/ml

MASS-LABELLED ORGANOCHLORINE PESTICIDE SOLUTION/MIXTURE

Catalogue Number	Product (nonane solution)	Qty/Conc
МОСР-МХА	Mass-Labelled OCP Solution/Mixture	1.2 mL
Pentachloro(¹³C₅)benzene	MPeCB	2.00 μg/mL
Hexachloro(13C ₆)benzene	МНхСВ	2.00 µg/mL
p,p'-(13C ₁₂)Methoxychlor	M44P-DMDT	2.00 µg/mL
(13C ₁₀)Chlordene	MHxChlor	2.00 µg/mL
(13C ₁₀)Heptachlor	MHpChlor	2.00 µg/mL
cis-($^{13}C_{10}$)Chlordane (α)	McChlorD	2.00 µg/mL
trans-($^{13}C_{10}$)Chlordane (γ)	MtChlorD	2.00 µg/mL
(13C ₁₂)Aldrin	MALD	2.00 µg/mL
(13C ₁₂)Isodrin	MISOD	2.00 µg/mL
(13C ₁₂)Dieldrin	MDELD	2.00 µg/mL
(13C ₁₂)Endrin	MEND	2.00 µg/mL
(13C ₁₀)Kepone	MKEP	2.00 µg/mL
(¹³C ₁₀)Mirex	MMRX	2.00 µg/mL

MASS-LABELLED DDT & RELATED COMPOUNDS SOLUTION/MIXTURE

Catalogue Number	Product (nonane solutio	n)	Qty/Conc
MDET-MXA	Mass-Labelled DDT & Related Compound Solution/Mixture		1.2 mL
1,1-Dichloro-2-[2-chloro(13C ₆)ph	enyl]-2-[4-chloro(¹³C ₆)phenyl]ethane	M24P-DDD	2.00 µg/mL
1,1-Dichloro-2,2-bis[4-chloro(¹³C₀)phenyl]ethane		M44P-DDD	2.00 µg/mL
1,1-Dichloro-2,2-bis[4-chloro(13C6)phenyl]ethene		M44P-DDE	2.00 µg/mL
1,1,1-Trichloro-2-[2-chloro(¹³C₅)phenyl]-2-[4-chloro(¹³C₅)phenyl]ethane		M24P-DDT	2.00 µg/mL
1,1,1-Trichloro-2,2-bis[4-chloro(¹³C ₆)phenyl]ethane		M44P-DDT	2.00 µg/mL

MASS-LABELLED HCH SOLUTION/MIXTURE

Catalogue Number	Product (nonan	e solution)	Qty/Conc	
мнсн-мха	Mass-Labelled HCH Solution/Mixture		1.2 mL	
α-1,2,3,4,5,6-Hexachloro(¹³C ₆)cy	clohexane	MaHCH	2.00 µg/mL	
β -1,2,3,4,5,6-Hexachloro($^{13}C_6$)cyclohexane		МЬНСН	2.00 μg/mL	
γ-1,2,3,4,5,6-Hexachloro(¹³C ₆)cyclohexane		MgHCH	2.00 μg/mL	
δ-1,2,3,4,5,6-Hexachloro(¹³ C ₆)cy	clohexane	MdHCH	2.00 µg/mL	




University of Guelph Guelph, Ontario

ENVIRONMENTAL REFERENCE MATERIALS (ERMS)

Wellington currently offers five Environmental Reference Materials (ERMs). These are primarily used to test an analytical laboratory's ability to generate accurate and reproducible data using real, as opposed to fortified, samples.

Currently, we offer one lake sediment ERM, three fish tissue ERMs, and one fish tissue extract ERM. A summary for each, including the target analytes and their concentrations, are given in this section.

With each ERM, a more detailed certificate of analysis (CofA) is provided which includes reference values (robust means), uncertainties, and other information essential for their use.



WMF-02: REFERENCE FISH TISSUE for ORGANIC CONTAMINANT ANALYSIS

Catalogue Number	Product	Qty/Conc
catalogue mailloci		guy/ come

WMF-02

Reference "Freeze-Dried" Fish Tissue (Naturally Fortified Salmon)

x 10 g

Polychlorinated Dibenzo-p-dioxins (PCDDs)	Certified Reference value (pg/g)	Reference Value (pg/g)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	0.865±0.047	0.826±0.067
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	2.27±0.08	2.28±0.06
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	0.910±0.039	0.916±0.041
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	1.85±0.07	1.88±0.09
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	1.10±0.08	1.10±0.07
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	2.27±0.10	2.27±0.08
Octachlorodibenzo-p-dioxin	2.97±0.11	3.34±0.23
Polychlorinated Dibenzofurans (PCDFs)		
2,3,7,8-Tetrachlorodibenzofuran	13.0±0.4	13.2±0.5
1,2,3,7,8-Pentachlorodibenzofuran	2.94±0.16	2.97±0.12
2,3,4,7,8-Pentachlorodibenzofuran	4.08±0.19	4.14±0.20
1,2,3,4,7,8-Hexachlorodibenzofuran	1.55±0.07	1.59±0.06
1,2,3,6,7,8-Hexachlorodibenzofuran	1.27±0.09	1.32±0.10
1,2,3,7,8,9-Hexachlorodibenzofuran	0.810±0.074	0.850±0.070
2,3,4,6,7,8-Hexachlorodibenzofuran	1.23±0.06	1.23±0.06
1,2,3,4,6,7,8-Heptachlorodibenzofuran	1.10±0.07	1.12±0.07
1,2,3,4,7,8,9-Heptachlorodibenzofuran	0.759±0.055	0.797±0.050
Octachlorodibenzofuran	1.37±0.09	1.50±0.13
Polychlorinated Biphenyls (PCBs-IUPAC)		
2,2',6-Trichlorobiphenyl (19)	-	123±14
2,4,4'-Trichlorobiphenyl (28)	2 -	3730±380
2',3,4-Trichlorobiphenyl (33)		1550±190
3,4,4'-Trichlorobiphenyl (37)	2	913±68
2,2',3,5'-Tetrachlorobiphenyl (44)		1420±250
2,2',5,5'-Tetrachlorobiphenyl (52)	2340±190	2470±200
2,3',4',5-Tetrachlorobiphenyl (70)	45.05.05	4370±430
3,3',4,4'-Tetrachlorobiphenyl (77)	132±5	135±5
3,4,4',5-Tetrachlorobiphenyl (81)	9.44±0.57	9.47±0.64
2,2',4,5,5'-Pentachlorobiphenyl (101)	3.7,120.37	6650±590
2,3,3',4,4'-Pentachlorobiphenyl (105)	8560±250	8520±210
2,3,4,4',5-Pentachlorobiphenyl (114)	548±16	551±16
2,3',4,4',5-Pentachlorobiphenyl (118)	22500±900	22600±800
	431±25	432±37
2',3,4,4',5-Pentachlorobiphenyl (123)	43 (±25 146±6	
3,3',4,4',5-Pentachlorobiphenyl (126)	140±0	147±5
2,2',3,3',4,4'-Hexachlorobiphenyl (128)	- 3	7830±710
2,2',3,4,4',5'-Hexachlorobiphenyl (138)	3	47500±2900
2,2',4,4',5,5'-Hexachlorobiphenyl (153)	2022/002	69500±3300
2,3,3',4,4',5-Hexachlorobiphenyl (156)	3460±140	3450±120
2,3,3',4,4',5'-Hexachlorobiphenyl (157)	953±65	953±50
2,3',4,4',5,5'-Hexachlorobiphenyl (167)	1810±70	1830±60
3,3',4,4',5,5'-Hexachlorobiphenyl (169)	47.2±2.8	46.6±2.5
2,2',3,3',4,4',5-Heptachlorobiphenyl (170)		7580±610
2,2',3,4,4',5,5'-Heptachlorobiphenyl (180)	*	23900±1200
2,2',3,4',5,5',6-Heptachlorobiphenyl (187)		13600±1200
2,3,3',4,4',5,5'-Heptachlorobiphenyl (189)	497±12	502±14
2,2',3,3',4,4',5,5'-Octachlorobiphenyl (194)	2.2	3220±280
2,2',3,3',4,4',5,6-Octachlorobiphenyl (195)		1090±170
2,2',3,3',4,5,5',6'-Octachlorobiphenyl (199)		2690±320
2,2',3,3',5,5',6,6'-Octachlorobiphenyl (202)		1340±150
2,3,3',4,4',5,5',6-Octachlorobiphenyl (205)		209±19
	2	1220±120
2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (206) 2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl (208) Decachlorobiphenyl (209)	+	1220±120 401±23 463±27

WMF-02: REFERENCE FISH TISSUE for ORGANIC CONTAMINANT ANALYSIS

Polybrominated Diphenyl Ethers (PBDEs-IUPAC)	Reference value (pg/g)
2,4,4'-Tribromodiphenyl ether (28)	330±33
2,2',4,4'-Tetrabromodiphenyl ether (47)	13200±800
2,2',4,5'-Tetrabromodiphenyl ether (49)	625±69
2,3',4,4'-Tetrabromodiphenyl ether (66)	607±93
2,2',4,4',5-Pentabromodiphenyl ether (99)	6420±340
2,2',4,4',6-Pentabromodiphenyl ether (100)	2980±130
2,2',4,4',5,5'-Hexabromodiphenyl ether (153)	834±54
2,2',4,4',5,6'-Hexabromodiphenyl ether (154)	1700±110
2,2',3,4,4',5',6-Heptabromodiphenyl ether (183)	46.8±5.3
2,2',3,3',4,4',5,5',6-Nonabromodiphenyl ether (206)	301±24
2,2',3,3',4,4',5,6,6'-Nonabromodiphenyl ether (207)	255±34
Decabromodiphenyl ether (209)	2020±140
Organochlorine Pesticides (OCPs)	Reference value (ng/g)
α-1,2,3,4,5,6-Hexachlorocyclohexane (aHCH)	5.96±0.54
β-1,2,3,4,5,6-Hexachlorocyclohexane (bHCH)	5.11±0.35
γ-1,2,3,4,5,6-Hexachlorocyclohexane (gHCH)	3.94±0.59
cis-Chlordane (α) (cChlorD)	15.5±1.3
trans-Chlordane (γ) (tChlorD)	5.58±0.54
1,1-Dichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethene (24P-DDE)	1.13±0.06
1,1,1-Trichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethane (24P-DDT)	7.00±0.44
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane (44P-DDD)	6.56±0.41
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethene (44P-DDE)	133±6
1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane (44P-DDT)	13.0±0.9
Dieldrin (DELD)	19.2±3.2
Heptachlor-exo-epoxide (HpChlor-xEp)	6.48±0.47
Hexachlorobenzene (HxCB)	6.94±0.48
Mirex (MRX)	5.67±0.28
cis-Nonachlor (cNchlor)	27.9±1.1
trans-Nonachlor (tNchlor)	43.7±2.3
	13.4±0.9

WMF-03: REFERENCE FISH TISSUE for ORGANIC CONTAMINANT ANALYSIS

Catalogue Number	Product	Qty/Conc
WME-03	Reference "Freeze-Dried" Fish Tissue (Low Level Salmon)	1 x 10 a

Polychlorinated Dibenzo-p-dioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs)	Certified Reference value (pg/g)	Reference Value (pg/g)
Octachlorodibenzo- <i>p</i> -dioxin 2,3,7,8-Tetrachlorodibenzofuran	0.822±0.057	0.914±0.29 0.828±0.050
Polychlorinated Biphenyls (PCBs-IUPAC)		
2,4,4'-Trichlorobiphenyl (28)	100	981±150
2,2',3,5'-Tetrachlorobiphenyl (44)	20.00	555±81
2,2',5,5'-Tetrachlorobiphenyl (52)	1160±100	1120±90
3,3',4,4'-Tetrachlorobiphenyl (77)	13.1±0.9	14.0±0.9
3,4,4',5-Tetrachlorobiphenyl (81)	*	0.863±0.20
2,2',4,5,5'-Pentachlorobiphenyl (101)		1090±120
2,3,3',4,4'-Pentachlorobiphenyl (105)	296±17	303±15
2,3,4,4',5-Pentachlorobiphenyl (114)	21.9±1.4	23.2±1.2
2,3',4,4',5-Pentachlorobiphenyl (118)	855±44	855±40
2',3,4,4',5-Pentachlorobiphenyl (123)	16.2±2.4	16.4±2.4
3,3',4,4',5-Pentachlorobiphenyl (126)	3.80±0.27	3.91±0.28
2,2',3,4,4',5'-Hexachlorobiphenyl (138)	200	1190±110
2,2',4,4',5,5'-Hexachlorobiphenyl (153)		1690±130
2,3,3',4,4',5-Hexachlorobiphenyl (156)	90.9±4.8	92.2±3.8
2,3,3',4,4',5'-Hexachlorobiphenyl (157)	25.3±1.6	25.7±1.2
2,3',4,4',5,5'-Hexachlorobiphenyl (167)	42.1±2.1	43.4±1.9
3,3',4,4',5,5'-Hexachlorobiphenyl (169)	-	1.11±0.12
2,2',3,3',4,4',5-Heptachlorobiphenyl (170)	-	142±18
2,2',3,4,4',5,5'-Heptachlorobiphenyl (180)		374±28
2,2',3,4',5,5',6-Heptachlorobiphenyl (187)	1 to 1 to 1	376±33
2,3,3',4,4',5,5'-Heptachlorobiphenyl (189)	6.50±0.30	6.64±0.34
2,2',3,3',4,4',5,5'-Octachlorobiphenyl (194)	2	30.1±3.5

WMF-03: REFERENCE FISH TISSUE for ORGANIC CONTAMINANT ANALYSIS

Polybrominated Diphenyl Ethers (PBDEs-IUPAC)	Reference value (pg/g)
2,2',4,4'-Tetrabromodiphenyl ether (47)	2500±130
2,3',4,4'-Tetrabromodiphenyl ether (66)	35.9±3.4
2,2',3,4,4'-Pentabromodiphenyl ether (85)	26.0±2.6
2,2',4,4',5-Pentabromodiphenyl ether (99)	417±23
2,2',4,4',6-Pentabromodiphenyl ether (100)	153±16
2,2',4,4',5,5'-Hexabromodiphenyl ether (153)	32.7±3.5
2,2',4,4',5,6'-Hexabromodiphenyl ether (154)	39.5±4.1
2,2',3,4,4',5',6-Heptabromodiphenyl ether (183)	56.7±5.4
Decabromodiphenyl ether (209)	299±58
Organochlorine Pesticides (OCPs)	Reference value (ng/g)
α-1,2,3,4,5,6-Hexachlorocyclohexane (aHCH)	4.79±0.39
β-1,2,3,4,5,6-Hexachlorocyclohexane (bHCH)	3.91±0.32
γ-1,2,3,4,5,6-Hexachlorocyclohexane (gHCH)	1.32±0.32
cis-Chlordane (α) (cChlorD)	2.62±0.09
trans-Chlordane (γ) (tChlorD)	0.693±0.083
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane (44P-DDD)	2.12±0.22
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethene (44P-DDE)	9.19±0.60
	7.24±0.44
Hexachlorobenzene (HxCB)	7.24±0.44

WMF-EX: REFERENCE FISH TISSUE for ORGANIC CONTAMINANT ANALYSIS

Catalogue Number	Product	Qty/Conc

WMF-EX Reference Fish Tissue Extract (Isooctane/20% Salmon Oil)

1 x 3 g

Polychlorinated Dibenzo-p-dioxins (PCDDs)	Certified Reference value (pg/g)	Reference Value (pg/g)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	1.91±0.16	1.84±0.16
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	5.91±0.42	5.79±0.34
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin		0.613±0.11
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	3.56±0.16	3.55±0.15
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	+	0.806±0.089
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	-	1.25±0.14
Polychlorinated Dibenzofurans (PCDFs)		
2,3,7,8-Tetrachlorodibenzofuran	48.2±1.9	48.4±1.9
1,2,3,7,8-Pentachlorodibenzofuran	7.38±0.35	7.57±0.36
2,3,4,7,8-Pentachlorodibenzofuran	11.3±0.9	11.5±0.8
1,2,3,4,7,8-Hexachlorodibenzofuran	2.45±0.22	2.44±0.18
1,2,3,6,7,8-Hexachlorodibenzofuran	1.53±0.25	1.65±0.22
2,3,4,6,7,8-Hexachlorodibenzofuran	1.45±0.18	1.44±0.17
Polychlorinated Biphenyls (PCBs-IUPAC)		
2,4,4'-Trichlorobiphenyl (28)	-	5130±420
2',3,4-Trichlorobiphenyl (33)	*	2190±160
2,2',3,5'-Tetrachlorobiphenyl (44)		3640±450
2,2',5,5'-Tetrachlorobiphenyl (52)	*	6160±340
3,3',4,4'-Tetrachlorobiphenyl (77)	274±17	277±11
3,4,4',5-Tetrachlorobiphenyl (81)	21.1±2.4	21.7±2.8
2,2',4,5,5'-Pentachlorobiphenyl (101)	2	20300±1200
2,3,3',4,4'-Pentachlorobiphenyl (105)	31500±1100	31200±1000
2,3,4,4',5-Pentachlorobiphenyl (114)	2020±80	2050±50
2,3',4,4',5-Pentachlorobiphenyl (118)	81500±4400	81100±3400
2',3,4,4',5-Pentachlorobiphenyl (123)	1490±120	1510±120
3,3',4,4',5-Pentachlorobiphenyl (126)	542±27	535±32
2,2',3,3',4,4'-Hexachlorobiphenyl (128)		29800±2300
2,2',3,4,4',5'-Hexachlorobiphenyl (138)	9	177000±8000
2,2',4,4',5,5'-Hexachlorobiphenyl (153)	100 A 100	252000±13000
2,3,3',4,4',5-Hexachlorobiphenyl (156)	13200±800	13000±600
2,3,3',4,4',5'-Hexachlorobiphenyl (157)	3720±300	3650±200
2,3',4,4',5,5'-Hexachlorobiphenyl (167)	6830±310	6830±260
3,3',4,4',5,5'-Hexachlorobiphenyl (169)	192±12	191±11
2,2',3,3',4,4',5-Heptachlorobiphenyl (170)		28700±1800
2,2',3,4,4',5,5'-Heptachlorobiphenyl (180)	12.7	91300±5400
2,2',3,4',5,5',6-Heptachlorobiphenyl (187)		51900±3200
2,3,3',4,4',5,5'-Heptachlorobiphenyl (189)	1880±100	1870±80
2,2',3,3',4,4',5,5'-Octachlorobiphenyl (194)		12800±900
2,2',3,3',4,4',5,6-Octachlorobiphenyl (195)	1	4430±400
2,2',3,3',4,5,5',6'-Octachlorobiphenyl (199)	3.	10900±500
2,2',3,3',5,5',6,6'-Octachlorobiphenyl (202)		4910±360
2,3,3',4,4',5,5',6-Octachlorobiphenyl (205)		795±52
2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (206)		4880±330
2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl (208)		1480±90
Decachlorobiphenyl (209)		1830±70

WMF-EX: REFERENCE FISH TISSUE for ORGANIC CONTAMINANT ANALYSIS

Polybrominated Diphenyl Ethers (PBDEs-IUPAC)	Reference value (ng/g)
2,4,4'-Tribromodiphenyl ether (28)	0.898±0.054
2,2',4,4'-Tetrabromodiphenyl ether (47)	40.8±2.8
2,2',4,5'-Tetrabromodiphenyl ether (49)	1.53±0.23
2,3',4,4'-Tetrabromodiphenyl ether (66)	1.98±0.25
2,2',4,4',5-Pentabromodiphenyl ether (99)	23.8±1.3
2,2',4,4',6-Pentabromodiphenyl ether (100)	10.6±0.6
2,2',4,4',5,5'-Hexabromodiphenyl ether (153)	3.45±0.19
2,2',4,4',5,6'-Hexabromodiphenyl ether (154)	6.90±0.22
2,2',3,4,4',5',6-Heptabromodiphenyl ether (183)	0.165±0.004
Decabromodiphenyl ether (209)	2.74±0.17
Organochlorine Pesticides (OCPs)	
α-1,2,3,4,5,6-Hexachlorocyclohexane (aHCH)	9.68±0.87
cis-Chlordane (α) (cChlorD)	48.4±4.2
trans-Chlordane (γ) (tChlorD)	8.72±0.79
1,1-Dichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethene (24P-DDE)	1.51±0.07
1,1,1-Trichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethane (24P-DDT)	15.4±1.6
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane (44P-DDD)	5.35±0.76
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethene (44P-DDE)	451±35
1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane (44P-DDT)	40.0±1.8
Dieldrin (DELD)	54.3±5.4
Heptachlor-exo-epoxide (HpChlor-xEp)	13.1±0.5
Hexachlorobenzene (HxCB)	10.3±0.5
Mirex (MRX)	11.9±0.7
cis-Nonachlor (cNChlor)	116±6
trans-Nonachlor (tNChlor)	183±12
Oxychlordane (OxyChlorD)	47.7±2.4

WMS-01: REFERENCE LAKE SEDIMENT for ORGANIC CONTAMINANT ANALYSIS

Catalogue Number	Product	Qty/Conc
WMS-01	Reference Lake Sediment	1 x 10 g

Polychlorinated Dibenzo-p-dioxins (PCDDs)	Certified Reference value (pg/g)	Reference Value (pg/g)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	16.7±0.4	17.7±5.6
Total Tetrachlorodibenzo-p-dioxins	52.2±1.1	60.1±25
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	7.84±0.26	7.96±2.8
Total Pentachlorodibenzo-p-dioxins	49.8±1.3	69.5±23
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	7.99±0.32	8.66±2.7
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	19.8±0.7	20.8±4.8
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	19.0±0.5	17.3±8.0
Total Hexachlorodibenzo-p-dioxins	217±8	238±86
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	296±5	293±63
Total Heptachlorodibenzo-p-dioxins	630±9	608±152
Octachlorodibenzo-p-dioxin	1990±40	1899±456
Polychlorinated Dibenzofurans (PCDFs)		
2,3,7,8-Tetrachlorodibenzofuran	65.2±1.1	52.5±16
Total Tetrachlorodibenzofurans	372±8	374±162
1,2,3,7,8-Pentachlorodibenzofuran	13.5±0.5	12.6±5
2,3,4,7,8-Pentachlorodibenzofuran	19.3±0.4	18.5±6
Total Pentachlorodibenzofurans	224±13	225±113
1,2,3,4,7,8-Hexachlorodibenzofuran	74.0±1.3	67.3±24
1,2,3,6,7,8-Hexachlorodibenzofuran	22.1±0.7	20.3±8.7
1,2,3,7,8,9-Hexachlorodibenzofuran	2.68*±4.0	2.68*±4.0
2,3,4,6,7,8-Hexachlorodibenzofuran	21.4±0.5	16±8
Total Hexachlorodibenzofurans	251±8	262±95
1,2,3,4,6,7,8-Heptachlorodibenzofuran	283±6	299±73
1,2,3,4,7,8,9-Heptachlorodibenzofuran	15.1±0.5	15.1±4.6
Total Heptachlorodibenzofurans	393±9	411±100
Octachlorodibenzofuran	491±14	509±157
Polychlorinated Biphenyls (PCBs-IUPAC)		
3,3',4,4'-Tetrachlorobiphenyl (77)	-	1717±520
3,4,4',5-Tetrachlorobiphenyl (81)	-	75*±79
2,3,3',4,4'-Pentachlorobiphenyl (105)	-	3998±951
2,3,4,4',5-Pentachlorobiphenyl (114)		207±128
2,3',4,4',5-Pentachlorobiphenyl (118)	•	8115±1663
2',3,4,4',5-Pentachlorobiphenyl (123)	41	209±191
3,3',4,4',5-Pentachlorobiphenyl (126)	-	84.9±35
2,3,3',4,4',5-Hexachlorobiphenyl (156)	-	715±248
2,3,3',4,4',5'-Hexachlorobiphenyl (157)		186±81
2,3',4,4',5,5'-Hexachlorobiphenyl (167)	-	330±85
3,3',4,4',5,5'-Hexachlorobiphenyl (169)		7.97±5.3
2,3,3',4,4',5,5'-Heptachlorobiphenyl (189)	*	85.2±17.8

^{*} Provisional value for information purposes only. Any negative deviation is inadmissable.

The concentrations of these analytes may be certified at a later date as more data becomes available.

CARP-2: REFERENCE FISH TISSUE for ORGANIC CONTAMINANT ANALYSIS

Catalogue Number	Product	Qty/Conc
CARP-2	Reference Fish Tissue	6 x 9 g

Polychlorinated Biphenyls (PCBs) Congener (IUPAC)	Certified Concentration µg/kg (wet weight basis)
18	27.3±4.0
28	34.0±7.2
44	86.6±25.9
52	138±43
118	148±33
128	20.4±4.4
153	105±22
180	53.3±13.0
194	10.9±3.1
206	4.4±1.1
Polychlorinated Biphenyls (PCBs)	Reference Concentration*
Congener (IUPAC)	μg/kg (wet weight basis)
8	4.8±1.8
66/95	174±52
101/90	145±48
105	53.2±15.6
138/163/164	103±30
170/190	20.6±2.9
187/182	37.1±6.3
209	4.6±2.0
Polychlorinated Dibenzo-p-dioxins (PCDDs)	ng/kg (wet weight basis)*
2,3,7,8-Tetrachlorodibenzo-p-dioxin	7.4±0.7
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	5.3±1.3
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	1.6±0.3
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	5.8±0.8
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	0.78±0.12
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	6.4±0.9
Octachlorodibenzo-p-dioxin	9.4±1.7
Polychlorinated Dibenzofurans (PCDFs)	ng/kg (wet weight basis)*
2,3,7,8-Tetrachlorodibenzofuran	18.2±1.6
1,2,3,7,8-Pentachlorodibenzofuran	5.6±0.3
Pesticides	μg/kg (wet weight basis)*
gamma-chlordane	4.5±0.7
2,4'-DDE	2.9±0.5
trans-nonachlor	11.0±0.9
dieldrin	8.3±0.8
4,4'-DDE	158±14
2,4'-DDD	21.8±0.7

^{*} Not Certified

CARP-2 was prepared and certified by the National Research Council of Canada (NRCC), Institute for Environmental Research and Technology.



Rockwood Conservation Area Rockwood, Ontario

ADDITIONAL PRODUCTS

Chlorinated Naphthalenes (PCNs): Native and Mass-Labelled Individuals and Solution/Mixtures

PAH Calibration Sets: Native and Mass-Labelled Support Solutions

Chlorinated Biphenylols (HO-PCBs): Native and Mass-Labelled Individuals; Mass-Labelled Solution/Mixture

Methoxy Chlorobiphenyls (MeO-PCBs): Native and Mass-Labelled Individuals and Solution/Mixtures

Chlorinated Biphenylenes (PCBPs): Native and Mass-Labelled

Triclocarban: Native and Mass-Labelled

Triclosan and Methyl Triclosan: Native, Mass-Labelled, and Chlorinated Derivatives

Tris(4-chlorophenyl) Methane and Methanol: Native and Mass-Labelled

Chlorinated Diphenyl Ethers (PCDEs): Native and Mass-Labelled

Chlorobenzene and Chlorophenol Solution/Mixtures: Native and Mass-Labelled

Melamine and Cyanuric Acid: Native and Mass-Labelled

Bisphenol A and Native Bisphenol Analogues: Native and Mass-Labelled

Tetrachlorodibenzothiophenes: Native and Mass-Labelled

Halogenated Carbazoles: Native and Mass-Labelled



PAH-CVS-B

Catalogue Number	Product (isooctan	e/toluene s	iolution)	(Qty/Conc
PAH-CVS-B	PAH-CVS-B	150			1 kit
	Calibration Solutions CS1-	CS5			(5 ampoule
PAH-B-CS1	CS1				1.0 mL
PAH-B-CS2	CS2				1.0 mL
PAH-B-CS3	CS3				1.0 mL
					1.0 mL
PAH-B-CS4	CS4				
PAH-B-CS5	CS5				1.0 mL
	РАН-В-	РАН-В-	РАН-В-	PAH-B-	РАН-В-
	CS1	CS2	CS3	CS4	CS5
IATIVE PAHs	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
laphthalene	2.00	10.0	50.0	250	1000
-Methylnaphthalene	2.00	10.0	50.0	250	1000
cenaphthylene	2.00	10.0	50.0	250	1000
cenaphthene	2.00	10.0	50.0	250	1000
luorene	2.00	10.0	50.0	250	1000
henanthrene	2.00	10.0	50.0	250	1000
nthracene	2.00	10.0	50.0	250	1000
luoranthene	2.00	10.0	50.0	250	1000
yrene	2.00	10.0	50.0	250	1000
enzo[c]fluorene	2.00	10.0	50.0	250	1000
enzo[a]anthracene	2.00	10.0	50.0	250	1000
yclopenta[cd]pyrene	2.00	10.0	50.0	250	1000
	2.00	10.0	50.0	250	1000
hrysene -Methylchrysene	2.00	10.0	50.0	250	1000
			50.0	250	1000
enzo[b]fluoranthene	2.00	10.0			
enzo[k]fluoranthene	2.00	10.0	50.0	250	1000
enzo[j]fluoranthene	2.00	10.0	50.0	250	1000
enzo[e]pyrene	2.00	10.0	50.0	250	1000
enzo[a]pyrene	2.00	10.0	50.0	250	1000
erylene	2.00	10.0	50.0	250	1000
ndeno[1,2,3-cd]pyrene	2.00	10.0	50.0	250	1000
ibenzo[a,h]anthracene	2.00	10.0	50.0	250	1000
enzo[ghi]perylene	2.00	10.0	50.0	250	1000
ibenzo[a,/]pyrene	2.00	10.0	50.0	250	1000
Dibenzo[a,e]pyrene	2.00	10.0	50.0	250	1000
Dibenzo[<i>a,i</i>]pyrene	2.00	10.0	50.0	250	1000
ibenzo[a,h]pyrene	2.00	10.0	50.0	250	1000
EUTERATED PAHs					
laphthalene-d	100	100	100	100	100
-Methylnaphthalene-d ₁₀	100	100	100	100	100
cenaphthylene-d。	100	100	100	100	100
henanthrene-d ₁₀	100	100	100	100	100
nthracene-d,	100	100	100	100	100
luoranthene-d ₁₀	100	100	100	100	100
enzo[a]anthracene-d,	100	100	100	100	100
hrysene-d ₁ ,	100	100	100	100	100
enzo[b]fluoranthene-d ₁₂	100	100	100	100	100
enzo[k]fluoranthene-d ₁₂	100	100	100	100	100
enzo[a]nyrene_d	100	100	100		100
enzo[a]pyrene-d ₁₂	100	100		100 100	
erylene-d ₁₂			100		100
ndeno[1,2,3-cd]pyrene-d	100	100	100	100	100
ibenzo[a,h]anthracene-d ₁₄	100	100	100	100	100
enzo[<i>ghi</i>]perylene-d ₁₂ ibenzo[<i>a,i</i>]pyrene-d ₁₄	100 100	100 100	100 100	100 100	100 100
NTERNAL STANDARDS	1,222	1242	444	400	444
cenaphthene-d ₁₀	100	100	100	100	100
yrene-d ₁₀	100	100	100	100	100
Benzo[e]pyrene-d ₁₂	100	100	100	100	100
AMPLING STANDARDS	0.000	0.25	0.242	020	
luorene-d ₁₀	100	100	100	100	100
-Terphenyl-d,	100	100	100	100	100

Catalogue Number	Product (isooctan	e/toluene solu	tion)	Qty/Conc
PAH-LCS-B	PAH Labelled Compound !	Solution		1.2 mL
PAH-ISS-B	PAH Internal Standard Spi			1.2 mL
PAH-SS-B	PAH Sampling Standard So			1.2 mL
PAH-STK-B	PAH Native Stock Solution			1.2 mL
	PAH-LCS-B	PAH-ISS-B	PAH-SS-B	PAH-STK-B
NATIVE PAHs	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
Naphthalene				2500
2-Methylnaphthalene			_	2500
Acenaphthylene			2	2500
Acenaphthene				2500
luorene	<u> </u>		_	2500
Phenanthrene	_		_	2500
Anthracene	-		_	2500
Fluoranthene			_	2500
Pyrene		_	_	2500
Benzo[c]fluorene	_	_	_	2500
Benzo[a]anthracene	_	_	_	2500
Cyclopenta[cd]pyrene		_	_	2500
Chrysene	_	_	_	2500
5-Methylchrysene		_	_	2500
Benzo[b]fluoranthene	_	_	_	2500
Benzo[k]fluoranthene	-	-	-	2500
Benzo[/]fluoranthene	_	_	_	2500
Benzo[e]pyrene	_	_	-	2500
Benzo[a]pyrene	_	-	_	2500
Perylene	-	-	_	2500
ndeno[1,2,3-cd]pyrene	_	-	_	2500
Dibenzo[a,h]anthracene	_	_	_	2500
Benzo[<i>ghi</i>]perylene	-	_	-	2500
Dibenzo[a,/]pyrene	-	-	_	2500
Dibenzo[a,e]pyrene	-	-		2500
Dibenzo[<i>a,i</i>]pyrene	-	-	_	2500
Dibenzo[a,h]pyrene	_	=	-	2500
DEUTERATED PAHs				
Naphthalene-d	5000		_	-
2-Methylnaphthalene-d	5000	-		
Acenaphthylene-d _s	5000			
Phenanthrene-d,	5000		_	
Anthracene-d ₁₀	5000		_	_
Fluoranthene-d ₁₀	5000	_		
Benzo[a]anthracene-d ₁₂	5000	_		
Chrysene-d ₁ ,	5000	_	_	-
Benzo[b]fluoranthene-d ₁₂	5000	_	_	n.=.
Benzo[k]fluoranthene-d ₁₂	5000	-	_	
Benzo[a]pyrene-d ₁₂	5000	_	-	_
Perylene-d ₁₂	5000		-	_
ndeno[1,2,3-cd]pyrene-d,	5000	-	_	_
Dibenzo[a,h]anthracene-d ₁₄	5000	_		-
Benzo[ghi]perylene-d,	5000	_	_	=
Dibenzo[a,i]pyrene-d ₁₄	5000	_	-	_
NTERNAL STANDARDS				
Acenaphthene-d ₁₀	_	5000	-	
Pyrene-d ₁₀	_	5000	_	
Benzo[e]pyrene-d ₁₂	_	5000	-	_
SAMPLING STANDARDS				
			5000	7-4
Fluorene-d ₁₀	=			100
p-Terphenyl-d ₁₄	_	_	5000	_

METHOD 429: HRGC/LRMS CALIBRATION SOLUTIONS FOR PAHS

Catalogue Number	Product (isooctan	e/toluene s	iolution)		Qty/Conc
L429-CVS	L429-CVS	15			1 kit
	Calibration Solutions CS1-	CS5			(5 ampoules
L429-CS1	CS1				1.0 mL
L429-CS2	CS2				1.0 mL
L429-CS3	CS3				1.0 mL
L429-CS4	CS4				1.0 mL
L429-CS5	CS5				1.0 mL
MATINE DALL	L429-CS1	L429-C52	L429-C53	L429-C54	L429-C55
NATIVE PAHs	(ng/µL)	(ng/µL)	(ng/µL)	(ng/µL)	(ng/µL)
Naphthalene	0.250	0.500	1.00	2.50	5.00
2-Methylnaphthalene	0.250	0.500	1.00	2.50	5.00
Acenaphthylene Acenaphthene	0.250 0.250	0.500 0.500	1.00 1.00	2.50 2.50	5.00 5.00
Fluorene	0.250	0.500	1.00	2.50	
Phenanthrene	0.250	0.500	1.00	2.50	5.00 5.00
Anthracene	0.250	0.500	1.00	2.50	5.00
Fluoranthene	0.250	0.500	1.00	2.50	5.00
Pyrene	0.250	0.500	1.00	2.50	5.00
Benzo[a]anthracene	0.250	0.500	1.00	2.50	5.00
Chrysene	0.250	0.500	1.00	2.50	5.00
Benzo[<i>b</i>]fluoranthene	0.250	0.500	1.00	2.50	5.00
Benzo[k]fluoranthene	0.250	0.500	1.00	2.50	5.00
Benzo[e]pyrene	0.250	0.500	1.00	2.50	5.00
Benzo[a]pyrene	0.250	0.500	1.00	2.50	5.00
Perylene	0.250	0.500	1.00	2.50	5.00
Indeno[1,2,3-cd]pyrene	0.250	0.500	1.00	2.50	5.00
Dibenzo[a,h]anthracene	0.250	0.500	1.00	2.50	5.00
Benzo[<i>ghi</i>]perylene	0.250	0.500	1.00	2.50	5.00
SURROGATE STANDARDS					
Fluorene-d ₁₀	1.00	1.00	1.00	1.00	1.00
p-Terphenyl-d ₁₄	1.00	1.00	1.00	1.00	1.00
INTERNAL STANDARDS	3.02	140	162		1.22
Naphthalene-d _s	1.00	1.00	1.00	1.00	1.00
2-Methylnaphthalene-d ₁₀	1.00	1.00	1.00	1.00	1.00
Acenaphthylene-d ₈	1.00	1.00	1.00	1.00	1.00
Phenanthrene-d ₁₀	1.00	1.00	1.00	1.00	1.00
Fluoranthene-d	1.00	1.00	1.00	1.00	1.00
Benzo[a]anthracene-d ₁₂	1.00	1.00	1.00	1.00	1.00
Chrysene-d	1.00	1.00	1.00	1.00	1.00
Benzo[b]fluoranthene-d ₁₂	1.00	1.00	1.00	1.00	1.00
Benzo[k]fluoranthene-d,2	1.00	1.00	1.00	1.00	1.00
Benzo[a]pyrene-d ₁₂	1.00 1.00	1.00 1.00	1.00	1.00	1.00
Perylene-d ₁₂ ndeno[1,2,3- <i>cd</i>]pyrene-d ₁ ,	1.00	1.00	1.00 1.00	1.00 1.00	1.00 1.00
Dibenzo[a,h]anthracene-d,	1.00	1.00	1.00	1.00	1.00
Benzo[<i>ghi</i>]perylene-d ₁₂	1.00	1.00	1.00	1.00	1.00
ALTERNATE STANDARD					
Anthracene-d ₁₀	1.00	1.00	1.00	1.00	1.00
RECOVERY STANDARDS		0.40			2.00
Acenaphthene-d ₁₀	1.00	1.00	1.00	1.00	1.00
Pyrene-d ₁₀	1.00	1.00	1.00	1.00	1.00
Benzo[e]pyrene-d ₁₂	1.00	1.00	1.00	1.00	1.00

METHOD 429: HRGC/LRMS CALIBRATION SOLUTIONS FOR PAHS

Catalogue Number	er Product (isooctane/toluene solution)		solution)) Qty/Conc	
.429-SS	Method 429 Surrogate Standard Stock Solution			Method 429 Surrogate Standard Stock Solution 1.2 mL	
429-IS	Method 429 Internal Standard Stock Solution				1.2 mL
L429-AS					1.2 mL
L429-RS	Method 429 Recovery Standard Stock Solution				1.2 mL
429-PAR	Method 429 Native PAH St				1.2 mL
	L429-SS	L429-IS	L429-A5	L429-RS	L429-PAR
NATIVE PAHS	(µg/mL)	(µg/mL)	(µg/mL)	(µg/mL)	(µg/mL)
Naphthalene	_	_	_	_	2.00
2-Methylnaphthalene	_	-	-	_	2.00
Acenaphthylene	-		-	-	2.00
Acenaphthene	_	_	_	_	2.00
luorene	0-2		_	_	2.00
Phenanthrene	_	_	_	_	2.00
Anthracene	_	_		_	2.00
luoranthene		_	_	_	2.00
Pyrene		Ξ	=	===	2.00
Benzo[a]anthracene					2.00
Chrysene					2.00
Enrysene Benzo[b]fluoranthene	_				2.00
		-	- 1 -	-	
Benzo[k]fluoranthene	-	_		=	2.00
Benzo[e]pyrene		=	_	=	2.00
Benzo[a]pyrene	_	_	_	_	2.00
Perylene	-	_	_	_	2.00
ndeno[1,2,3-cd]pyrene		-	_	_	2.00
Dibenzo[a,h]anthracene	-	-	_	_	2.00
Benzo[<i>ghi</i>]perylene		_	-	-	2.00
SURROGATE STANDARDS					
luorene-d ₁₀	100	-	-	-	-
o-Terphenyl-d ₁₄	100	-	_	-	-
NTERNAL STANDARDS					
		100			
Naphthalene-d _s				-	-
2-Methylnaphthalene-d ₁₀		100	100	-	
Acenaphthylene-d ₈	-	100	=	_	
Phenanthrene-d,	-	100	_	_	_
luoranthene-d ₁₀	_	100	_	_	_
Benzo[a]anthracene-d ₁₂	_	100	-	_	-
Chrysene-d ₁₂		100	_	_	_
Benzo[b]fluoranthene-d ₁₂	-	100	_	_	_
Benzo[k]fluoranthene-d ₁₂	10-	100	-	-	_
Benzo[a]pyrene-d ₁₂	_	100	-	-	-
Perylene-d ₁₂	- -	100	_	_	_
ndeno[1,2,3-cd]pyrene-d,	_	100	-	-	_
Dibenzo[a,h]anthracene-d,	22	100		_	_
Benzo[ghi]perylene-d ₁₂	1 -	100	_	_	_
ALTERNATE STANDARD					
Anthracene-d ₁₀		=	100	-	-
DECOVERY CTAND (TO					
RECOVERY STANDARDS				100	
Acenaphthene-d ₁₀	-	-	-	100	-
Pyrene-d ₁₀ Benzo[e]pyrene-d ₁₂	-	=	_	100	-
			-	100	-

EPA PAH SOLUTION/MIXTURES

Catalogue Number	Product (toluene solution)	Qty/Conc
EPA-PAH-STK	Native PAH Solution/Mixture	1.2 mL
Naphthalene		5.00 μg/mL
Acenaphthylene		5.00 μg/mL
Acenaphthene		5.00 μg/mL
Fluorene		5.00 μg/mL
Phenanthrene		5.00 μg/mL
Anthracene		5.00 μg/mL
Fluoranthene		5.00 μg/mL
Pyrene		5.00 μg/mL
Benzo[a]anthracene		5.00 μg/mL
Chrysene		5.00 μg/mL
Benzo[b]fluoranthene		5.00 μg/mL
Benzo[k]fluoranthene		5.00 μg/mL
Benzo[a]pyrene		5.00 μg/mL
ndeno[1,2,3-cd]pyrene		5.00 μg/mL
Benzo[<i>ghi</i>]perylene		5.00 μg/mL
Dibenzo[a,h]anthracene		5.00 μg/mL

Catalogue Number	Product (toluene solution)	Qty/Conc
EPA-PAH-LCS	Deuterated PAH Solution/Mixture	1.2 mL
Naphthalene-d ₈		5.00 μg/mL
Acenaphthylene-d ₈		5.00 μg/mL
Acenaphthene-d ₁₀		5.00 μg/mL
Fluorene-d ₁₀		5.00 μg/mL
Phenanthrene-d ₁₀		5.00 μg/mL
Anthracene-d ₁₀		5.00 μg/mL
Fluoranthene-d ₁₀		5.00 μg/mL
Pyrene-d ₁₀		5.00 μg/mL
Benzo[a]anthracene-d ₁₂		5.00 μg/mL
Chrysene-d ₁₂		5.00 μg/mL
Benzo[b]fluoranthene-d ₁₂		5.00 μg/mL
Benzo[k]fluoranthene-d ₁₂		5.00 μg/mL
Benzo[a]pyrene-d ₁₂		5.00 μg/mL
Indeno[1,2,3-cd]pyrene-d ₁₂		5.00 µg/mL
Benzo[ghi]perylene-d ₁₂		5.00 μg/mL
Dibenzo[a,h]anthracene-d,		5.00 µg/mL

^{*} The solutions above can be used with the PAH-CVS-B calibration solutions.

EPA & EU PAH SOLUTION/MIXTURE

Catalogue Number	Product (toluene solution)	Qty/Conc
EPA-EU-PAH-ISS	Deuterated PAH Solution/Mixture	1.2 mL
2-Methylnaphthalene-d ₁₀		5.00 μg/mL
p-Terphenyl-d ₁₄		5.00 μg/mL
Benzo[e]pyrene-d ₁₂		5.00 μg/mL

EU PAH SOLUTION/MIXTURES

Catalogue Number	Product (toluene solution)	Qty/Conc
EU-PAH-STK	Native PAH Solution/Mixture	1.2 mL
Benzo[c]fluorene		5.00 μg/mL
Cyclopenta[cd]pyrene		5.00 μg/mL
Benzo[a]anthracene		5.00 μg/mL
Chrysene		5.00 μg/mL
5-Methylchrysene		5.00 µg/ml
Benzo[b]fluoranthene		5.00 μg/mL
Benzo[k]fluoranthene		5.00 μg/mL
Benzo[j]fluoranthene		5.00 μg/mL
Benzo[a]pyrene		5.00 μg/mL
Indeno[1,2,3-cd]pyrene		5.00 μg/mL
Benzo[ghi]perylene		5.00 μg/mL
Dibenzo[a,h]anthracene		5.00 μg/mL
Dibenzo[a,/]pyrene		5.00 μg/mL
Dibenzo[a,e]pyrene		5.00 μg/mL
Dibenzo[a,i]pyrene		5.00 μg/mL
Dibenzo[a,h]pyrene		5.00 µg/mL

Catalogue Number	Product (toluene solution)	Qty/Conc
EU-PAH-LCS	Deuterated PAH Solution/Mixture	1.2 mL
Benzo[a]anthracene-d ₁₂		5.00 μg/mL
Chrysene-d ₁₂		5.00 μg/mL
Benzo[b]fluoranthene-d ₁₂		5.00 μg/mL
Benzo[k]fluoranthene-d ₁₂		5.00 μg/mL
Benzo[a]pyrene-d ₁₂		5.00 μg/mL
Indeno[1,2,3-cd]pyrene-d ₁₂		5.00 μg/mL
Benzo[ghi]perylene-d ₁₂		5.00 μg/mL
Dibenzo[a,h]anthracene-d ₁₄		5.00 μg/mL
Dibenzo[a,i]pyrene-d ₁₄		5.00 μg/mL

^{*} The solutions above can be used with the PAH-CVS-B calibration solutions.

NATIVE CHLORINATED BIPHENYLOLS (HO-PCBs)


Catalogue Number	Product (nonane solution)	Qt	ty/Conc
4H107	2,3,3',4',5-Pentachloro-4-biphenylol	1.2 mL	50.0 μg/mL
4H108	2',3,3',4',5-Pentachloro-4-biphenylol (96.5%)	1.2 mL	48.3 μg/mL
3H118	2,3',4,4',5-Pentachloro-3-biphenylol	1.2 mL	50.0 μg/mL
4H130	2,2',3,3',4',5-Hexachloro-4-biphenylol	1.2 mL	50.0 μg/mL
3H138	2,2',3',4,4',5-Hexachloro-3-biphenylol	1.2 mL	50.0 μg/mL
4H146	2,2',3,4',5,5'-Hexachloro-4-biphenylol	1.2 mL	50.0 μg/mL
3H153	2,2',4,4',5,5'-Hexachloro-3-biphenylol	1.2 mL	50.0 μg/mL
4H172	2,2',3,3',4',5,5'-Heptachloro-4-biphenylol	1.2 mL	50.0 μg/mL
3H180	2,2',3',4,4',5,5'-Heptachloro-3-biphenylol	1.2 mL	50.0 μg/mL
4H187	2,2',3,4',5,5',6-Heptachloro-4-biphenylol	1.2 mL	50.0 μg/mL

MASS-LABELLED CHLORINATED BIPHENYLOLS

Catalogu	e Number	Product
M4H12	$a - \sqrt{\frac{13}{13}} - \sqrt{\frac{13}{6}} - 0$	3',4'-Dichloro-4-(¹³C ₁₂)biphenylol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M4H29	$a = \sqrt{\frac{13}{C_6}} \sqrt{\frac{13}{C_6}} - 0$	2',4',5'-Trichloro-4-(¹³C ₁₂)biphenylol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M4H61	$a \xrightarrow{13_{C_6}} a$	2',3',4',5'-Tetrachloro-4-(¹³C₁₂)biphenylol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M4H120	$a \xrightarrow{13_{C_6}} a$	2',3,4',5,5'-Pentachloro-4-(¹³ C ₁₂)biphenylol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M4H159	$a \xrightarrow{13_{C_6}} a \xrightarrow{13_{C_6}} a$	2',3,3',4',5,5'-Hexachloro-4-(¹³ C ₁₂)biphenylol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M4H172	$a \xrightarrow{13_{C_6}} a \xrightarrow{13_{C_6}} a$	2,2',3,3',4',5,5'-Heptachloro-4-(' ³ C ₁₂)biphenylol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater
M4H187	$a \xrightarrow{13_{C_6}} a \xrightarrow{13_{C_6}} a$	2,2',3,4',5,5',6-Heptachloro-4-(' ³ C ₁₂)biphenylol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

MASS-LABELLED CHLORINATED BIPHENYLOLS: SOLUTION/MIXTURE

Catalogue Number	Product (to	oluene solution)	Qty/Conc
МНРСВ-МХА	Mass-Labelled C	hlorinated Biphenylol Solution/Mixture	1.2 mL
3',4'-Dichloro-4-(¹³C ₁₂)biphenylol		M4H12	5.00 μg/mL
2',4',5'-Trichloro-4-(13C,2)biphenyl	ol	M4H29	5.00 μg/mL
2',3',4',5'-Tetrachloro-4-(13C ₁₂)biph	nenylol	M4H61	5.00 µg/mL
2',3,4',5,5'-Pentachloro-4-(13C ₁₂)bi	phenylol	M4H120	5.00 μg/mL
2',3,3',4',5,5'-Hexachloro-4-(13C ₁₂)l	oiphenylol	M4H159	5.00 μg/mL
2,2',3,3',4',5,5'-Heptachloro-4-(13C)biphenylol	M4H172	5.00 μg/mL
2,2',3,4',5,5',6-Heptachloro-4-(13C)biphenylol	M4H187	5.00 µg/mL



HRGC/LRMS Data for MHPCB-MXA on a 30m DB-XLB Column.

NATIVE METHOXY-CHLOROBIPHENYLS (MeO-PCBs)

Catalogue Number	Product (nonane solution)	Qt	y/Conc
4PM79	3,3',4',5-Tetrachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM97	2,2',3,4',5'-Pentachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM101	2,2',4,5,5'-Pentachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M107	2,3,3',4',5-Pentachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM108	2,3,3',4,5'-Pentachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
3M118	2,3',4,4',5-Pentachloro-3-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM120	2,3',4,5,5'-Pentachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM127	3,3',4,5,5'-Pentachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM130	2,2',3,3',4',5-Hexachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M134	2,2',3,3',5,6-Hexachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
3PM138	2,2',3',4,4',5-Hexachloro-3-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M146	2,2',3,4',5,5'-Hexachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
33PDM155	2,2',4,4',6,6'-Hexachloro-3,3'-dimethoxybiphenyl	1.2 mL	50.0 μg/mL
4PM159	2,3,3',4,5,5'-Hexachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M162	2,3,3',4',5,5'-Hexachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M163	2,3,3',4',5,6-Hexachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM172	2,2',3,3',4,5,5'-Heptachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M177	2,2',3,3',4',5,6-Heptachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M178	2,2',3,3',5,5',6-Heptachloro-4-methoxybiphenyl (>97%)	1.2 mL	48.5 μg/mL
3PM180	2,2',3,4,4',5,5'-Heptachloro-3'-methoxybiphenyl	1.2 mL	50.0 μg/mL
3PM182	2,2',3,4,4',5,6'-Heptachloro-3'-methoxybiphenyl	1.2 mL	50.0 μg/mL
3PM183	2,2',3',4,4',5,6'-Heptachloro-3-methoxybiphenyl	1.2 mL	50.0 μg/mL
3PM184	2,2',3,4,4',6,6'-Heptachloro-3'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M187	2,2',3,4',5,5',6-Heptachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M193	2,3,3',4',5,5',6-Heptachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM198	2,2',3,3',4,5,5',6-Octachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM199	2,2',3,3',4',5,5',6-Octachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM200	2,2',3,3',4,5,6,6'-Octachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM201	2,2',3,3',4',5,6,6'-Octachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
4M202	2,2',3,3',5,5',6,6'-Octachloro-4-methoxybiphenyl	1.2 mL	50.0 μg/mL
44PDM202	2,2',3,3',5,5',6,6'-Octachloro-4,4'-dimethoxybiphenyl	1.2 mL	50.0 μg/mL
3PM203	2,2',3,4,4',5,5',6-Octachloro-3'-methoxybiphenyl	1.2 mL	50.0 μg/mL
4PM208	2,2',3,3',4,5,5',6,6'-Nonachloro-4'-methoxybiphenyl	1.2 mL	50.0 μg/mL

NATIVE METHOXY-CHLOROBIPHENYLS: SOLUTION/MIXTURES

Catalogue Number	Product (nor	nane solution)	Qty/Conc
MPCB-MXA	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
2,3,4,5-Tetrachloro-4'-methoxybi	phenyl	4PM61	5.00 μg/mL
2,3',4,5,5'-Pentachloro-4'-methox	kybiphenyl	4PM120	5.00 μg/mL
2,2',4,4',6,6'-Hexachloro-3,3'-dim	ethoxybiphenyl	33PDM155	5.00 µg/mL
2,2',3,4,4',6,6'-Heptachloro-3'-me	ethoxybiphenyl	3PM184	5.00 µg/mL
2,2',3,3',5,5',6,6'-Octachloro-4-me	ethoxybiphenyl	4M202	5.00 μg/mL
мрсв-мхв	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
3,3',4',5-Tetrachloro-4-methoxyb	iphenyl	4PM79	5.00 μg/mL
2,2',4,5,5'-Pentachloro-4'-methox	kybiphenyl	4PM101	5.00 µg/mL
2,2',3,3',5,6-Hexachloro-4-metho	xybiphenyl	4M134	5.00 μg/mL
2,2',3,3',5,5',6-Heptachloro-4-me	thoxybiphenyl	4M178	4.85 µg/mL
2,2',3,3',4',5,6,6'-Octachloro-4-mo	ethoxybiphenyl	4PM201	5.00 μg/mL
мрсв-мхс	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
2,3,4,4',5-Pentachloro-2'-methox	ybiphenyl	2PM114	5.00 μg/ml
2,2',3,4',5,5'-Hexachloro-4-metho	oxybiphenyl	4M146	5.00 µg/mL
2,2',3,4,4',5,6'-Heptachloro-3'-me	ethoxybiphenyl	3PM182 3PM203	5.00 μg/mL
2,2',3,4,4',5,5',6-Octachloro-3'-me	ethoxybiphenyl		5.00 μg/ml
2,2',3,3',4,5,5',6,6'-Nonachloro-4'	-methoxybiphenyl	4PM208	5.00 μg/mL
MPCB-MXD	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
2,3',4,4',5-Pentachloro-3-methox	ybiphenyl	3M118	5.00 μg/mL
2,2',3',4,4',5-Hexachloro-3-metho	oxybiphenyl	3PM138	5.00 μg/ml
2,2',3',4,4',5,6'-Heptachloro-3-me	ethoxybiphenyl	3PM183	5.00 µg/mL
2,2',3,3',4,5,5',6-Octachloro-4'-me	ethoxybiphenyl	4PM198	5.00 μg/mL
MPCB-MXE	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
2,3,3',4,5'-Pentachloro-4'-methox	kybiphenyl	4PM108	5.00 μg/mL
2,2',3,3',4',5-Hexachloro-4-metho	oxybiphenyl	4PM130	5.00 μg/mL
2,2',3,4',5,5',6-Heptachloro-4-me	thoxybiphenyl	4M187	5.00 μg/mL
2,2',3,3',4',5,5',6-Octachloro-4-me	ethoxybiphenyl	4PM199	5.00 μg/mL
MPCB-MXF	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
2,3,3',4',5-Pentachloro-4-methox	ybiphenyl	4M107	5.00 μg/ml
2,3,3',4',5,6-Hexachloro-4-metho	xybîphenyl	4M163	5.00 μg/mL
2,2',3,3',4',5,6-Heptachloro-4-me	thoxybiphenyl	4M177	5.00 µg/mL
2,2',3,3',4,5,6,6'-Octachloro-4'-me	ethoxybiphenyl	4PM200	5.00 µg/mL

NATIVE METHOXY-CHLOROBIPHENYLS: SOLUTION/MIXTURES

Catalogue Number	Product (nor	nane solution)	Qty/Conc
MPCB-MXG	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
2,2',3,4',5'-Pentachloro-4-metho	oxybiphenyl	4PM97	5.00 μg/mL
2,3,3',4,5,5'-Hexachloro-4'-meth	noxybiphenyl	4PM159	5.00 μg/mL
2,2',3,4,4',5,5'-Heptachloro-3'-n	nethoxybiphenyl	3PM180	5.00 μg/mL
2,2',3,3',5,5',6,6'-Octachloro-4,4	'-dimethoxybiphenyl	44PDM202	5.00 μg/mL
мрсв-мхн	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
3,3',4,5,5'-Pentachloro-4'-metho	oxybiphenyl	4PM127	5.00 μg/mL
2,2',3,3',4,5,5'-Heptachloro-4'-n	nethoxybiphenyl	4PM172	5.00 μg/mL
MPCB-MXI	Native Chlorinated	Methoxybiphenyl Solution/Mixture	1.2 mL
2,3,3',4',5,5'-Hexachloro-4-meth	noxybiphenyl	4M162	5.00 μg/mL
2,3,3',4',5,5',6-Heptachloro-4-m	ethoxybiphenyl	4M193	5.00 μg/mL

MASS-LABELLED METHOXY-CHLOROBIPHENYLS

Catalogue	e Number	Product
M4M29	CI 13 _{C6} OCH ₃	2,4,5-Trichloro-4'-methoxy('³C _{1,2})biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
M4M61	CI CI 32C6 OCH3	2,3,4,5-Tetrachloro-4'-methoxy(¹³C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
M4M120	CI CI 33C6 CI OCH3	2,3',4,5,5'-Pentachloro-4'-methoxy($^{13}C_{12}$)biphenyl 1.2 mL; 50.0 µg/mL (\pm 2.5 µg/mL); in toluene
M4M159	CI C	2,3,3',4,5,5'-Hexachloro-4'-methoxy(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
M4M172	CI CI CI CI CI CI CI CI	2,2',3,3',4,5,5'-Heptachloro-4'-methoxy(¹³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene
M4M187	$CI \longrightarrow CI$ CI CI CI CI CI CI CI	2,2',3,4',5,5',6-Heptachloro-4-methoxy(' ³ C ₁₂)biphenyl 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED METHOXY-CHLOROBIPHENYLS: SOLUTION/MIXTURE

Catalogue Number	Product (tolu	ene solution)	Qty/Conc
ММРСВ-МХА	Mass-Labelled Chlo	rinated Methoxybiphenyl Solution/Mixture	1.2 mL
2,4,5-Trichloro-4'-methoxy(13C ₁₂)	biphenyl	M4M29	5.00 μg/mL
2,3,4,5-Tetrachloro-4'-methoxy(¹³ C ₁₂)biphenyl	M4M61	5.00 μg/mL
2,3',4,5,5'-Pentachloro-4'-metho	oxy(¹³C₁₂)biphenyl	M4M120	5.00 µg/mL
2,3,3',4,5,5'-Hexachloro-4'-meth	oxy(¹³C ₁₂)biphenyl	M4M159	5.00 μg/mL
2,2',3,3',4,5,5'-Heptachloro-4'-m	nethoxy(¹³C ₁₂)biphenyl	M4M172	5.00 µg/mL
2,2',3,4',5,5',6-Heptachloro-4-m	ethoxy(¹³C,,)biphenyl	M4M187	5.00 μg/mL

NATIVE CHLORINATED BIPHENYLENES (PCBPs)

Chlorinated Biphenylenes have been detected in samples taken in the aftermath of PCB fires. It is thought that they may be formed as the result of incomplete combustion of the PCBs.

In microsomal enzyme studies, the 2,3,6,7-tetrachlorobiphenylene has shown similar potency to that of 2,3,7,8-tetrachlorodibenzo-p-dioxin in its toxicological effects.

Catalogue Number	Product (nonane solution)	Qt	y/Conc
CBP-2	2-Chlorobiphenylene	1.2 mL	50.0 μg/mL
CBP-23	2,3-Dichlorobiphenylene	1.2 mL	50.0 μg/mL
CBP-236	2,3,6-Trichlorobiphenylene	1.2 mL	50.0 μg/mL
CBP-2367	2,3,6,7-Tetrachlorobiphenylene	1.2 mL	50.0 μg/mL

MASS-LABELLED CHLORINATED BIPHENYLENE

Catalogue I	Number	Product
MCBP-2367	d 13-6 d	2,3,6,7-Tetrachloro(¹³ C ₁₂)biphenylene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane; isotopic purity 99% or greater

NATIVE TRICLOCARBAN

Triclocarban, like Triclosan, is an antimicrobial additive used in a variety of personal care products.

Catalogue Number	Product (methanol solution)	Qt	y/Conc
тсс	N-(4-chlorophenyl)-N'-(3,4-dichlorophenyl)urea	1.2 mL	50.0 μg/mL

MASS-LABELLED TRICLOCARBAN

Catalogu	ie Number	Product
мтсс	d 13 _{C6} 13	N-(4-chloro(¹³C₀)phenyl)-N'-(3,4-dichloro(¹³C₀)phenyl)(¹³C)urea 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol; isotopic purity 99% or greater

NATIVE TRICLOSAN AND METHYL TRICLOSAN

Triclosan is a widely used antibacterial and antifungal agent that has been incorporated into many common consumer products including toothpastes, deodorants, antibacterial soaps, and detergents.

The increasing use of these products over the last 30 years has led to Triclosan, and its biotransformation product, Methyl Triclosan, being found in the environment.

Catalogue Number	Product (nonane solution)	Qt	y/Conc
TCS	5-Chloro-2-(2,4-dichlorophenoxy)phenol	1.2 mL	50.0 μg/mL
TCS-M	5-Chloro-2-(2,4-dichlorophenoxy)phenol (in methanol)	1.2 mL	50.0 μg/mL
MeTCS	5-Chloro-2-(2,4-dichlorophenoxy)anisole	1.2 mL	50.0 μg/mL

MASS-LABELLED TRICLOSAN AND METHYL TRICLOSAN

Catalogue	Number	Product
MTCS	0H 0H 13c ₆ 0	5-Chloro-2-(2,4-dichloro(¹³ C _e)phenoxy)(¹³ C _e)phenol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane ; isotopic purity 99% or greater
MTCS-M	0H 13c ₆ a 13c ₆	5-Chloro-2-(2,4-dichloro(¹³C₅)phenoxy)(¹³C₅)phenol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol ; isotopic purity 99% or greater
MMeTCS	13 _{C6} 13 _{C6}	5-Chloro-2-(2,4-dichloro(¹³ C _e)phenoxy)(1,2,3,4,5,6- ¹³ C _e)anisole 1.2 ml; 50.0 μg/mL (±2.5 μg/mL); in nonane ; isotopic purity 99% or greater

CHLORINATED DERIVATIVES OF TRICLOSAN AND METHYL TRICLOSAN

The reaction of Triclosan with free chlorine in water, or during wastewater treatment processes, may result in the formation of further chlorinated Triclosan isomers.

Catalogue Number	Product (nonane solution)		Qt	Qty/Conc	
6TCS	2,3-Dichloro-6-(2,4-dichlorophenoxy)phenol	(6-Chlorotriclosan)	1.2 mL	50.0 μg/mL	
6MeTCS	2,3-Dichloro-6-(2,4-dichlorophenoxy)anisole	(6-Chloro-methyltriclosan)	1.2 mL	50.0 μg/mL	
4TCS	4,5-Dichloro-2-(2,4-dichlorophenoxy)phenol	(4-Chlorotriclosan)	1.2 mL	50.0 µg/mL	
4MeTCS	4,5-Dichloro-2-(2,4-dichlorophenoxy)anisole	(4-Chloro-methyltriclosan)	1.2 mL	50.0 μg/mL	
46TCS	2,3,4-Trichloro-6-(2,4-dichlorophenoxy)phenol	(4,6-Dichlorotriclosan)	1.2 mL	50.0 μg/mL	
46MeTCS	2,3,4-Trichloro-6-(2,4-dichlorophenoxy)anisole	(4,6-Dichloro-methyltriclosan)	1.2 mL	50.0 μg/mL	

NATIVE CHLOROXANTHENE

The tetrachloroxanthene was originally suspected to be an environmental contaminant due to pulp bleaching.

Catalogue Number	Product (toluene solution)	Qty/Conc	
XE-2367-S	2,3,6,7-Tetrachloroxanthene	1.2 mL 50.0 μg/mL	

2,3,6,7-Tetrachloroxanthene

NATIVE TRIS(4-CHLOROPHENYL)METHANE AND TRIS(4-CHLOROPHENYL)METHANOL

These two compounds have been found in a variety of environmental samples including fish, marine mammals and birds.

It is possible that they may originate from DDT or other agrochemicals.

Catalogue Number	Product (nonane solution)	Qty/Conc		
Т4СРМ	Tris(4-chlorophenyl)methane	1.2 mL 50.0 μg/mL		
T4CPME	Tris(4-chlorophenyl)methanol	1.2 mL 50.0 μg/mL		

MASS-LABELLED TRIS(4-CHLOROPHENYL)METHANE AND TRIS(4-CHLOROPHENYL)METHANOL

Catalogue Number		Product
МТ4СРМ		Tris(4-chlorophenyl)methane-13C ₁₉ 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane; isotopic purity 99% or greater
МТ4СРМЕ		Tris(4-chlorophenyl)methanol-13C ₁₉ 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane; isotopic purity 99% or greater

PCN-CVS-A

Catalogue Number	Product (non	ane solutio	n)		Q	ty/Conc
PCN-CVS-A	PCN-CVS-A Calibration Solution	s CS1-CS5				1 kit (5 ampoules
PCN-CS1-A	CS1					200 µL
PCN-CS2-A	CS2					200 µL
PCN-CS3-A	CS3					200 µL
PCN-CS4-A	CS4					200 µL
PCN-CS5-A	CS5					200 µL
		PCN- CS1-A	PCN- CS2-A	PCN- CS3-A	PCN- CS4-A	PCN- CS5-A
NATIVE PCNs	Congener #	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
		1.00	5.00	20.0	100	500
1-Chloronaphthalene	2	1.00	5.00	20.0	100	500
2-Chloronaphthalene 1,3-Dichloronaphthalene	4	1.00	5.00	20.0	100	500
	5	1.00	5.00	20.0	100	500
1,4-Dichloronaphthalene 1,8-Dichloronaphthalene	9	1.00	5.00	20.0	100	500
	12	1.00	5.00	20.0	100	500
2,7-Dichloronaphthalene						
1,2,3-Trichloronaphthalene	13	1.00	5.00	20.0	100	500
1,2,7-Trichloronaphthalene	17	1.00	5.00	20.0	100	500
1,2,8-Trichloronaphthalene	18	1.00	5.00	20.0	100	500
1,3,6-Trichloronaphthalene	20	1.00	5.00	20.0	100	500
1,4,5-Trichloronaphthalene	23	1.00	5.00	20.0	100	500
1,4,6-Trichloronaphthalene	24	1.00	5.00	20.0	100	500
1,2,3,5-Tetrachloronaphthalene	28	1.00	5.00	20.0	100	500
1,2,5,7-Tetrachloronaphthalene	37	1.00	5.00	20.0	100	500
1,2,6,8-Tetrachloronaphthalene	40	1.00	5.00	20.0	100	500
1,2,7,8-Tetrachloronaphthalene	41	1.00	5.00	20.0	100	500
1,3,5,7-Tetrachloronaphthalene	42	1.00	5.00	20.0	100	500
2,3,6,7-Tetrachloronaphthalene	48	1.00	5.00	20.0	100	500
1,2,3,5,7-Pentachloronaphthalene	52	1.00	5.00	20.0	100	500
1,2,3,5,8-Pentachloronaphthalene	53	1.00	5.00	20.0	100	500
1,2,3,6,7-Pentachloronaphthalene	54	1.00	5.00	20.0	100	500
1,2,3,7,8-Pentachloronaphthalene	56	1.00	5.00	20.0	100	500
1,2,4,5,8-Pentachloronaphthalene	59	1.00	5.00	20.0	100	500
1,2,3,4,5,6-Hexachloronaphthalene	63	1.00	5.00	20.0	100	500
1,2,3,5,6,7-Hexachloronaphthalene	67	1.00	5.00	20.0	100	500
1,2,3,5,6,8-Hexachloronaphthalene	68	1.00	5.00	20.0	100	500
1,2,3,5,7,8-Hexachloronaphthalene	69	1.00	5.00	20.0	100	500
1,2,3,6,7,8-Hexachloronaphthalene	70	1.00	5.00	20.0	100	500
1,2,4,5,7,8-Hexachloronaphthalene	72	1.00	5.00	20.0	100	500
1,2,3,4,5,6,7-Heptachloronaphthalen		1.00	5.00	20.0	100	500
1,2,3,4,5,6,8-Heptachloronaphthalen		1.00	5.00	20.0	100	500
Octachloronaphthalene	75	1.00	5.00	20.0	100	500
EXTRACTION STANDARDS						
1-Chloro(¹³C₁₀)naphthalene	1L	10.0	10.0	10.0	10.0	10.0
1,4-Dichloro(¹³C₁₀)naphthalene	5L	10.0	10.0	10.0	10.0	10.0
1,4,6-Trichloro(13C,,)naphthalene	24L	10.0	10.0	10.0	10.0	10.0
2,3,6,7-Tetrachloro(13C,0)naphthalene	48L	10.0	10.0	10.0	10.0	10.0
1,2,3,6,7-Pentachloro(¹³C₁₀)naphthale	ne <i>54L</i>	10.0	10.0	10.0	10.0	10.0
1,2,3,5,6,7-Hexachloro(13C,0)naphthal	ene 67L	10.0	10.0	10.0	10.0	10.0
1,2,3,6,7,8-Hexachloro(13C,)naphthal	ene 70L	10.0	10.0	10.0	10.0	10.0
1,2,4,5,7,8-Hexachloro(13C,0)naphthal	ene 72L	10.0	10.0	10.0	10.0	10.0
1,2,3,4,5,6,7-Heptachloro(13C ₁₀)naphtl		10.0	10.0	10.0	10.0	10.0
Octachloro(¹³C,₀)naphthalene	75L	10.0	10.0	10.0	10.0	10.0
INJECTION STANDARDS						
1,4,5-Trichloro(¹³C,₀)naphthalene	23 <i>L</i>	10.0	10.0	10.0	10.0	10.0
1,2,4,5,8-Pentachloro(13C,0)naphthale		10.0	10.0	10.0	10.0	10.0
1,2,3,4,5,6,8-Heptachloro(13C ₁₀)naphtl		10.0	10.0	10.0	10.0	10.0
SAMPLING STANDARD						

Catalogue Number	Product (non	ane solutior)		Qty/Conc
PCN-LCS-A	PCN Extraction Star				1.2 mL
	PCN Injection Standard Solution			1.2 mL	
	PCN Sampling Stand				1.2 mL
	PCN Native Stock Solution				
		S06 20 20 1			1.2 mL
		PCN-LCS-A	PCN-ISS-A	PCN-SS-A	PCN-STK-A
NATIVE PCNs	Congener #	(ng/mL)	(ng/mL)	(ng/mL)	(ng/mL)
-Chloronaphthalene	1	_	_	-	1000
2-Chloronaphthalene	2	-	-	-	1000
1,3-Dichloronaphthalene	4	-	-	=	1000
,4-Dichloronaphthalene	5	-	-	-	1000
1,8-Dichloronaphthalene	9	-	-	_	1000
2,7-Dichloronaphthalene	12	_	-	-	1000
1,2,3-Trichloronaphthalene	13	-	-	-	1000
1,2,7-Trichloronaphthalene	17	_	_	_	1000
1,2,8-Trichloronaphthalene	18	_	_	-	1000
1,3,6-Trichloronaphthalene	20	-	-	-	1000
1,4,5-Trichloronaphthalene	23	_	-	=	1000
1,4,6-Trichloronaphthalene	24	-	_	-	1000
1,2,3,5-Tetrachloronaphthalene	28	=	_	_	1000
1,2,5,7-Tetrachloronaphthalene	37	_	7	_	1000
1,2,6,8-Tetrachloronaphthalene	40		=	=	1000
1,2,7,8-Tetrachloronaphthalene	41	17.	_	- 3	1000
1,3,5,7-Tetrachloronaphthalene	42	-	-	_	1000
2,3,6,7-Tetrachloronaphthalene	48	= =	-	_	1000
1,2,3,5,7-Pentachloronaphthalene	52	-	7	_	1000
1,2,3,5,8-Pentachloronaphthalene	53	-	-		1000
1,2,3,6,7-Pentachloronaphthalene	54 56	=	=	=	1000
1,2,3,7,8-Pentachloronaphthalene	56		_	_	1000
1,2,4,5,8-Pentachloronaphthalene	59 63	7	=	1.5	1000
1,2,3,4,5,6-Hexachloronaphthalene	67	T.	-	_	1000 1000
1,2,3,5,6,7-Hexachloronaphthalene		= =		_	1000
1,2,3,5,6,8-Hexachloronaphthalene 1,2,3,5,7,8-Hexachloronaphthalene	68 69	-		-	1000
	70			_	1000
1,2,3,6,7,8-Hexachloronaphthalene 1,2,4,5,7,8-Hexachloronaphthalene	72				1000
1,2,3,4,5,6,7-Hexachloronaphthalene	73				1000
	74		1 5		1000
1,2,3,4,5,6,8-Heptachloronaphthalene	75				1000
Octachloronaphthalene	/3	_	=		1000
EXTRACTION STANDARDS					
1-Chloro(¹³C,₀)naphthalene	1L	1000	_	_	_
1,4-Dichloro(13C ₁₀)naphthalene	5L	1000	_	_	_
1,4,6-Trichloro(13C ₁₀)naphthalene	24L	1000	_	_	_
2,3,6,7-Tetrachloro(13C ₁₀)naphthalene	48L	1000	_	_	_
1,2,3,6,7-Pentachloro(13C,0)naphthalene		1000	_	_	_
1,2,3,5,6,7-Hexachloro(13C,)naphthaler	e 67L	1000	=	_	_
1,2,3,6,7,8-Hexachloro(¹³C ₁₀)naphthaler	e 70L	1000	-	_	_
1,2,4,5,7,8-Hexachloro(13C,0)naphthaler	e 72L	1000	_	-	-
1,2,3,4,5,6,7-Heptachloro(13C,)naphtha		1000	_	_	-
Octachloro(13C,0)naphthalene	75L	1000	-	=	-
NJECTION STANDARDS					
1,4,5-Trichloro(¹³C ₁₀)naphthalene	23L	_	1000	-	_
1,2,4,5,8-Pentachloro(13C10)naphthalene	59L	_	1000	_	_
1,2,3,4,5,6,8-Heptachloro(13C ₁₀)naphtha		-	1000	-	-
SAMPLING STANDARD					

NATIVE POLYCHLORINATED NAPHTHALENES: SOLUTION/MIXTURES

Catalogue Number	Product (nonane solution)	Qty/Conc
CN-MXA	Native PCN Solution/Mixture	1.2 mL
	Congener #	
2-Chloronaphthalene	2	5.00 μg/mL
1,5-Dichloronaphthalene	6	5.00 μg/mL
1,2,3-Trichloronaphthalene	13	5.00 μg/mL
1,2,3,5-Tetrachloronaphthalene	28	5.00 μg/mL
1,2,3,5,7-Pentachloronaphthalene	52	5.00 μg/mL
1,2,3,4,6,7-Hexachloronaphthalene	66	5.00 μg/mL
1,2,3,4,5,6,7-Heptachloronaphthaler	ne 73	5.00 μg/mL
Octachloronaphthalene	75	5.00 μg/mL
CN-MXC	Native PCN Solution/Mixture	1.2 mL
	Congener #	
1,2,3,4-Tetrachloronaphthalene	27	5.00 μg/mL
1,2,5,6-Tetrachloronaphthalene	36	5.00 µg/ml
1,4,5,8-Tetrachloronaphthalene	46	4.80 µg/ml
2,3,6,7-Tetrachloronaphthalene	48	5.00 µg/ml
1,2,3,4,6-Pentachloronaphthalene	50	5.00 μg/ml
1,2,3,5,8-Pentachloronaphthalene	53	5.00 µg/mL
1,2,3,5,7,8-Hexachloronaphthalene	69	5.00 µg/ml
1,2,4,5,7,8-Hexachloronaphthalene	72	5.00 μg/mL
CN-WD	PCN Window Defining Solution/Mixture	1.2 mL
	Congener #	
1-Chloronaphthalene	1	2.00 µg/mL
2-Chloronaphthalene	2	2.00 µg/mL
1,3-Dichloronaphthalene	4	2.00 µg/mL
1,2,8-Trichloronaphthalene	18	2.00 µg/mL
1,3,6-Trichloronaphthalene	20	2.00 µg/mL
1,2,7,8-Tetrachloronaphthalene	41	2.00 µg/mL
1,3,5,7-Tetrachloronaphthalene	42	2.00 µg/ml
1,2,3,5,7-Pentachloronaphthalene	52	2.00 µg/mL
1,2,3,7,8-Pentachloronaphthalene	56	2.00 µg/mL
1,2,3,4,6,7-Hexachloronaphthalene	66	2.00 µg/mL
1,2,3,6,7,8-Hexachloronaphthalene	70	2.00 µg/mL
1,2,3,4,5,6,7-Heptachloronaphthaler	ne 73	2.00 µg/mL
1,2,3,4,5,6,8-Heptachloronaphthaler	ne 74	2.00 µg/mL
Octachloronaphthalene	75	2.00 µg/mL

NATIVE POLYCHLORINATED NAPHTHALENES: SOLUTION/MIXTURES

Catalogue Number	Product (nonane solution)	Qty/Conc
PCN-HWX	PCN Major Halowax Congeners Solution/Mixture	1.2 mL
	Congener #	
1-Chloronaphthalene	1	2.00 μg/mL
1,4-Dichloronaphthalene	5	2.00 µg/mL
1,4,5-Trichloronaphthalene	23	2.00 μg/mL
1,4,6-Trichloronaphthalene	24	2.00 µg/mL
1,2,4,6-Tetrachloronaphthalene	33	2.00 µg/mL
1,2,6,8-Tetrachloronaphthalene	40	2.00 µg/mL
1,2,4,5,8-Pentachloronaphthalene	59	2.00 µg/mL
1,2,4,5,7,8-Hexachloronaphthalene	72	2.00 µg/mL
1,2,3,4,5,6,8-Heptachloronaphthalene	74	2.00 µg/mL
Octachloronaphthalene	75	2.00 μg/mL
PCN-INC	PCN Major Incineration Congeners Solution/Mixture	1.2 mL
	Congener #	
2-Chloronaphthalene	2	2.00 µg/mL
2,7-Dichloronaphthalene	12	2.00 µg/mL
1,2,3-Trichloronaphthalene	13	2.00 µg/mL
1,2,7-Trichloronaphthalene	17	2.00 µg/mL
1,2,3,5-Tetrachloronaphthalene	28	2.00 µg/mL
1,2,4,7-Tetrachloronaphthalene	34	2.00 µg/mL
1,2,3,6,7-Pentachloronaphthalene	54	2.00 µg/mL
1,2,3,5,7,8-Hexachloronaphthalene	69	2.00 µg/mL
1,2,3,4,5,6,7-Heptachloronaphthalene	73	2.00 µg/mL
Octachloronaphthalene	75	2.00 μg/mL
PCN-TOX	PCN Potentially Toxic Congeners Solution/Mixture	1.2 mL
	Congener #	
2,3,6,7-Tetrachloronaphthalene	48	2.00 μg/mL
1,2,3,6,7-Pentachloronaphthalene	54	2.00 µg/mL
1,2,3,4,6,7-Hexachloronaphthalene	66	2.00 µg/mL
1,2,3,5,7,8-Hexachloronaphthalene	69	2.00 μg/mL
1,2,3,6,7,8-Hexachloronaphthalene	70	2.00 µg/mL
1,2,3,4,5,6,7-Heptachloronaphthalene	73	2.00 μg/mL

NATIVE POLYCHLORINATED NAPHTHALENES (PCNs)

Catalogue Number	Product (nonane solution)	Qt	y/Conc
PN-1S	1-Chloronaphthalene	1.2 mL	50.0 μg/mL
PN-2S	2-Chloronaphthalene	1.2 mL	50.0 μg/mL
PN-4S	1,3-Dichloronaphthalene	1.2 mL	50.0 μg/mL
PN-5S	1,4-Dichloronaphthalene	1.2 mL	50.0 μg/mL
PN-6S	1,5-Dichloronaphthalene	1.2 mL	50.0 μg/mL
PN-9S	1,8-Dichloronaphthalene	1.2 mL	50.0 μg/mL
PN-12S	2,7-Dichloronaphthalene	1.2 mL	50.0 μg/mL
PN-13S	1,2,3-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-17S	1,2,7-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-18S	1,2,8-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-19S	1,3,5-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-20S	1,3,6-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-21S	1,3,7-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-23S	1,4,5-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-24S	1,4,6-Trichloronaphthalene	1.2 mL	50.0 μg/mL
PN-27S	1,2,3,4-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL
PN-28S	1,2,3,5-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL
PN-31S	1,2,3,8-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL
PN-33S	1,2,4,6-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL
PN-34S	1,2,4,7-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL
PN-35S	1,2,4,8-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL
PN-36S	1,2,5,6-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL

NATIVE POLYCHLORINATED NAPHTHALENES (PCNs)

Catalogue Number	Product (nonane solution)	Qt	Qty/Conc		
PN-37S	1,2,5,7-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-40S	1,2,6,8-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-41S	1,2,7,8-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-42S	1,3,5,7-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-46S	1,4,5,8-Tetrachloronaphthalene (96% pure)	1.2 mL	48.0 μg/mL		
PN-48S	2,3,6,7-Tetrachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-50S	1,2,3,4,6-Pentachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-52S	1,2,3,5,7-Pentachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-53S	1,2,3,5,8-Pentachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-54S	1,2,3,6,7-Pentachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-56S	1,2,3,7,8-Pentachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-57S	1,2,4,5,6-Pentachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-59S	1,2,4,5,8-Pentachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-63S	1,2,3,4,5,6-Hexachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-66S	1,2,3,4,6,7-Hexachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-68S	1,2,3,5,6,8-Hexachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-69S	1,2,3,5,7,8-Hexachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-70S	1,2,3,6,7,8-Hexachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-72S	1,2,4,5,7,8-Hexachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-73S	1,2,3,4,5,6,7-Heptachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-74S	1,2,3,4,5,6,8-Heptachloronaphthalene	1.2 mL	50.0 μg/mL		
PN-75S	Octachloronaphthalene	1.2 mL	50.0 μg/mL		

MASS-LABELLED POLYCHLORINATED NAPHTHALENES (PCNs)

Catalogue	Number	Product	
MPN-1	H 10 10 10 10 10 10 10 10 10 10 10 10 10	1-Chloro(¹³C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-5	H Jug	1,4-Dichloro(¹³C₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-23	H 10 10 10 10 10 10 10 10 10 10 10 10 10	1,4,5-Trichloro(¹³C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-24		1,4,6-Trichloro(¹³ C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-48		2,3,6,7-Tetrachloro(¹³C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-54		1,2,3,6,7-Pentachloro(¹³ C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-56		1,2,3,7,8-Pentachloro(¹³C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-59	H 12 12 12 12 14 14 14 14 14 14 14 14 14 14 14 14 14	1,2,4,5,8-Pentachloro(¹³C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-67		1,2,3,5,6,7-Hexachloro(13 C $_{10}$)naphthalene 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

MASS-LABELLED POLYCHLORINATED NAPHTHALENES (PCNs)

Catalogue	Number	Product	
MPN-70		1,2,3,6,7,8-Hexachloro(¹³ C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-72		1,2,4,5,7,8-Hexachloro(¹³C ₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-73		1,2,3,4,5,6,7-Heptachloro($^{13}C_{10}$)naphthalene 1.2 mL; 50.0 µg/mL (±2.5 µg/mL); in nonane	
MPN-74		1,2,3,4,5,6,8-Heptachloro(¹³C _{το})naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MPN-75		Octachloro(¹³C₁₀)naphthalene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

NATIVE POLYCHLORINATED DIPHENYL ETHERS (PCDEs)

Catalogue Number	Product (nonane solution)	Qt	y/Conc
DPE-0	Diphenyl ether	1.2 mL	50.0 μg/mL
DPE-3	4-Chlorodiphenyl ether	1.2 mL	50.0 μg/mL
DPE-15	4,4'-Dichlorodiphenyl ether	1.2 mL	50.0 μg/mL
DPE-28	2,4,4'-Trichlorodiphenyl ether	1.2 mL	50.0 μg/mL
DPE-74	2,4,4',5-Tetrachlorodiphenyl ether	1.2 mL	50.0 μg/mL
DPE-77	3,3',4,4'-Tetrachlorodiphenyl ether	1.2 mL	50.0 μg/mL
DPE-99	2,2',4,4',5-Pentachlorodiphenyl ether	1.2 mL	50.0 μg/mL
DPE-209	Decachlorodiphenyl ether	1.2 mL	50.0 μg/mL

MASS-LABELLED POLYCHLORINATED DIPHENYL ETHERS (PCDEs)

Catalogue I	Number	Product	
MCDE-0	12Ce	(¹³ C ₁₂)Diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCDE-3	$\left\langle ^{12}C_{6}\right\rangle - O - \left\langle ^{12}C_{6}\right\rangle - CI$	4-Chloro(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCDE-12	$\left\langle \begin{array}{c} u_{C_{g}} \\ \end{array} \right\rangle$ 0 $\left\langle \begin{array}{c} u_{C_{g}} \\ \end{array} \right\rangle$ 0	3,4-Dichloro(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCDE-37	$d = \sqrt{n_{C_g}} - 0 = \sqrt{n_{C_g}} - 0$	3,4,4'-Trichloro(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCDE-61		2,3,4,5-Tetrachloro(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCDE-86	0 0 13C ₆ d	2,2',3,4,5-Pentachloro(¹³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCDE-141	$ \begin{array}{c c} & a & a \\ & a & a \\ & a & a \end{array} $	2,2',3,4,5,5'-Hexachloro(' ³ C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCDE-180	a——13C ₆ ——0——13C ₆ ——a	2,2',3,4,4',5,5'-Heptachloro(¹³C ₁₂)diphenyl ether 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

NATIVE CHLOROBENZENES: SOLUTION/MIXTURE

Catalogue Number	Product (isooctane solution)	Qty/Cond
CBS	Native Chlorobenzene Solution/Mixture	1.2 mL
Chlorobenzene		100 μg/mL
1,2-Dichlorobenzene		100 μg/ml
1,3-Dichlorobenzene		100 μg/ml
1,4-Dichlorobenzene		100 μg/ml
1,2,3-Trichlorobenzene		100 μg/ml
1,2,4-Trichlorobenzene		100 µg/ml
1,3,5-Trichlorobenzene		100 μg/ml
1,2,3,4-Tetrachlorobenzene		100 μg/mL
1,2,3,5-Tetrachlorobenzene		100 μg/mL
1,2,4,5-Tetrachlorobenzene		100 μg/mL
Pentachlorobenzene		100 μg/mL
Hexachlorobenzene		100 μg/ml

MASS-LABELLED CHLOROBENZENES: SOLUTION/MIXTURE

Catalogue Number	Product (isooctane solution)	Qty/Conc
MCBS	Mass-Labelled Chlorobenzene Solution/Mixture	1.2 mL
Chloro(13C ₆)benzene		100 μg/mL
1,4-Dichloro(13C ₆)benzene		100 μg/mL
1,2,3-Trichloro(¹³C₀)benzene		100 μg/mL
1,2,3,4-Tetrachloro(13C ₆)benzene		100 μg/mL
Pentachloro(13C ₆)benzene		100 μg/mL
Hexachloro(13C _e)benzene		100 μg/mL

MASS-LABELLED CHLOROBENZENES

Catalogue Nu	ımber	Product	-1)
MBZ-1235	a a a	1,2,3,5-Tetrachloro($^{12}C_6$)benzene 1.2 mL; 100 µg/mL (\pm 5.0 µg/mL); in isooctane	
MCBZ-12345	a like a	1,2,3,4,5-Pentachloro(¹³ C _e)benzene 1.2 mL; 100 μg/mL (±5.0 μg/mL); in isooctane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

NATIVE CHLOROPHENOLS: SOLUTION/MIXTURE

Catalogue Number	Product (isooctane solution)	Qty/Conc
CPS	Native Chlorophenol Solution/Mixture	1.2 mL
2-Chlorophenol		100 μg/mL
3-Chlorophenol		100 μg/mL
4-Chlorophenol		100 μg/mL
2,3-Dichlorophenol		100 μg/mL
2,4-Dichlorophenol		100 μg/mL
2,5-Dichlorophenol		100 μg/mL
2,6-Dichlorophenol		100 μg/mL
3,4-Dichlorophenol		100 μg/mL
3,5-Dichlorophenol		100 μg/mL
2,3,4-Trichlorophenol		100 μg/mL
2,3,5-Trichlorophenol		100 μg/mL
2,3,6-Trichlorophenol		100 μg/mL
2,4,5-Trichlorophenol		100 μg/mL
2,4,6-Trichlorophenol		100 μg/mL
3,4,5-Trichlorophenol		100 μg/mL
2,3,4,5-Tetrachlorophenol		100 μg/mL
2,3,4,6-Tetrachlorophenol		100 μg/mL
2,3,5,6-Tetrachlorophenol		100 μg/mL
Pentachlorophenol		100 μg/mL

MASS-LABELLED CHLOROPHENOLS: SOLUTION/MIXTURE

Catalogue Number	Product (isooctane solution)	Qty/Conc
MCPS	Mass-Labelled Chlorophenol Solution/Mixture	1.2 mL
4-Chloro(¹³C₅)phenol		100 μg/mL
2,4-Dichloro(13C ₆)phenol		100 μg/mL
2,4,5-Trichloro(13C ₆)phenol		100 μg/mL
2,3,4,5-Tetrachloro(13C ₆)phenol		100 μg/mL
Pentachloro(13C _s)phenol		100 μg/mL

MASS-LABELLED CHLOROPHENOLS

Catalogue N	umber	Product	
MCP-246	G G G	2,4,6-Trichloro(¹³ C ₆)phenol 1.2 mL; 100 μg/mL (±5.0 μg/mL); in isooctane	
MCP-345	0H 13c ₆ a	3,4,5-Trichloro($^{13}C_6$)phenol 1.2 mL; 100 µg/mL (\pm 5.0 µg/mL); in isooctane	
MCP-23456	a d d	Pentachloro(¹³C _e)phenol 1.2 mL; 100 μg/mL (±5.0 μg/mL); in isooctane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.

NATIVE MELAMINE AND CYANURIC ACID

Catalogue Number	Product (water solution)	Qty/Conc	
MEL	Melamine	1.2 mL	100 μg/mL
СУА	Cyanuric Acid	1.2 mL	100 μg/mL

MASS-LABELLED MELAMINE

Catalogue Number	Product (water solution)	Qty/Conc	
M3-MEL	(¹³C₃)Melamine	1.2 mL 100 μg/mL	

MASS-LABELLED CYANURIC ACID

Catalogue Number Product (water solution)		Qty	//Conc
МЗ-СУА	(¹³C₃)Cyanuric Acid	1.2 mL	100 μg/mL
M6-CYA	(13C3,15N3)Cyanuric Acid	1.2 mL	100 μg/mL

NATIVE BISPHENOL-A

Catalogue Number	Product (methanol solution)	Qty/Conc	
BPA	2,2-Bis(4-hydroxyphenyl)propane	1.2 mL	50.0 μg/mL

MASS-LABELLED BISPHENOL-A

Number	Product	
H ₃ C CH ₃	2,2-Bis[4-hydroxy-(¹³ C _s)-phenyl]propane 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol;	
	H ₃ C CH ₃	2,2-Bis[4-hydroxy-(¹³C _g)-phenyl]propane

NATIVE BISPHENOL ANALOGUES

Catalogu	e Number	/ Product
BPAF	FSC OFS	2,2-Bis(4-hydroxyphenyl)hexafluoropropane 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
ВРАР	HO OH	4,4'-(1-Phenylethylidene)bisphenol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
врв	H _G CH _G CH ₆	2,2-Bis(4-hydroxyphenyl)butane 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
ВРГ	но	4,4'-Dihydroxydiphenylmethane 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
ВРР	HO CH ₆	4,4'-(1,4-Phenylenediisopropylidene)bisphenol 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
BPS	HO VO OH	Bis(4-hydroxyphenyl) sulfone 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol
BPZ	но	1,1-Bis(4-hydroxyphenyl)cyclohexane 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in methanol

NATIVE TETRACHLORODIBENZOTHIOPHENES

Catalogue Number	Product (toluene solution)	Qty/Conc	
TCDT-83	2,3,7,8-Tetrachlorodibenzothiophene	1.2 mL 50.0 μg/mL	
TCDT-85	2,4,6,8-Tetrachlorodibenzothiophene	1.2 mL 50.0 μg/mL	

MASS-LABELLED TETRACHLORODIBENZOTHIOPHENE

Catalogue	Number	Product
MTCDT-85	CI SIGN CI	2,4,6,8-Tetrachloro(¹³C₁₂)dibenzothiophene 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in toluene; isotopic purity 99% or greater

NATIVE CHLORINATED CARBAZOLES

Catalogue Number	Product (nonane solution)	Qty/Conc	
CCZ-3	3-Chloro-9H-carbazole	1.2 mL	50.0 μg/mL
CCZ-36	3,6-Dichloro-9H-carbazole	1.2 mL	50.0 μg/mL
CCZ-1368	1,3,6,8-Tetrachloro-9H-carbazole	1.2 mL	50.0 μg/mL
CCZ-2367	2,3,6,7-Tetrachloro-9H-carbazole	1.2 mL	50.0 μg/mL

NATIVE BROMINATED CARBAZOLES

Catalogue Number	Product (nonane solution)	Qty/Conc	
BCZ-3	3-Bromo-9H-carbazole	1.2 mL	50.0 μg/mL
BCZ-27	2,7-Dibromo-9H-carbazole	1.2 mL	50.0 μg/mL
BCZ-36	3,6-Dibromo-9H-carbazole	1.2 mL	50.0 μg/mL
BCZ-136	1,3,6-Tribromo-9H-carbazole	1.2 mL	50.0 μg/mL
BCZ-1368	1,3,6,8-Tetrabromo-9H-carbazole	1.2 mL	50.0 μg/mL

NATIVE BROMO/CHLORO CARBAZOLES

Catalogue Number	Product (nonane solution)	solution) Qty/Conc	
1-B-36-CCZ	1-Bromo-3,6-dichloro-9H-carbazole	1.2 mL	50.0 μg/mL
18-B-36-CCZ	1,8-Dibromo-3,6-dichloro-9H-carbazole	1.2 mL	50.0 µg/mL


NATIVE HALOGENATED CARBAZOLES: SOLUTION/MIXTURE

Catalogue Number	Product (nonane solution	n)	Qty/Conc
СВСZ-МХВ	Native Halogenated Carbazoles Sol	ution/Mixture	1.2 mL
3-Chloro-9H-carbazole		CCZ-3	2.50 μg/mL
3,6-Dichloro-9H-carbazole		CCZ-36	2.50 μg/mL
1,3,6,8-Tetrachloro-9H-carbazo	ole	CCZ-1368	2.50 μg/mL
2,3,6,7-Tetrachloro-9H-carbazo	ole	CCZ-2367	2.50 µg/mL
3-Bromo-9H-carbazole		BCZ-3	2.50 μg/mL
2,7-Dibromo-9H-carbazole		BCZ-27	2.50 μg/mL
3,6-Dibromo-9H-carbazole		BCZ-36	2.50 µg/mL
1,3,6-Tribromo-9H-carbazole		BCZ-136	2.50 µg/mL
1,3,6,8-Tetrabromo-9H-carbaz	ole	BCZ-1368	2.50 μg/mL
1-Bromo-3,6-dichloro-9H-carb	azole	1-B-36-CCZ	2.50 µg/mL
1,8-Dibromo-3,6-dichloro-9H-	arbazole	18-B-36-CCZ	2.50 µg/mL

MASS-LABELLED CHLORINATED CARBAZOLES

Catalogue	Number	Product	
MCCZ-36	CI 13C ₆ 13C ₆ CI	3,6-Dichloro-9H-(¹³C ₁₂)carbazole 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	
MCCZ-1368	CI 13C ₆ 13C ₆ CI	1,3,6,8-Tetrachloro-9H-(¹³ C ₁₂)carbazole 1.2 mL; 50.0 μg/mL (±2.5 μg/mL); in nonane	

^{*} Unless stated otherwise, isotopic purities of these compounds are 99% or greater.




General Structure and Numbering System for Carbazoles

- 1	NOTES AND NEW PRODUCTS
	7
-	
 	
-	

In order to keep up-to-date on new releases from Wellington Laboratories Inc., please visit our website at www.well-labs.com.

New Products are announced in the Wellington Reporter.



APPENDIX

Some of the information provided in this Appendix can also be found in our **Reference and Handling Guide: GC/MS Characterization and Analysis of Selected Halogenated Aromatic Compounds**, which is available separately in hard copy and is also posted on our website. On the following pages you will find:

Guidelines for the Use and Handling of Wellington Products

General Structure and Numbering System of Selected Aromatic Hydrocarbons

Number of Possible Isomers for Selected Halogenated Aromatic Compounds

Molecular Weights for Selected Chlorinated and Brominated Aromatic Hydrocarbons

Exact Mass & Relative Ion Abundance of Selected Chlorinated Aromatic Hydrocarbons

Molecular Ion Clusters for Chlorinated Aromatic Hydrocarbons & Brominated Aromatic Hydrocarbons

Exact Mass & Relative Ion Abundance of Selected Brominated Aromatic Hydrocarbons

Systematic Numbering of Chlorinated Dibenzo-p-dioxins, Chlorinated Dibenzofurans,

Chlorinated Biphenyls, and Chlorinated Naphthalenes

We also have a Reference and Handling Guide for Perfluoroalkyl Compounds, which can be downloaded from our website, and a Quick Reference Guide for Perfluoroalkyl Compounds, available in hard copy.

If you would like to receive copies of either Reference Guide, please contact us or one of our distributors. In addition, if you have suggestions for future guides, please contact us.



GUIDELINES FOR THE USE AND HANDLING OF WELLINGTON PRODUCTS

HAZARDS

The majority of our products are halogenated aromatic hydrocarbons in solution in organic solvents such as nonane, toluene and isooctane. Although the maximum concentration is $100 \mu g/mL$, that is 0.01% (w/v), these compounds must be considered toxic and potentially carcinogenic and should be handled accordingly.

With all of our products due care should be exercised to prevent human contact and ingestion. The absence of a toxicity warning for any of our products must not be interpreted as an indication that there is no possible health hazard.











NOTE:

THESE MATERIALS SHOULD ONLY BE USED BY PERSONNEL TRAINED IN THE HANDLING OF HAZARDOUS CHEMICALS.
ALL PROCEDURES SHOULD BE PERFORMED IN A FUME HOOD AND SUITABLE GLOVES, EYE PROTECTION AND CLOTHING SHOULD BE WORN AT ALL TIMES.

RECEIPT, INSPECTION, HANDLING AND STORAGE

Unless crystalline material is provided, all of our reference standard solutions come in flame-sealed, pre-scored amber glass ampoules. Upon receipt, inspect the ampoules for breakage and leakage, and then store them upright until needed. The ampoules can be stored at ambient temperature until opened unless other storage requirements are stated on the Certificate of Analysis.

Prior to opening, allow the solution to drain into the bottom of the ampoule, lightly tapping the ampoule if necessary. Using the plastic ampoule collar provided, hold the ampoule upright and snap the top off, breaking away from the body.

Transfer the solution to an amber glass container that can be tightly sealed for storage. To prevent evaporation of the solvent, it is suggested that this solution, and subsequent mixtures and/or dilutions, be stored at refrigerator temperatures.

GUIDELINES FOR THE USE AND HANDLING OF WELLINGTON PRODUCTS

DISPOSAL

All waste materials generated during the use of these solutions should be treated as hazardous in accordance with national and regional regulations. A licensed disposal company should be employed. Some options for the destruction of these materials include high temperature incineration, photolysis, or chemical treatment using reagents such as sodium naphthalene or KPEG reagent. Literature references for some of these methods can be provided upon request.

ACCURACY

All of our stock solutions are prepared from crystalline material that has been well characterized as to its structure and purity.

The crystalline material is weighed using microbalances whose calibration is verified using external weights traceable to an ISO/IEC 17025 accredited laboratory. Solutions are prepared by completely dissolving the crystalline material in ultrapure, distilled-in-glass solvents. The volumetric flasks and pipets used for individual stock solution preparation and subsequent mixtures and/or dilutions are all of Class A tolerance and calibrated and traceable to an ISO/IEC 17025 accredited laboratory.

The maximum percent relative combined uncertainty for solution preparation is calculated to be $\pm 5\%$.

INTERLABORATORY CERTIFICATION

Wellington continues to submit its standards for independent interlaboratory testing and certification. Since 1991, our standards have been tested over 30 international round-robins.

To date, solutions of the compounds listed below have been repeatedly tested and the approximate total number of analyses are given.


The overall averages of the data received for all of the compounds were found to be well within $\pm 10\%$ of the design values.

EXPIRY DATE/SHELF LIFE

In order to accurately determine the shelf life of products such as ours, testing must reveal significant degradation or loss in concentration of the particular analyte. In comparing freshly prepared solutions to older solutions by GC/MS or LC/MS, we have not detected any significant changes. Many of these older solutions were prepared and ampouled more than 15 years ago. Thus our stability studies, as they should, remain ongoing.

For our products where the expiry date on the CofA states, "stability studies ongoing", we consider that our reference standard solutions retain their accuracy for a period of 5 years from delivery in the unopened ampoule.

NOTE: The predominant degradation pathway for our compounds is likely photolysis and thus protection from light is critical.



NUMBER OF POSSIBLE ISOMERS FOR SELECTED HALOGENATED AROMATIC COMPOUNDS

of X	ortho	Terphenyl meta	para	Biphenyl	Biphenylol	Dibenzo-p-dioxin	Dibenzofuran	Naphthalene	Benzene	Phenol	
1	5	6	4	3	19	2	4	2	1	3	
2	28	28	21	12	64	10	16	10	3	6	
3	80	87	55	24	136	14	28	14	3	6	
4	211	211	139	42	198	22	38	22	3	3	
5	355	382	226	46	198	14	28	14	1	1	
6	544	544	351	42	136	10	16	10	1		
7	596	638	358	24	64	2	4	2			
8	544	544	351	12	19	1	1	1			
9	355	382	226	3	3						
10	211	211	139	1							
11	80	87	55								
12	28	28	21								
13	5	6	4								
14	1	1	1								

X = Halogen (does not apply to mixed halogenated compounds) For diphenyl ethers use the biphenyl values

MOLECULAR WEIGHTS FOR SELECTED CHLORINATED AND BROMINATED AROMATIC HYDROCARBONS

# of CI/Br	PCTs	PCBs	PCDEs	PCDDs	PCDFs	PCNs	CBs	CPs	PBBs	PBDEs	PBDDs	PBDFs
0	230.31	154.21	170.21	184.19	168.19	128.17	78.11	94.11	154.21	170.21	184.19	168.19
1	264.75	188.66	204.66	218.64	202.64	162.62	112.56	128.56	233.11	249.11	263.09	247.09
2	299.20	223.10	239.10	253.08	237.09	197.06	147.00	163.00	312.00	328.00	341.99	325.99
3	333.64	257.55	273.55	287.53	271.53	231.51	181.45	197.45	390.90	406.90	420.88	404.88
4	368.09	291.99	307.99	321.97	305.98	265.95	215.89	231.89	469.80	485.80	499.78	483.78
5	402.53	326.44	342.44	356.42	340.42	300.40	250.34	266.34	548.69	564.69	578.67	562.68
6	436.98	360.88	376.88	390.86	374.87	334.84	284.78		627.59	643.59	657.57	641.57
7	471,42	395.33	411.33	425.31	409.31	369.29			706.48	722.48	736.47	720.47
8	505.87	429.77	445.77	459.75	443.76	403.73			785.38	801.38	815.36	799.36
9	540.31	464.22	480.22						864.28	880.28		
10	574.76	498.66	514.66						943.17	959.17		
11	609.20											
12	643.65											
13	678.09											
14	712.54											

Note: The molecular weight for PCHBs (C₁₂H_{9-n}Cl_nOH) is the same as the PCDEs (C₁₂H_{10-n}Cl_nO), but the maximum # of Chlorines is one less for the PCHBs.

PCTs = polychlorinated terphenyls, PCBs = polychlorinated biphenyls, PCDEs = polychlorinated diphenyl ethers PCHBs = polychlorinated hydroxybiphenyls (biphenylols), PCDDs = polychlorinated dibenzo-p-dioxins, PCDFs = polychlorinated dibenzo-p-dioxins, PCDFs = polychlorinated dibenzo-p-dioxins, PCDFs = polychlorinated dibenzo-p-dioxins, PBDEs = polybrominated biphenyls, PBDEs = polybrominated dibenzo-p-dioxins, PBDFs = polybrominated dibenzo-p-diox

EXACT MASS & RELATIVE ION ABUNDANCE OF SELECTED CHLORINATED AROMATIC HYDROCARBONS

	¹² C ₁₈	PCTs C ₁₈ H _{14n} Cl _n	¹³ C ₁₈	12C12	PCBs C ₁₂ H _{10-n} Cl _n	¹³ C ₁₂	¹² C ₁₂	PCHBs C ₁₂ H _{9-n} Cl _n OH	13C ₁₂	12C12	PCDDs C ₁₂ H _{8-n} Cl _n O ₂	¹³ C ₁₂
# of Cl	Exact Mass	Relative Abundance	Exact	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass
0	230.1096	100	248.1699	154.0783	100	166.1185	170.0732	100	182.1134	184.0524	100	196.0927
1	264.0706	100	282.1310	188.0393	100	200.0795	204.0342	100	216.0745	218.0135	100	230.0537
	266.0676	34.4	284.1280	190.0363	33.2	202.0766	206.0312	33.5	218.0715	220.0105	33.7	232.0508
2	298.0316	100	316.0920	222.0003	100	234.0406	237.9952	100	250.0355	251.9745	100	264.0147
	300.0287	66.8	318.0890	223.9974	65.6	236.0376	239,9923	65.9	252.0325	253.9715	66.1	266.0118
	302.0257	11.8	320.0861	225.9944	11.0	238.0347	241.9893	11.2	254.0296	255.9686	11.3	268.0088
3	331.9926	100	350.0530	255.9613	100	268.0016	271.9562	100	283.9965	285.9355	100	297.9758
	333.9897	99.2	352.0501	257.9584	98.0	269.9986	273.9533	98.2	285.9936	287.9326	98.5	299.9728
	335.9867	33.4	354.0471	259.9554	32.3	271.9957	275.9503	32.5	287.9906	289.9296	32.7	301.9699
	337.9838	4.0	356.0442	261.9525	3.7	273.9927	277.9474	3.7	289.9877	291.9267	3.8	303.9669
4	365.9537	76.0	384.0141	289.9224	76.7	301.9626	305.9173	76.5	317.9575	319.8965	76.4	331.9368
	367.9507	100	386.0111	291.9194	100	303.9597	307.9143	100	319.9546	321.8936	100	333.9339
	369.9478	49.8	388.0082	293.9165	49.1	305.9567	309.9114	49.3	321.9516	323.8906	49.4	335.9309
	371.9448	11.3	390.0052	295.9135		307.9538	311.9084		323.9487	325.8877	11.0	337.9280
5	399.9147	61.0	417.9751	323.8834	61.4	335.9237	339.8783		351.9186	353.8576	61.3	365.8978
	401.9117	100	419.9721	325.8804	100	337.9207	341.8754	100	353.9156	355.8546	100	367.8949
	403.9088	66.0	421.9692	327.8775		339.9178	343.8724		355.9127	357.8517	65.5	369.8919
	405.9058	22.0	423.9662	329.8745	21.4	341.9148	345.8695		357.9097	359.8487	21.6	371.8890
6	433.8757	50.9	451.9361	357.8444	51.2	369.8847	373.8393		385.8796	387.8186	51.1	399.8589
	435.8728	100	453.9332	359.8415	100	371.8817	375.8364		387.8766	389.8156	100	401.8559
	437.8698	82.1	455.9302	361.8385	81.5	373.8788	377.8334		389.8737	391.8127	81.7	403.8530
	439.8669	36.2	457.9273	363.8356	35.5	375.8758	379.8305		391.8707	393.8097	35.8	405.8500
7	467.8367	43.7	485.8971	391.8054	43.9	403.8457	407.8004		419.8406	421.7796	43.9	433.8199
	469.8338	100	487.8942	393.8025		405.8428	409.7974		421.8377	423.7767	100	435.8169
	471.8308	98.3	489.8912	395.7995		407.8398	411.7945		423.8347	425.7737	97.9	437.8140
	473.8279	53.9	491.8883	397.7966		409.8369	413.7915		425.8318	427.7708	53.4	439.8110
	475.8249	17.9	493.8853	399.7936		411.8339	415.7886		427.8288	429.7678	17.6	441.8081
8	501.7978	33.5	519.8582	425.7665	33.8	437.8067	441.7614	33.7	453.8016	455.7407	33.7	467.7809
	503.7948	87.4	521.8552	427.7635	87.8	439.8038	443.7584		455.7987	457.7377	87.6	469.7780
	505.7919	100	523.8523	429.7606	100	441.8008	445.7555		457.7957	459.7348	100	471.7750
	507.7889	65.6	525.8493	431.7576		443.7979	447.7525		459.7928	461.7318	65.3	473.7721
	509.7860	27.0	527.8464	433.7547	26.6	445.7949	449.7496		461.7898	463.7289	26.8	475.7691
9	535.7588	26.1	553.8192	459.7275	26.3	471.7678	475.7224		487.7627			
	537.7559	76.5	555.8162	461.7246		473.7648	477.7195		489.7597			
	539.7529	100	557.8133	463.7216		475.7619	479.7165		491.7568			
	541.7500	76.4	559.8103	465.7187	75.9	477.7589	481.7136		493.7538			
	543.7470	37.6	561.8074	467.7157	37.1	479.7560	483.7106		495.7509			
10	569.7198	20.9	587.7802	493.6885	21.1	505.7288						
	571.7169	68.1	589.7773	495.6856	68.4	507.7258						
	573.7139	100	591.7743	497.6826		509.7229						
	575.7110	87.2	593.7714	499.6797	86.7	511.7199						
	577.7080	50.0	595.7684	501.6767	49.4	513.7170						
11	603.6809	17.1	621.7412	1	77							
4"	605.6779	61.3	623.7383									
	607.6750	100	625.7353									
	609.6720	98.0	627.7324									
	611.6691	64.1	629.7294									
	613.6661	29.4	631.7265									
12	637.6419	13.1	655.7023									
	639.6389	51.3	657.6993									
	641.6360	92.0	659.6964									
	643.6330	100	661.6934									
	645.6301	73.5	663.6905									
	647.6271	38.5	665.6875									
13	671.6029	10.1	689.6633									
	673.6000	42.8	691.6604									
	675.5970	83.7	693.6574									
	677.5941	100	695.6545									
	679.5911	81.6	697.6515									
	681.5882	48.0	699.6486									
14	705.5639	8.0	723.6243									
	707.5610	36.3	725.6214									
	709.5580	76.7	727.6184									
	711.5551	100	729.6155									
	713.5521	89.7	731.6125									
	715.5492	58.6	733.6096									

EXACT MASS & RELATIVE ION ABUNDANCE OF SELECTED CHLORINATED AROMATIC HYDROCARBONS


		PCDFs			PCNs		1	CBs			CPs	
	12C12	C ₁₂ H _{8-n} Cl _n O	13C12	12C10	C ₁₀ H _{8-n} Cl _n	13C ₁₀	12C6	C ₆ H _{6-n} Cl _n	13C6	12C6	C ₆ H _{5-n} Cl _n OH	13C6
# of Cl	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass
0	168.0575	100	180.0978	128.0626	100	138.0962	78.0470	100	84.0671	94.0419	100	100.0620
1	202.0185	100	214.0588	162.0236	100	172.0572	112.0080	100	118.0281	128.0029	100	134.0230
	204.0156	33.5	216.0559	164.0207	33.0	174.0542	114.0050	32.6	120.0252	129.9999	32.8	136.0201
2	235.9796	100	248.0198	195.9847	100	206.0182	145.9690	100	151.9891	161.9639	100	167.9841
	237.9766	65.8	250.0169	197.9817	65.4	208.0153	147.9661	65.0	153.9862	163.9610	65.2	169.9811
	239.9737	11.2	252.0139	199.9788	10.9	210.0123	149.9631	10.6	155.9832	165.9580	10.8	171.9782
3	269.9406	100	281.9809	229.9457	100	239.9792	179.9300	100	185.9502	195.9249	100	201.9451
	271.9376	98.2	283.9779	231.9427	97.8	241.9763	181.9271	97.4	187.9472	197.9220	97.6	203.9421
	273.9347	32.5	285.9750	233.9398	32.0	243.9733	183.9241	31.7	189.9443	199.9190	31.9	205.9392
	275.9317	3.7	287.9720	235.9368	3.6	245.9704	185.9212	3.5	191.9413	201.9161	3.5	207.9362
4	303.9016	76.5	315.9419	263.9067	76.8	273.9403	213.8911	77.1	219.9112	229.8860	76.9	235.9061
	305.8987	100	317.9389	265.9038	100	275.9373	215.8881	100	221.9082	231.8830	100	237.9032
	307.8957	49.2	319.9360	267.9008	49.0	277.9344	217.8852	48.7	223.9053	233.8801	48.8	239.9002
	309.8928	10.9	321.9330	269.8979	10.7	279.9314	219.8822	10.6	225.9023	235.8771	10.7	241.8973
5	337.8627	61.3	349.9029	297.8677	61.5	307.9013	247.8521	61.7	253.8722	263.8470	61.6	269.8671
	339.8597	100	351.9000	299.8648	100	309.8983	249.8491	100	255.8693	265.8441	100	271.8642
	341.8568	65.4	353.8970	301.8618	65.1	311.8954	251.8462	64.9	257.8663	267.8411	65.0	273.8612
	343.8538	21.5	355.8941	303.8589	21.3	313.8924	253.8432	21.1	259.8634	269.8382	21.2	275.8583
6	371.8237	51.2	383.8639	331.8288	51.3	341.8623	281.8131	51.4	287.8332			
	373.8207	100	385.8610	333.8258	100	343.8594	283.8102	100	289.8303			
	375.8178	81.6	387.8580	335.8229	81.3	345.8564	285.8072	81.1	291.8273			
	377.8148	35.6	389.8551	337.8199	35.3	347.8535	287.8043	35.1	293.8244			
7	405.7847	43.9	417.8250	365.7898	44.0	375.8233	10000					
	407.7818	100	419.8220	367.7868	100	377.8204						
	409.7788	97.8	421.8191	369.7839	97.5	379.8174						
	411.7759	53.3	423.8161	371.7809	52.9	381.8145						
	413.7729	17.5	425.8132	373.7780	17.3	383.8115						
8	439.7457	33.7	451.7860	399.7508	33.9	409.7844						
	441.7428	87.7	453.7830	401.7479	87.9	411.7814						
	443.7398	100	455.7801	403.7449	100	413.7785						
	445.7369	65.2	457.7771	405.7420	65.0	415.7755						
	447.7339	26.7	459.7742	407.7390	26.5	417.7726						

PCTs = polychlorinated terphenyls **PCBs** = polychlorinated biphenyls = polychlorinated hydroxybiphenyls **PCHBs** = polychlorinated dibenzo-p-dioxins **PCDDs** = polychlorinated dibenzofurans **PCDFs PCNs** = polychlorinated naphthalenes = chlorobenzenes CBs **CPs** = chlorophenols


Accurate masses: 12C=12.000000, 13C=13.003355, 1H=1.007825, 35Cl= 34.968853, 37Cl=36.965903, 16O=15.994915

Relative abundances of isotopes were determined using the method described in: Pretsch, Clerc, Seibl, Simon, Tables of Spectral Data for Structure Determination of Organic Compounds, Springer-Verlag, 1983. The following natural isotopic abundances were used in all calculations: "2C=98.89%, "3C=1.11%, "H=99.985%, "H=0.015%, "5Cl=75.53%, "7Cl=24.47%, "6O=99.759%, "7O=0.037%, "8O=0.204%.

MOLECULAR ION CLUSTERS FOR CHLORINATED AROMATIC HYDROCARBONS




MOLECULAR ION CLUSTERS FOR CHLORINATED AROMATIC HYDROCARBONS




lons shown are M, M+1, M+2, M+3, M+4, M+5, M+6, M+7, M+8, M+9, M+10, M+11, M+12, and are representative of chlorinated terphenyls $(C_{18}H_{14-n}CI_n)$

MOLECULAR ION CLUSTERS FOR BROMINATED AROMATIC HYDROCARBONS



MOLECULAR ION CLUSTERS FOR BROMINATED AROMATIC HYDROCARBONS



lons shown are M, M+1, M+2, M+3, M+4, M+5, M+6, M+7, M+8, M+9, M+10, M+11, M+12, M+13, M+14 and are representative of brominated diphenyl ethers ($C_{12}H_{10-n}Br_nO$)

EXACT MASS & RELATIVE ION ABUNDANCE OF SELECTED BROMINATED AROMATIC HYDROCARBONS

		PBBs		1 22	PBDEs		0	PBDDs		T. Control	PBDFs	
	12C12	C ₁₂ H _{10-n} Br _n	13C12	12C12	C ₁₂ H _{10-n} Br _n C	13C12	12C12	C ₁₂ H _{8-n} Br _n O;	13C12	12C12	C ₁₂ H _{8-n} Br _n O	13C12
# of Br	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass	Exact Mass	Relative Abundance	Exact Mass
0	154.0783	100	166.1185	170.0732	100	182.1134	184.0524	100	196.0927	168.0575	100	180.0978
1	231.9887	100	244.0290	247,9836	100	260.0239	261.9629	100	274.0032	245.9680	100	258.0083
	233.9867	98.7	246.0270	249.9816	98.9	262.0219	263.9609	99.1	276.0012	247.9660	98.9	260.0063
2	309.8992	50.9	321.9395	325.8941	50.8	337.9344	339.8734	50.8	351.9136	323.8785	50.8	335.9187
	311.8972	100	323.9375	327,8921	100	339.9324	341.8714	100	353.9116	325.8765	100	337.9167
	313.8952	49.6	325.9355	329.8901	49.7	341.9304	343.8694	49.9	355.9096	327.8745	49.7	339,9147
3	387.8097	34.0	399.8499	403.8046	33.9	415.8449	417.7839	33.9	429.8241	401,7889	33.9	413.8292
	389.8077	100	401.8479	405,8026	100	417.8429	419.7819		431.8221	403.7869	100	415.8272
	391.8057	98.4	403.8459	407.8006		419.8409	421.7799	98.7	433.8201	405.7849	98.6	417.8252
	393.8037	32.7	405.8439	409.7986	32.8	421.8389	423.7779	33.0	435.8181	407.7829	32.8	419.8232
4	465.7202	17.3	477.7604	481.7151	17.3	493.7553	495.6943	17.3	507.7346	479.6994	17.3	491.7397
	467.7182	67.9	479.7584	483.7131	67.8	495.7533	497.6923	67.8	509.7326	481.6974	67.8	493.7377
	469.7162	100	481.7564	485.7111	100	497.7513	499.6903	100	511.7306	483.6954	100	495.7357
	471.7142	65.7	483.7544	487.7091	65.8	499.7493	501.6883	65.9	513.7286	485.6934	65.8	497.7337
	473.7122	16.4	485.7524	489.7071	16.5	501.7473	503.6863	16.6	515.7266	487.6914	16.5	499.7317
5	543.6306	10.4	555.6709	559.6255		571.6658	573.6048	10.4	585.6451	557.6099	10.4	569.6502
	545.6286	51.0	557,6689	561.6235		573.6638	575.6028	50.9	587.6431	559.6079	50.9	571.6482
	547.6266		559.6669	563.6215		575.6618	577.6008	100	589.6411	561.6059	100	573.6462
	549.6246	98,3	561.6649	565.6195		577.6598	579.5988	98.5	591.6391	563.6039	98.4	575.6442
	551.6226	48.5	563.6629	567.6175		579.6578	581.5968		593.6371	565.6019	48.7	577.6422
	553.6206	9.7	565.6609	569.6155		581.6558	583.5948	9.9	595.6351	567.5999	9.8	579.6402
6	621.5411	5.3	633,5814	637,5360		649.5763	651.5153	5.3	663,5555	635.5204	5.3	647.5606
	623.5391	31.2	635.5794	639,5340		651.5743	653,5133	31.1	665.5535	637.5184	31.1	649,5586
	625.5371	76.4	637.5774	641.5320		653.5723	655.5113	76.3	667.5515	639.5164	76.4	651.5566
	627.5351	100	639.5754	643.5300		655.5703	657.5093	100	669.5495	641.5144	100	653.5546
	629.5331	73.8	641.5734	645.5280		657.5683	659.5073	73.9	671.5475	643.5124	73.9	655,5526
	631.5311	29.2	643.5714	647.5260		659.5663	661.5053	29.4	673.5455	645.5104	29.3	657.5506
7	699.4516	3.0	711.4918	715.4465		727.4868	729.4258	3.0	741.4660	713.4308	3.0	725.4711
	701.4496		713.4898	717.4445		729.4848	731.4238	20.8	743.4640	715.4288	20.8	727.4691
	703.4476		715.4878	719,4425		731.4828	733.4218		745.4620	717.4268	61.1	729.4671
	705.4456		717.4858	721.4405		733.4808	735.4198	100	747,4600	719,4248	100	731.4651
	707.4436		719.4838	723.4385		735.4788	737.4178		749.4580	721.4228	98.3	733,4631
8	709.4416	58.0	721.4818	725.4365		737.4768	739.4158	58.2	751.4560	723.4208	58.1	735.4611
5	777.3621		789.4023 791.4003	793.3570		805.3972	807.3362	1.5	819.3765	791.3413	1.5	803.3816
	779.3601 781.3581	12.1 41.6	793.3983	795.3550 797.3530		807.3952 809.3932	809,3342	12.1 41.5	821.3745 823.3725	793.3393 795.3373	12.1 41.5	805,3796
				10 May 10			811.3322			100 Per 200 Pe		807.3776
	783.3561 785.3541	81.5 100	795.3963 797.3943	799.3510 801.3490		811.3912	813,3302 815,3282	81.4 100	825.3705 827.3685	797.3353 799.3333	81.5 100	809.3756
	787.3521	78.6	799.3923	803.3470		813.3892 815.3872	817.3262	78.7	829.3665	801.3313	78.7	811.3736 813.3716
	789.3501		801.3903	805.3450		817.3852	819.3242	38.9	831.3645	803.3293	38.8	815.3696
9	855.2725		867.3128	871.2674		883.3077	019,3242	30.5	031,3043	003.3233	30.0	013.3090
	857.2705	7.6	869.3108	873.2654		885.3057						
	859.2685	29.7	871.3088	875.2634		887,3037						
	861.2665	68.0	873.3068	877.2614		889.3017						
	863.2645	100	875.3048	879.2594		891.2997						
	865.2625	98.1	877.3028	881.2574		893.2977						
	867.2605	64.3	879.3008	883.2554		895.2957						
	869.2585	27.2	881.2988	885.2534		897.2937						
0	933.1830	0.4	945.2233	949.1779		961.2182						
-	935.1810	4.3	947.2213	951.1759		963.2162						
	937.1790	19.0	949.2193	953.1739		965.2142						
	939.1770		951,2173	955,1719		967.2122						
	941.1750		953.2153	957.1699		969.2102						
	943.1730	100	955.2133	959.1679		971.2082						
	945.1710	81.8	957.2113	961.1659		973.2062						
	947.1690	46.0	959.2093	963.1639		975.2042						
	949.1670	17.0	961.2073	965.1619		977.2022						

PBBs = polybrominated biphenyls
PBDEs = polybrominated diphenyl ethers
PBDDs = polybrominated dibenzo-p-dioxins
PBDFs = polybrominated dibenzofurans

Accurate masses: 12C=12.000000, 13C=13.003355, 1H=1.007825, 79Br= 78.918300, 81Br=80.916300, 16O=15.994915

Relative abundances of isotopes were determined using the method described in: Pretsch, Clerc, Seibl, Simon, Tables of Spectral Data for Structure Determination of Organic Compounds, Springer-Verlag, 1983. The following natural isotopic abundances were used in all calculations: \(^{12}C=98.89\%\), \(^{13}C=1.11\%\), \(^{1}H=99.985\%\), \(^{1}H=0.015\%\), \(^{19}Br=50.54\%\), \(^{18}Br=49.46\%\), \(^{18}O=99.759\%\), \(^{10}O=0.037\%\), \(^{18}O=0.204\%\).

Note: ID numbers for PBBs and PBDEs are analogous to the IUPAC numbering system developed for PCBs.

SYSTEMATIC NUMBERING OF CHLORINATED DIBENZO-p-DIOXINS

ID Number*	Congener	CAS Number
1	1-Chlorodibenzo-p-dioxin	39227-53-7
2	2-Chlorodibenzo-p-dioxin	39227-54-8
3	1,2-Dichlorodibenzo-p-dioxin	54536-18-4
4	1,3-Dichlorodibenzo-p-dioxin	50585-39-2
5	1,4-Dichlorodibenzo-p-dioxin	54536-19-5
6	1,6-Dichlorodibenzo-p-dioxin	58178-38-0
7	1,7-Dichlorodibenzo-p-dioxin	82291-26-7
8	1,8-Dichlorodibenzo-p-dioxin	82291-27-8
9	1,9-Dichlorodibenzo-p-dioxin	82291-28-9
10	2,3-Dichlorodibenzo-p-dioxin	29446-15-9
11	2,7-Dichlorodibenzo-p-dioxin	33857-26-0
12	2,8-Dichlorodibenzo-p-dioxin	38964-22-6
13	1,2,3-Trichlorodibenzo-p-dioxin	54536-17-3
14	1,2,4-Trichlorodibenzo-p-dioxin	39227-58-2
15	1,2,6-Trichlorodibenzo-p-dioxin	82291-29-0
16	1,2,7-Trichlorodibenzo-p-dioxin	82291-30-3
17	1,2,8-Trichlorodibenzo-p-dioxin	82291-31-4
18	1,2,9-Trichlorodibenzo-p-dioxin	82291-32-5
19	1,3,6-Trichlorodibenzo-p-dioxin	82291-33-6
20	1,3,7-Trichlorodibenzo-p-dioxin	67028-17-5
21	1,3,8-Trichlorodibenzo-p-dioxin	82306-61-4
22	1,3,9-Trichlorodibenzo-p-dioxin	82306-62-5
23	1,4,6-Trichlorodibenzo-p-dioxin	82306-63-6
24	1,4,7-Trichlorodibenzo-p-dioxin	82306-64-7
25	1,7,8-Trichlorodibenzo-p-dioxin	82306-65-8
26	2,3,7-Trichlorodibenzo-p-dioxin	33857-28-2
27	1,2,3,4-Tetrachlorodibenzo-p-dioxin	30746-58-8
28	1,2,3,6-Tetrachlorodibenzo-p-dioxin	71669-25-5
29	1,2,3,7-Tetrachlorodibenzo-p-dioxin	67028-18-6
30	1,2,3,8-Tetrachlorodibenzo-p-dioxin	53555-02-5
31	1,2,3,9-Tetrachlorodibenzo-p-dioxin	71669-26-6
32	1,2,4,6-Tetrachlorodibenzo-p-dioxin	71669-27-7
* Ballschmiter et al		

^{*} Ballschmiter et. al.

SYSTEMATIC NUMBERING OF CHLORINATED DIBENZO-p-DIOXINS

ID Number*	Congener	CAS Number
33	1,2,4,7-Tetrachlorodibenzo-p-dioxin	71669-28-8
34	1,2,4,8-Tetrachlorodibenzo-p-dioxin	71669-29-9
35	1,2,4,9-Tetrachlorodibenzo-p-dioxin	71665-99-1
36	1,2,6,7-Tetrachlorodibenzo-p-dioxin	40581-90-6
37	1,2,6,8-Tetrachlorodibenzo-p-dioxin	67323-56-2
38	1,2,6,9-Tetrachlorodibenzo-p-dioxin	40581-91-7
39	1,2,7,8-Tetrachlorodibenzo-p-dioxin	34816-53-0
40	1,2,7,9-Tetrachlorodibenzo-p-dioxin	71669-23-3
41	1,2,8,9-Tetrachlorodibenzo-p-dioxin	62470-54-6
42	1,3,6,8-Tetrachlorodibenzo-p-dioxin	33423-92-6
43	1,3,6,9-Tetrachlorodibenzo-p-dioxin	71669-24-4
44	1,3,7,8-Tetrachlorodibenzo-p-dioxin	50585-46-1
45	1,3,7,9-Tetrachlorodibenzo-p-dioxin	62470-53-5
46	1,4,6,9-Tetrachlorodibenzo-p-dioxin	40581-93-9
47	1,4,7,8-Tetrachlorodibenzo-p-dioxin	40581-94-0
48	2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin	1746-01-6
49	1,2,3,4,6-Pentachlorodibenzo-p-dioxin	67028-19-7
50	1,2,3,4,7-Pentachlorodibenzo-p-dioxin	39227-61-7
51	1,2,3,6,7-Pentachlorodibenzo-p-dioxin	71925-15-0
52	1,2,3,6,8-Pentachlorodibenzo-p-dioxin	71925-16-1
53	1,2,3,6,9-Pentachlorodibenzo-p-dioxin	82291-34-7
54	1,2,3,7,8-Pentachlorodibenzo-p-dioxin	40321-76-4
55	1,2,3,7,9-Pentachlorodibenzo-p-dioxin	71925-17-2
56	1,2,3,8,9-Pentachlorodibenzo-p-dioxin	71925-18-3
57	1,2,4,6,7-Pentachlorodibenzo-p-dioxin	82291-35-8
58	1,2,4,6,8-Pentachlorodibenzo-p-dioxin	71998-76-0
59	1,2,4,6,9-Pentachlorodibenzo-p-dioxin	82291-36-9
60	1,2,4,7,8-Pentachlorodibenzo-p-dioxin	58802-08-7
61	1,2,4,7,9-Pentachlorodibenzo-p-dioxin	82291-37-0
62	1,2,4,8,9-Pentachlorodibenzo-p-dioxin	82291-38-1
63	1,2,3,4,6,7-Hexachlorodibenzo-p-dioxin	58200-66-1
64	1,2,3,4,6,8-Hexachlorodibenzo-p-dioxin	58200-67-2
65	1,2,3,4,6,9-Hexachlorodibenzo-p-dioxin	58200-68-3

^{*} Ballschmiter et. al.

SYSTEMATIC NUMBERING OF CHLORINATED DIBENZO-p-DIOXINS

ID Number*	Congener	CAS Number	
66	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	39227-28-6	
67	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	57653-85-7	
68	1,2,3,6,7,9-Hexachlorodibenzo-p-dioxin	64461-98-9	
69	1,2,3,6,8,9-Hexachlorodibenzo-p-dioxin	58200-69-4	
70	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin		
71	1,2,4,6,7,9-Hexachlorodibenzo-p-dioxin	39227-62-8	
72	1,2,4,6,8,9-Hexachlorodibenzo- <i>p</i> -dioxin	58802-09-8	
73	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	35822-46-9	
74	1,2,3,4,6,7,9-Heptachlorodibenzo-p-dioxin	58200-70-7	
75	Octachlorodibenzo-p-dioxin	3268-87-9	

^{*} Ballschmiter et. al.

ID Number*	Congener	CAS Number		
1	1-Chlorodibenzofuran	84761-86-4		
2	2-Chlorodibenzofuran	51230-49-0		
3	3-Chlorodibenzofuran	25074-67-3		
4	4-Chlorodibenzofuran	74992-96-4		
5	1,2-Dichlorodibenzofuran	64126-85-8		
6	1,3-Dichlorodibenzofuran	94538-00-8		
7	1,4-Dichlorodibenzofuran	94538-01-9		
8	1,6-Dichlorodibenzofuran	74992-97-5		
9	1,7-Dichlorodibenzofuran	94538-02-0		
10	1,8-Dichlorodibenzofuran	81638-37-1		
11	1,9-Dichlorodibenzofuran	70648-14-		

^{*} Ballschmiter et. al.

ID Number*	Congener	CAS Number
12	2,3-Dichlorodibenzofuran	64126-86-9
13	2,4-Dichlorodibenzofuran	
14	2,6-Dichlorodibenzofuran	60390-27-4
15	2,7-Dichlorodibenzofuran	74992-98-6
16	2,8-Dichlorodibenzofuran	5409-83-6
17	3,4-Dichlorodibenzofuran	94570-83-9
18	3,6-Dichlorodibenzofuran	74918-40-4
19	3,7-Dichlorodibenzofuran	58802-21-4
20	4,6-Dichlorodibenzofuran	
21	1,2,3-Trichlorodibenzofuran	83636-47-9
22	1,2,4-Trichlorodibenzofuran	24478-73-7
23	1,2,6-Trichlorodibenzofuran	64560-15-2
24	1,2,7-Trichlorodibenzofuran	83704-37-4
25	1,2,8-Trichlorodibenzofuran	83704-34-1
26	1,2,9-Trichlorodibenzofuran	83704-38-5
27	1,3,4-Trichlorodibenzofuran	82911-61-3
28	1,3,6-Trichlorodibenzofuran	83704-39-6
29	1,3,7-Trichlorodibenzofuran	64560-16-3
30	1,3,8-Trichlorodibenzofuran	76621-12-0
31	1,3,9-Trichlorodibenzofuran	83704-40-9
32	1,4,6-Trichlorodibenzofuran	82911-60-2
33	1,4,7-Trichlorodibenzofuran	83704-41-0
34	1,4,8-Trichlorodibenzofuran	64560-14-1
35	1,4,9-Trichlorodibenzofuran	70648-13-4
36	1,6,7-Trichlorodibenzofuran	83704-46-5
37	1,6,8-Trichlorodibenzofuran	82911-59-9
38	1,7,8-Trichlorodibenzofuran	58802-18-9
39	2,3,4-Trichlorodibenzofuran	57117-34-7
40	2,3,6-Trichlorodibenzofuran	57117-33-6
41	2,3,7-Trichlorodibenzofuran	58802-17-8
42	2,3,8-Trichlorodibenzofuran	57117-32-5
43	2,4,6-Trichlorodibenzofuran	58802-14-5
44	2,4,7-Trichlorodibenzofuran	83704-42-1
45	2,4,8-Trichlorodibenzofuran	54589-71-8

^{*} Ballschmiter et. al.

ID Number*	Congener	CAS Number
46	2,6,7-Trichlorodibenzofuran	83704-45-4
47	3,4,6-Trichlorodibenzofuran	83704-43-2
48	3,4,7-Trichlorodibenzofuran	83704-44-3
49	1,2,3,4-Tetrachlorodibenzofuran	24478-72-6
50	1,2,3,6-Tetrachlorodibenzofuran	83704-21-6
51	1,2,3,7-Tetrachlorodibenzofuran	83704-22-7
52	1,2,3,8-Tetrachlorodibenzofuran	62615-08-1
53	1,2,3,9-Tetrachlorodibenzofuran	83704-23-8
54	1,2,4,6-Tetrachlorodibenzofuran	71998-73-7
55	1,2,4,7-Tetrachlorodibenzofuran	83719-40-8
56	1,2,4,8-Tetrachlorodibenzofuran	64126-87-0
57	1,2,4,9-Tetrachlorodibenzofuran	83704-24-9
58	1,2,6,7-Tetrachlorodibenzofuran	83704-25-0
59	1,2,6,8-Tetrachlorodibenzofuran	83710-07-0
60	1,2,6,9-Tetrachlorodibenzofuran	70648-18-9
61	1,2,7,8-Tetrachlorodibenzofuran	58802-20-3
62	1,2,7,9-Tetrachlorodibenzofuran	83704-26-1
63	1,2,8,9-Tetrachlorodibenzofuran	70648-22-5
64	1,3,4,6-Tetrachlorodibenzofuran	83704-27-2
65	1,3,4,7-Tetrachlorodibenzofuran	70648-16-7
66	1,3,4,8-Tetrachlorodibenzofuran	92341-04-3
67	1,3,4,9-Tetrachlorodibenzofuran	83704-28-3
68	1,3,6,7-Tetrachlorodibenzofuran	57117-36-9
69	1,3,6,8-Tetrachlorodibenzofuran	71998-72-6
70	1,3,6,9-Tetrachlorodibenzofuran	83690-98-6
71	1,3,7,8-Tetrachlorodibenzofuran	57117-35-8
72	1,3,7,9-Tetrachlorodibenzofuran	64560-17-4
73	1,4,6,7-Tetrachlorodibenzofuran	66794-59-0
74	1,4,6,8-Tetrachlorodibenzofuran	82911-58-8
75	1,4,6,9-Tetrachlorodibenzofuran	70648-19-0
76	1,4,7,8-Tetrachlorodibenzofuran	83704-29-4
77	1,6,7,8-Tetrachlorodibenzofuran	83704-33-0
78	2,3,4,6-Tetrachlorodibenzofuran	83704-30-7
79	2,3,4,7-Tetrachlorodibenzofuran	83704-31-8
the contract of the contract of		

^{*} Ballschmiter et. al.

ID Number*	Congener	CAS Number
80	2,3,4,8-Tetrachlorodibenzofuran	83704-32-9
81	2,3,6,7-Tetrachlorodibenzofuran	57117-39-2
82	2,3,6,8-Tetrachlorodibenzofuran	57117-37-0
83	2,3,7,8-Tetrachlorodibenzofuran	51207-31-9
84	2,4,6,7-Tetrachlorodibenzofuran	57117-38-1
85	2,4,6,8-Tetrachlorodibenzofuran	58802-19-0
86	3,4,6,7-Tetrachlorodibenzofuran	57117-40-6
87	1,2,3,4,6-Pentachlorodibenzofuran	83704-47-6
88	1,2,3,4,7-Pentachlorodibenzofuran	83704-48-7
89	1,2,3,4,8-Pentachlorodibenzofuran	67517-48-0
90	1,2,3,4,9-Pentachlorodibenzofuran	83704-49-8
91	1,2,3,6,7-Pentachlorodibenzofuran	57117-42-7
92	1,2,3,6,8-Pentachlorodibenzofuran	83704-51-2
93	1,2,3,6,9-Pentachlorodibenzofuran	83704-52-3
94	1,2,3,7,8-Pentachlorodibenzofuran	57117-41-6
95	1,2,3,7,9-Pentachlorodibenzofuran	83704-53-4
96	1,2,3,8,9-Pentachlorodibenzofuran	83704-54-5
97	1,2,4,6,7-Pentachlorodibenzofuran	83704-50-1
98	1,2,4,6,8-Pentachlorodibenzofuran	69698-57-3
99	1,2,4,6,9-Pentachlorodibenzofuran	70648-24-7
100	1,2,4,7,8-Pentachlorodibenzofuran	58802-15-6
101	1,2,4,7,9-Pentachlorodibenzofuran	71998-74-8
102	1,2,4,8,9-Pentachlorodibenzofuran	70648-23-6
103	1,2,6,7,8-Pentachlorodibenzofuran	69433-00-7
104	1,2,6,7,9-Pentachlorodibenzofuran	70872-82-1
105	1,3,4,6,7-Pentachlorodibenzofuran	83704-36-3
106	1,3,4,6,8-Pentachlorodibenzofuran	83704-55-6
107	1,3,4,6,9-Pentachlorodibenzofuran	70648-15-6
108	1,3,4,7,8-Pentachlorodibenzofuran	58802-16-7
109	1,3,4,7,9-Pentachlorodibenzofuran	70648-20-3
110	1,3,6,7,8-Pentachlorodibenzofuran	70648-21-4
111	1,4,6,7,8-Pentachlorodibenzofuran	83704-35-2
112	2,3,4,6,7-Pentachlorodibenzofuran	57117-43-8
113	2,3,4,6,8-Pentachlorodibenzofuran	67481-22-5
The second second		

^{*} Ballschmiter et. al.

ID Number*	Congener	CAS Number
114	2,3,4,7,8-Pentachlorodibenzofuran	57117-31-4
115	1,2,3,4,6,7-Hexachlorodibenzofuran	79060-60-9
116	1,2,3,4,6,8-Hexachlorodibenzofuran	69698-60-8
117	1,2,3,4,6,9-Hexachlorodibenzofuran	91538-83-9
118	1,2,3,4,7,8-Hexachlorodibenzofuran	70648-26-9
119	1,2,3,4,7,9-Hexachlorodibenzofuran	91538-84-0
120	1,2,3,4,8,9-Hexachlorodibenzofuran	92341-07-6
121	1,2,3,6,7,8-Hexachlorodibenzofuran	57117-44-9
122	1,2,3,6,7,9-Hexachlorodibenzofuran	92341-06-5
123	1,2,3,6,8,9-Hexachlorodibenzofuran	
124	1,2,3,7,8,9-Hexachlorodibenzofuran	72918-21-9
125	1,2,4,6,7,8-Hexachlorodibenzofuran	67562-40-7
126	1,2,4,6,7,9-Hexachlorodibenzofuran	75627-02-0
127	1,2,4,6,8,9-Hexachlorodibenzofuran	69698-59-5
128	1,3,4,6,7,8-Hexachlorodibenzofuran	71998-75-9
129	1,3,4,6,7,9-Hexachlorodibenzofuran	92341-05-4
130	2,3,4,6,7,8-Hexachlorodibenzofuran	60851-34-5
131	1,2,3,4,6,7,8-Heptachlorodibenzofuran	67562-39-4
132	1,2,3,4,6,7,9-Heptachlorodibenzofuran	70648-25-8
133	1,2,3,4,6,8,9-Heptachlorodibenzofuran	69698-58-4
134	1,2,3,4,7,8,9-Heptachlorodibenzofuran	55673-89-7
135	Octachlorodibenzofuran	39001-02-0


^{*} Ballschmiter et. al.

ID Number*	Congener	CAS Number
1	2-Chlorobiphenyl	2051-60-7
2	3-Chlorobiphenyl	2051-61-8
3	4-Chlorobiphenyl	2051-62-9
4	2,2'-Dichlorobiphenyl	13029-08-8
5	2,3-Dichlorobiphenyl	16605-91-7
6	2,3'-Dichlorobiphenyl	25569-80-6
7	2,4-Dichlorobiphenyl	33284-50-3
8	2,4'-Dichlorobiphenyl	34883-43-7
9	2,5-Dichlorobiphenyl	34883-39-1
10	2,6-Dichlorobiphenyl	33146-45-1
11	3,3'-Dichlorobiphenyl	2050-67-1
12	3,4-Dichlorobiphenyl	2974-92-7
13	3,4'-Dichlorobiphenyl	2974-90-5
14	3,5-Dichlorobiphenyl	34883-41-5
15	4,4'-Dichlorobiphenyl	2050-68-2
16	2,2',3-Trichlorobiphenyl	38444-78-9
17	2,2',4-Trichlorobiphenyl	37680-66-3
18	2,2',5-Trichlorobiphenyl	37680-65-2
19	2,2',6-Trichlorobiphenyl	38444-73-4
20	2,3,3'-Trichlorobiphenyl	38444-84-7
21	2,3,4-Trichlorobiphenyl	55702-46-0
22	2,3,4'-Trichlorobiphenyl	38444-85-8
23	2,3,5-Trichlorobiphenyl	55720-44-0
24	2,3,6-Trichlorobiphenyl	55702-45-9
25	2,3',4-Trichlorobiphenyl	55712-37-3
26	2,3',5-Trichlorobiphenyl	38444-81-4
27	2,3',6-Trichlorobiphenyl	38444-76-7
28	2,4,4'-Trichlorobiphenyl	7012-37-5
29	2,4,5-Trichlorobiphenyl	15862-07-4
30	2,4,6-Trichlorobiphenyl	35693-92-6
31	2,4',5-Trichlorobiphenyl	16606-02-3
32	2,4',6-Trichlorobiphenyl	38444-77-8
33	2',3,4-Trichlorobiphenyl	38444-86-9
* Rallschmiter and Zell		

^{*} Ballschmiter and Zell

ID Number*	Congener	CAS Number
34	2',3,5-Trichlorobiphenyl	37680-68-5
35	3,3',4-Trichlorobiphenyl	37680-69-6
36	3,3',5-Trichlorobiphenyl	38444-87-0
37	3,4,4'-Trichlorobiphenyl	38444-90-5
38	3,4,5-Trichlorobiphenyl	53555-66-1
39	3,4',5-Trichlorobiphenyl	38444-88-1
40	2,2',3,3'-Tetrachlorobiphenyl	38444-93-8
41	2,2',3,4-Tetrachlorobiphenyl	52663-59-9
42	2,2',3,4'-Tetrachlorobiphenyl	36559-22-5
43	2,2',3,5-Tetrachlorobiphenyl	70362-46-8
44	2,2',3,5'-Tetrachlorobiphenyl	41464-39-5
45	2,2',3,6-Tetrachlorobiphenyl	70362-45-7
46	2,2',3,6'-Tetrachlorobiphenyl	41464-47-5
47	2,2',4,4'-Tetrachlorobiphenyl	2437-79-8
48	2,2',4,5-Tetrachlorobiphenyl	70362-47-9
49	2,2',4,5'-Tetrachlorobiphenyl	41464-40-8
50	2,2',4,6-Tetrachlorobiphenyl	62796-65-0
51	2,2',4,6'-Tetrachlorobiphenyl	68194-04-7
52	2,2',5,5'-Tetrachlorobiphenyl	35693-99-3
53	2,2',5,6'-Tetrachlorobiphenyl	41464-41-9
54	2,2',6,6'-Tetrachlorobiphenyl	15968-05-5
55	2,3,3',4-Tetrachlorobiphenyl	74338-24-2
56	2,3,3',4'-Tetrachlorobiphenyl	41464-43-1
57	2,3,3',5-Tetrachlorobiphenyl	70424-67-8
58	2,3,3',5'-Tetrachlorobiphenyl	41464-49-7
59	2,3,3',6-Tetrachlorobiphenyl	74472-33-6
60	2,3,4,4'-Tetrachlorobiphenyl	33025-41-1
61	2,3,4,5-Tetrachlorobiphenyl	33284-53-6
62	2,3,4,6-Tetrachlorobiphenyl	54230-22-7
63	2,3,4',5-Tetrachlorobiphenyl	74472-34-7
64	2,3,4',6-Tetrachlorobiphenyl	52663-58-8
65	2,3,5,6-Tetrachlorobiphenyl	33284-54-7
66	2,3',4,4'-Tetrachlorobiphenyl	32598-10-0
67	2,3',4,5-Tetrachlorobiphenyl	73575-53-8

^{*} Ballschmiter and Zell




ID Number*	Congener	CAS Number
68	2,3',4,5'-Tetrachlorobiphenyl	73575-52-7
69	2,3',4,6-Tetrachlorobiphenyl	60233-24-1
70	2,3',4',5-Tetrachlorobiphenyl	32598-11-1
71	2,3',4',6-Tetrachlorobiphenyl	41464-46-4
72	2,3',5,5'-Tetrachlorobiphenyl	41464-42-0
73	2,3',5',6-Tetrachlorobiphenyl	74338-23-1
74	2,4,4',5-Tetrachlorobiphenyl	32690-93-0
75	2,4,4',6-Tetrachlorobiphenyl	32598-12-2
76	2',3,4,5-Tetrachlorobiphenyl	70362-48-0
77	3,3',4,4'-Tetrachlorobiphenyl	32598-13-3
78	3,3',4,5-Tetrachlorobiphenyl	70362-49-1
79	3,3',4,5'-Tetrachlorobiphenyl	41464-48-6
80	3,3',5,5'-Tetrachlorobiphenyl	33284-52-5
81	3,4,4',5-Tetrachlorobiphenyl	70362-50-4
82	2,2',3,3',4-Pentachlorobiphenyl	52663-62-4
83	2,2',3,3',5-Pentachlorobiphenyl	60145-20-2
84	2,2',3,3',6-Pentachlorobiphenyl	52663-60-2
85	2,2',3,4,4'-Pentachlorobiphenyl	65510-45-4
86	2,2',3,4,5-Pentachlorobiphenyl	55312-69-1
87	2,2',3,4,5'-Pentachlorobiphenyl	38380-02-8
88	2,2',3,4,6-Pentachlorobiphenyl	55215-17-3
89	2,2',3,4,6'-Pentachlorobiphenyl	73575-57-2
90	2,2',3,4',5-Pentachlorobiphenyl	68194-07-0
91	2,2',3,4',6-Pentachlorobiphenyl	68194-05-8
92	2,2',3,5,5'-Pentachlorobiphenyl	52663-61-3
93	2,2',3,5,6-Pentachlorobiphenyl	73575-56-1
94	2,2',3,5,6'-Pentachlorobiphenyl	73575-55-0
95	2,2',3,5',6-Pentachlorobiphenyl	38379-99-6
96	2,2',3,6,6'-Pentachlorobiphenyl	73575-54-9
97	2,2',3',4,5-Pentachlorobiphenyl	41464-51-1
98	2,2',3',4,6-Pentachlorobiphenyl	60233-25-2
99	2,2',4,4',5-Pentachlorobiphenyl	38380-01-7
100	2,2',4,4',6-Pentachlorobiphenyl	39485-83-1
101	2,2',4,5,5'-Pentachlorobiphenyl	37680-73-2
* Ballschmiter and Zell		

^{*} Ballschmiter and Zell

ID Number*	Congener	CAS Number
102	2,2',4,5,6'-Pentachlorobiphenyl	68194-06-9
103	2,2',4,5',6-Pentachlorobiphenyl	60145-21-3
104	2,2',4,6,6'-Pentachlorobiphenyl	56558-16-8
105	2,3,3',4,4'-Pentachlorobiphenyl	32598-14-4
106	2,3,3',4,5-Pentachlorobiphenyl	70424-69-0
107 (BZ #108)	2,3,3',4,5'-Pentachlorobiphenyl	70362-41-3
108 (BZ #109)	2,3,3',4,6-Pentachlorobiphenyl	74472-35-8
109 (BZ #107)	2,3,3',4',5-Pentachlorobiphenyl	70424-68-9
110	2,3,3',4',6-Pentachlorobiphenyl	38380-03-9
111	2,3,3',5,5'-Pentachlorobiphenyl	39635-32-0
112	2,3,3',5,6-Pentachlorobiphenyl	74472-36-9
113	2,3,3',5',6-Pentachlorobiphenyl	68194-10-5
114	2,3,4,4',5-Pentachlorobiphenyl	74472-37-0
115	2,3,4,4',6-Pentachlorobiphenyl	74472-38-1
116	2,3,4,5,6-Pentachlorobiphenyl	18259-05-7
117	2,3,4',5,6-Pentachlorobiphenyl	68194-11-6
118	2,3',4,4',5-Pentachlorobiphenyl	31508-00-6
119	2,3',4,4',6-Pentachlorobiphenyl	56558-17-9
120	2,3',4,5,5'-Pentachlorobiphenyl	68194-12-7
121	2,3',4,5',6-Pentachlorobiphenyl	56558-18-0
122	2',3,3',4,5-Pentachlorobiphenyl	76842-07-4
123	2',3,4,4',5-Pentachlorobiphenyl	65510-44-3
124	2',3,4,5,5'-Pentachlorobiphenyl	70424-70-3
125	2',3,4,5,6'-Pentachlorobiphenyl	74472-39-2
126	3,3',4,4',5-Pentachlorobiphenyl	57465-28-8
127	3,3',4,5,5'-Pentachlorobiphenyl	39635-33-1
128	2,2',3,3',4,4'-Hexachlorobiphenyl	38380-07-3
129	2,2',3,3',4,5-Hexachlorobiphenyl	55215-18-4
130	2,2',3,3',4,5'-Hexachlorobiphenyl	52663-66-8
131	2,2',3,3',4,6-Hexachlorobiphenyl	61798-70-7
132	2,2',3,3',4,6'-Hexachlorobiphenyl	38380-05-1
133	2,2',3,3',5,5'-Hexachlorobiphenyl	35694-04-3
134	2,2',3,3',5,6-Hexachlorobiphenyl	52704-70-8
135	2,2',3,3',5,6'-Hexachlorobiphenyl	52744-13-5
* Ballschmiter and Zell		

^{*} Ballschmiter and Zell




ID Number*	Congener	CAS Number
136	2,2',3,3',6,6'-Hexachlorobiphenyl	38411-22-2
137	2,2',3,4,4',5-Hexachlorobiphenyl	35694-06-5
138	2,2',3,4,4',5'-Hexachlorobiphenyl	35065-28-2
139	2,2',3,4,4',6-Hexachlorobiphenyl	56030-56-9
140	2,2',3,4,4',6'-Hexachlorobiphenyl	59291-64-4
141	2,2',3,4,5,5'-Hexachlorobiphenyl	52712-04-6
142	2,2',3,4,5,6-Hexachlorobiphenyl	41411-61-4
143	2,2',3,4,5,6'-Hexachlorobiphenyl	68194-15-0
144	2,2',3,4,5',6-Hexachlorobiphenyl	68194-14-9
145	2,2',3,4,6,6'-Hexachlorobiphenyl	74472-40-5
146	2,2',3,4',5,5'-Hexachlorobiphenyl	51908-16-8
147	2,2',3,4',5,6-Hexachlorobiphenyl	68194-13-8
148	2,2',3,4',5,6'-Hexachlorobiphenyl	74472-41-6
149	2,2',3,4',5',6-Hexachlorobiphenyl	38380-04-0
150	2,2',3,4',6,6'-Hexachlorobiphenyl	68194-08-1
151	2,2',3,5,5',6-Hexachlorobiphenyl	52663-63-5
152	2,2',3,5,6,6'-Hexachlorobiphenyl	68194-09-2
153	2,2',4,4',5,5'-Hexachlorobiphenyl	35065-27-1
154	2,2',4,4',5,6'-Hexachlorobiphenyl	60145-22-4
155	2,2',4,4',6,6'-Hexachlorobiphenyl	33979-03-2
156	2,3,3',4,4',5-Hexachlorobiphenyl	38380-08-4
157	2,3,3',4,4',5'-Hexachlorobiphenyl	69782-90-7
158	2,3,3',4,4',6-Hexachlorobiphenyl	74472-42-7
159	2,3,3',4,5,5'-Hexachlorobiphenyl	39635-35-3
160	2,3,3',4,5,6-Hexachlorobiphenyl	41411-62-5
161	2,3,3',4,5',6-Hexachlorobiphenyl	74472-43-8
162	2,3,3',4',5,5'-Hexachlorobiphenyl	39635-34-2
163	2,3,3',4',5,6-Hexachlorobiphenyl	74472-44-9
164	2,3,3',4',5',6-Hexachlorobiphenyl	74472-45-0
165	2,3,3',5,5',6-Hexachlorobiphenyl	74472-46-1
166	2,3,4,4',5,6-Hexachlorobiphenyl	41411-63-6
167	2,3',4,4',5,5'-Hexachlorobiphenyl	52663-72-6
168	2,3',4,4',5',6-Hexachlorobiphenyl	59291-65-5
169	3,3',4,4',5,5'-Hexachlorobiphenyl	32774-16-6
a beautiful and a second		

^{*} Ballschmiter and Zell

ID Number*	Congener	CAS Number
170	2,2',3,3',4,4',5-Heptachlorobiphenyl	35065-30-6
171	2,2',3,3',4,4',6-Heptachlorobiphenyl	52663-71-5
172	2,2',3,3',4,5,5'-Heptachlorobiphenyl	52663-74-8
173	2,2',3,3',4,5,6-Heptachlorobiphenyl	68194-16-1
174	2,2',3,3',4,5,6'-Heptachlorobiphenyl	38411-25-5
175	2,2',3,3',4,5',6-Heptachlorobiphenyl	40186-70-7
176	2,2',3,3',4,6,6'-Heptachlorobiphenyl	52663-65-7
177	2,2',3,3',4',5,6-Heptachlorobiphenyl	52663-70-4
178	2,2',3,3',5,5',6-Heptachlorobiphenyl	52663-67-9
179	2,2',3,3',5,6,6'-Heptachlorobiphenyl	52663-64-6
180	2,2',3,4,4',5,5'-Heptachlorobiphenyl	35065-29-3
181	2,2',3,4,4',5,6-Heptachlorobiphenyl	74472-47-2
182	2,2',3,4,4',5,6'-Heptachlorobiphenyl	60145-23-5
183	2,2',3,4,4',5',6-Heptachlorobiphenyl	52663-69-1
184	2,2',3,4,4',6,6'-Heptachlorobiphenyl	74472-48-3
185	2,2',3,4,5,5',6-Heptachlorobiphenyl	52712-05-7
186	2,2',3,4,5,6,6'-Heptachlorobiphenyl	74472-49-4
187	2,2',3,4',5,5',6-Heptachlorobiphenyl	52663-68-0
188	2,2',3,4',5,6,6'-Heptachlorobiphenyl	74487-85-7
189	2,3,3',4,4',5,5'-Heptachlorobiphenyl	39635-31-9
190	2,3,3',4,4',5,6-Heptachlorobiphenyl	41411-64-7
191	2,3,3',4,4',5',6-Heptachlorobiphenyl	74472-50-7
192	2,3,3',4,5,5',6-Heptachlorobiphenyl	74472-51-8
193	2,3,3',4',5,5',6-Heptachlorobiphenyl	69782-91-8
194	2,2',3,3',4,4',5,5'-Octachlorobiphenyl	35694-08-7
195	2,2',3,3',4,4',5,6-Octachlorobiphenyl	52663-78-2
196	2,2',3,3',4,4',5,6'-Octachlorobiphenyl	42740-50-1
197	2,2',3,3',4,4',6,6'-Octachlorobiphenyl	33091-17-7
198	2,2',3,3',4,5,5',6-Octachlorobiphenyl	68194-17-2
199 (BZ #201)	2,2',3,3',4,5,5',6'-Octachlorobiphenyl	52663-75-9
200 (BZ #199)	2,2',3,3',4,5,6,6'-Octachlorobiphenyl	52663-73-7
201 (BZ #200)	2,2',3,3',4,5',6,6'-Octachlorobiphenyl	40186-71-8
202	2,2',3,3',5,5',6,6'-Octachlorobiphenyl	2136-99-4
203	2,2',3,4,4',5,5',6-Octachlorobiphenyl	52663-76-0
* Ballschmiter and Zell		

^{*} Ballschmiter and Zell



ID Number*	Congener	CAS Number
204	2,2',3,4,4',5,6,6'-Octachlorobiphenyl	74472-52-9
205	2,3,3',4,4',5,5',6-Octachlorobiphenyl	74472-53-0
206	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	40186-72-9
207	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl	52663-79-3
208	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl	52663-77-1
209	Decachlorobiphenyl	2051-24-3

^{*} Ballschmiter and Zell

SYSTEMATIC NUMBERING OF CHLORINATED NAPHTHALENES


ID Number*	Congener	CAS Number
1	1-Chloronaphthalene	90-13-1
2	2-Chloronaphthalene	91-58-7
3	1,2-Dichloronaphthalene	2050-69-3
4	1,3-Dichloronaphthalene	2198-75-6
5	1,4-Dichloronaphthalene	1825-31-6
6	1,5-Dichloronaphthalene	1825-30-5
7	1,6-Dichloronaphthalene	2050-72-8
8	1,7-Dichloronaphthalene	2050-73-9
9	1,8-Dichloronaphthalene	2050-74-0
10	2,3-Dichloronaphthalene	2050-75-1
11	2,6-Dichloronaphthalene	2065-70-5
12	2,7-Dichloronaphthalene	2198-77-8
13	1,2,3-Trichloronaphthalene	50402-52-3
14	1,2,4-Trichloronaphthalene	50402-51-2

^{*} Wiedmann and Ballschmiter

SYSTEMATIC NUMBERING OF CHLORINATED NAPHTHALENES

ID Number*	Congener	CAS Number
15	1,2,5-Trichloronaphthalene	55720-33-7
16	1,2,6-Trichloronaphthalene	51570-44-6
17	1,2,7-Trichloronaphthalene	55720-34-8
18	1,2,8-Trichloronaphthalene	55720-35-9
19	1,3,5-Trichloronaphthalene	51570-43-5
20	1,3,6-Trichloronaphthalene	55720-36-0
21	1,3,7-Trichloronaphthalene	55720-37-1
22	1,3,8-Trichloronaphthalene	55720-38-2
23	1,4,5-Trichloronaphthalene	2437-55-0
24	1,4,6-Trichloronaphthalene	2737-54-9
25	1,6,7-Trichloronaphthalene	55720-39-3
26	2,3,6-Trichloronaphthalene	55720-40-6
27	1,2,3,4-Tetrachloronaphthalene	20020-02-4
28	1,2,3,5-Tetrachloronaphthalene	53555-63-8
29	1,2,3,6-Tetrachloronaphthalene	
30	1,2,3,7-Tetrachloronaphthalene	55720-41-7
31	1,2,3,8-Tetrachloronaphthalene	149864-81-3
32	1,2,4,5-Tetrachloronaphthalene	6733-54-6
33	1,2,4,6-Tetrachloronaphthalene	51570-45-7
34	1,2,4,7-Tetrachloronaphthalene	67922-21-8
35	1,2,4,8-Tetrachloronaphthalene	6529-87-9
36	1,2,5,6-Tetrachloronaphthalene	67922-22-9
37	1,2,5,7-Tetrachloronaphthalene	67922-23-0
38	1,2,5,8-Tetrachloronaphthalene	149864-80-2
39	1,2,6,7-Tetrachloronaphthalene	149864-79-9
40	1,2,6,8-Tetrachloronaphthalene	67922-24-1
41	1,2,7,8-Tetrachloronaphthalene	149864-82-4
42	1,3,5,7-Tetrachloronaphthalene	53555-64-9
43	1,3,5,8-Tetrachloronaphthalene	31604-28-1
44	1,3,6,7-Tetrachloronaphthalene	55720-42-8
45	1,3,6,8-Tetrachloronaphthalene	150224-15-0
46	1,4,5,8-Tetrachloronaphthalene	3432-57-3
47	1,4,6,7-Tetrachloronaphthalene	55720-43-9
48	2,3,6,7-Tetrachloronaphthalene	34588-40-4
* Wiedmann and Ballschmi	122	


^{*} Wiedmann and Ballschmiter



SYSTEMATIC NUMBERING OF CHLORINATED NAPHTHALENES

ID Number*	Congener	CAS Number
49	1,2,3,4,5-Pentachloronaphthalene	67922-25-2
50	1,2,3,4,6-Pentachloronaphthalene	67922-26-3
51	1,2,3,5,6-Pentachloronaphthalene	
52	1,2,3,5,7-Pentachloronaphthalene	53555-65-0
53	1,2,3,5,8-Pentachloronaphthalene	150224-24-1
54	1,2,3,6,7-Pentachloronaphthalene	150224-16-1
55	1,2,3,6,8-Pentachloronaphthalene	150224-23-0
56	1,2,3,7,8-Pentachloronaphthalene	150205-21-3
57	1,2,4,5,6-Pentachloronaphthalene	150224-20-7
58	1,2,4,5,7-Pentachloronaphthalene	150224-19-4
59	1,2,4,5,8-Pentachloronaphthalene	150224-25-2
60	1,2,4,6,7-Pentachloronaphthalene	150224-17-2
61	1,2,4,6,8-Pentachloronaphthalene	150224-22-9
62	1,2,4,7,8-Pentachloronaphthalene	
63	1,2,3,4,5,6-Hexachloronaphthalene	58877-88-6
64	1,2,3,4,5,7-Hexachloronaphthalene	67927-27-4
65	1,2,3,4,5,8-Hexachloronaphthalene	103426-93-3
66	1,2,3,4,6,7-Hexachloronaphthalene	103426-96-6
67	1,2,3,5,6,7-Hexachloronaphthalene	103426-97-7
68	1,2,3,5,6,8-Hexachloronaphthalene	103426-95-5
69	1,2,3,5,7,8-Hexachloronaphthalene	103426-94-4
70	1,2,3,6,7,8-Hexachloronaphthalene	17062-87-2
71	1,2,4,5,6,8-Hexachloronaphthalene	90948-28-0
72	1,2,4,5,7,8-Hexachloronaphthalene	103426-92-2
73	1,2,3,4,5,6,7-Heptachloronaphthalene	58863-14-2
74	1,2,3,4,5,6,8-Heptachloronaphthalene	58863-15-3
75	Octachloronaphthalene	2234-13-1

^{*} Wiedmann and Ballschmiter



U.S. EPA Method 1613B:

Tetra- through Octa-Chlorinated Dioxins and Furans by Isotope Dilution HRGC/HRMS - Revision B, October 1994

U.S. EPA Method 513:

Determination of 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin in Drinking Water by Gas Chromatography with High Resolution Mass Spectrometry - July 1990

U.S. EPA Method 8280B:

Polychlorinated Dibenzo-p-dioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by High-Resolution Gas Chromatography/Low-Resolution Mass Spectrometry (HRGC/LRMS) - Revision 2, February 2007

U.S. EPA Method 8290A:

Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by High-Resolution Gas Chromatography/High-Resolution Mass Spectrometry (HRGC/HRMS) - Revision 1, January 1998

U.S. EPA Method 23:

Determination of Polychlorinated Dibenzo-*p*-dioxins and Polychlorinated Dibenzofurans from Stationary Sources

European Standard EN 1948-4:2010:

Stationary Source Emissions - Determination of the Mass Concentration of PCDDs/PCDFs and Dioxin-Like PCBs - October 2010

Japanese Industrial Standard JIS K 0311:2005:

Method for Determination of Tetra- Through Octachlorodibenzo-p-dioxins, Tetra- Through Octachlorodibenzofurans and Dioxin-Like Polychlorinatedbiphenyls in Stationary Source Emissions - January 2008

Japanese Industrial Standard JIS K 0312:2005:

Method for Determination of Tetra- Through Octachlorodibenzo-p-dioxins, Tetra- Through Octachlorodibenzofurans and Dioxin-Like Polychlorinatedbiphenyls in Industrial Water and Waste Water - January 2008

U.S. EPA Method 1668C:

Chlorinated Biphenyl Congeners in Water, Soil, Sediment, Biosolids, and Tissue by HRGC/HRMS - April 2010

U.S. EPA Method 1668:

Toxic Polychlorinated Biphenyls by Isotope Dilution High Resolution Gas Chromatography/High Resolution Mass Spectrometry - March 1997

Environment Canada Report EPS 1/RM/31:

Reference Method for the Analysis of Polychlorinated Biphenyls (PCBs) - March 1997

REFERENCE METHODS

California Environmental Protection Agency Air Resources Board Method 429:

Determination of Polycyclic Aromatic Hydrocarbon (PAH) Emissions from Stationary Sources - July 1997

U.S. EPA Method 537.1:

Determination of Selected Per- and Polyfluorinated Alkyl Substances in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS) - November 2018

International Standard ISO 21675:2019:

Water quality - Determination of Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS) in Water - Method Using Solid Phase Extraction and Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) - October 2019

U.S. EPA Method 533:

Determination of Per- and Polyfluoroalkyl Substances in Drinking Water by Isotope Dilution Anion Exchange Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry - November 2019

U.S. EPA Draft Method 1633:

Analysis of Per- and Polyfluoroalkyl Substances (PFAS) in Aqueous, Solid, Biosolids, and Tissue Samples by LC-MS/MS - August 2021



In order to keep up-to-date on new releases from Wellington Laboratories Inc., please visit our website at www.well-labs.com.

New Products are announced in the Wellington Reporter.



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Wellington Laboratories Inc. 345 Southgate Drive Guelph, ON N1G 3M5

Fulfills the requirements of

ISO 17034:2016

In the field of

REFERENCE MATERIAL PRODUCER

This certificate is valid only when accompanied by a current scope of accreditation document.

The current scope of accreditation can be verified at www.anab.org,

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 17 February 2023 Certificate Number: AR-1523



WELLINGTON LABORATORIES INC.

345 SOUTHGATE DRIVE, GUELPH, ONTARIO, CANADA N1G 3M5 PHONE: 519-822-2436 TOLL FREE: 1-800-578-6985 FAX: 519-822-2849



DISTRIBUTED BY:

Greyhound Chromatography and Allied Chemicals 6 Kelvin Park, Birkenhead Merseyside, CH41 1LT, UK

Tel: +44 (0)151 649 4000

Email: info@greyhoundchrom.com WWW.GREYHOUNDCHROM.COM

